A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	PA	TIENT ID	: 1622022
COLLECTED BY	:	RE	EG. NO./LAB NO.	: 122409230017
REFERRED BY	:	RF	EGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	CO	DLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE RE	EPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WELL	NESS PANEL: 1.0	
	CON	/IPLETE BLOO	D COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) by Calorimetric		14.2	gm/dL	12.0 - 17.0
RED BLOOD CELL (RE		4.64	Millions/cr	mm 3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		40.1	%	40.0 - 54.0
		86.5	fL	80.0 - 100.0
		30.7	pg	27.0 - 34.0
		35.5	g/dL	32.0 - 36.0
		13.8	%	11.00 - 16.00
	ION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	46.4	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED GREEN & KING INDEX by CALCULATED		18.64	RATIO	BETA THALASSEMIA TRAIT: < 13. IRON DEFICIENCY ANEMIA: >13.0
		25.81	RATIO	BETA THALASSEMIA TRAIT:<= 65 IRON DEFICIENCY ANEMIA: > 65.
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
,	BY SF CUBE & MICROSCOPY	6760	/cmm	4000 - 11000
DIFFERENTIAL LEUCO		70	07	F0 70
NEUTROPHILS by FLOW CYTOMETRY	' BY SF CUBE & MICROSCOPY	70	%	50 - 70
LYMPHOCYTES		23	%	20 - 40
by FLOW CYTOMETRY EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	3	%	1 - 6
LOSINOLUITS	Y BY SF CUBE & MICROSCOPY	Э	70	1-0



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	P	ATIENT ID	: 1622022
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122409230017
REFERRED BY	:	R	EGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	C	OLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE R	EPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HARY	YANA	
Test Name		Value	Unit	Biological Reference interval
MONOCYTES		4	%	2 - 12
by FLOW CYTOMETRY BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
	Y BY SF CUBE & MICROSCOPY	0	70	0 - 1
ABSOLUTE LEUKOCY	TES (WBC) COUNT			
ABSOLUTE NEUTROF		4732	/cmm	2000 - 7500
	Y BY SF CUBE & MICROSCOPY	4555		000 1000
	YTE COUNT YBY SF CUBE & MICROSCOPY	1555	/cmm	800 - 4900
ABSOLUTE EOSINOP		203	/cmm	40 - 440
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		Dk		
		270	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT		0	/cmm	0 - 110
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY				
PLATELETS AND OTH	IER PLATELET PREDICTIVE MARKE	<u>.RS.</u>		
PLATELET COUNT (PI		173000	/cmm	150000 - 450000
by HYDRO DYNAMIC F PLATELETCRIT (PCT)	OCUSING, ELECTRICAL IMPEDENCE	0.17	%	0.10 - 0.36
· · ·	OCUSING, ELECTRICAL IMPEDENCE	0.17	70	0.10-0.30
MEAN PLATELET VO		10	fL	6.50 - 12.0
by HYDRO DYNAMIC F PLATELET LARGE CEL		47000	lomm	30000 - 90000
	COUNT (P-LCC)	47000	/cmm	20000 - 20000
PLATELET LARGE CEL	L RATIO (P-LCR)	27.2	%	11.0 - 45.0
-		1/ /	0/	15.0.17.0
PLATELET DISTRIBUT	ION WIDTH (PDW)	16.4	%	15.0 - 17.0
-	CTED ON EDTA WHOLE BLOOD			





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	PA	FIENT ID	: 1622022
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122409230017
REFERRED BY	:	RE	GISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	CO	LLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE RE	PORTING DATE	: 23/Sep/2024 01:36PM
CLIENT ADDRESS				
Test Name		Value	Unit	Biological Reference interval
by RED CELL AGGRE	MENTATION RATE (ESR) GATION BY CAPILLARY PHOTOMETRY	18	mm/1st h	r 0-20
immune disease, but 2. An ESR can be affe as C-reactive protein	does not tell the health practitione cted by other conditions besides in	er exactly where the iflammation. For th	e inflammation is in the is reason, the ESR is typ	on associated with infection, cancer and auto body or what is causing it. bically used in conjunction with other test suc bove diseases as well as some others, such as
systemic lupus erythe	ematosus W ESR			
(polycythaemia), sigr	n with conditions that inhibit the r nificantly high white blood cell cou e cell anaemia) also lower the ESF	nt (leucocytosis), a	on of red blood cells, su ind some protein abnor	uch as a high red blood cell count rmalities. Some changes in red cell shape (su
	e protein (C-RP) are both markers o		t of inflammation or as	it resolves

Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.

5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	PA	ATIENT ID	: 1622022
COLLECTED BY	:	RI	EG. NO./LAB NO.	: 122409230017
REFERRED BY	:	RI	EGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	CC	DLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	JENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE		EPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval
	CLIN		RY/BIOCHEMISTR	Y
	CLIN	ICAL CHEMISTF GLUCOSE FA		Y

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE		PATIENT ID	: 1622022
COLLECTED BY	:		REG. NO./LAB NO.	: 122409230017
REFERRED BY	:		REGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882		COLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN), AMBALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	ROFILE : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		136.88	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SERUM by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC)		78.82	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (DIRECT): SERUM by SELECTIVE INHIBITION		41.24	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		79.88	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		95.64	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL:		15.76	mg/dL	0.00 - 45.00
by CALCULATED, SPE TOTAL LIPIDS: SERUN by CALCULATED, SPE	N	352.58	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL F by CALCULATED, SPE	ratio: serum	3.32	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		1.94	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 5 of 13

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN		
AGE/ GENDER	: 37 YRS/MALE	PATIENT ID	: 1622022
COLLECTED BY	:	REG. NO./LAB NO.	: 122409230017
REFERRED BY	:	REGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	COLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		
Test Name	Value	Unit	Biological Reference interval

	value	Unit	biological Reference lifter val	
TRIGLYCERIDES/HDL RATIO: SERUM	1.91 ^L	RATIO	3.00 - 5.00	

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



: Mr. PARVEEN

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN				
AGE/ GENDER: 37 YRS/MALECOLLECTED BY:		PA	ATIENT ID	: 1622022	
		REG. NO./LAB NO.		: 122409230017	
REFERRED BY	:	RI	EGISTRATION DATE	: 23/Sep/2024 10:35 AM	
BARCODE NO.	: 12504882	CO	DLLECTION DATE	: 23/Sep/2024 10:38AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE RI	EPORTING DATE	: 23/Sep/2024 12:41PM	
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBA		ALA CITY - HARY	ANA		
Test Name		Value	Unit	Biological Reference interval	
	LIVE	R FUNCTION 1	TEST (COMPLETE)		
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.97	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20	
	CONJUGATED): SERUM	0.38	mg/dL	0.00 - 0.40	
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by Calculated, spectrophotometry SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE		0.59	mg/dL	0.10 - 1.00	
		57.36 ^H	U/L	7.00 - 45.00	
SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE		81.55 ^H	U/L	0.00 - 49.00	
AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY		0.7	RATIO	0.00 - 46.00	
ALKALINE PHOSPHA		142.99 ^H	U/L	40.0 - 130.0	
GAMMA GLUTAMYL by szasz, spectrof	. TRANSFERASE (GGT): SERUM	36.15	U/L	0.00 - 55.0	
TOTAL PROTEINS: SE by BIURET, SPECTRO		6.53	gm/dL	6.20 - 8.00	
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.46	gm/dL	3.50 - 5.50	
GLOBULIN: SERUM by CALCULATED, SPI	ECTROPHOTOMETRY	2.07 ^L	gm/dL	2.30 - 3.50	
by CALCULATED, SPECTROPHOTOMETRY A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY		2.15 ^H	RATIO	1.00 - 2.00	

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NAME





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN		
AGE/ GENDER	: 37 YRS/MALE	PATIENT ID	: 1622022
COLLECTED BY	:	REG. NO./LAB NO.	: 122409230017
REFERRED BY	:	REGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	COLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name Value Unit Biological Reference interval
--

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTI	C SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE		PATIENT ID	: 1622022
COLLECTED BY	:		REG. NO./LAB NO.	: 122409230017
REFERRED BY	:		REGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882		COLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	КІ	DNEY FUNCTI	ON TEST (COMPLETE)	
UREA: SERUM		26.98	mg/dL	10.00 - 50.00
	ATE DEHYDROGENASE (GLDH)			
CREATININE: SERUN by ENZYMATIC, SPEC		0.72	mg/dL	0.40 - 1.40
BLOOD UREA NITRO		12.61	mg/dL	7.0 - 25.0
by CALCULATED, SPECTROPHOTOMETRY				
BLOOD UREA NITROGEN (BUN)/CREATININE		17.51	RATIO	10.0 - 20.0
RATIO: SERUM by CALCULATED, SPE	ECTROPHOTOMETRY			
UREA/CREATININE R	RATIO: SERUM	37.47	RATIO	
by CALCULATED, SPE	ECTROPHOTOMETRY	()5		2.40.7.70
URIC ACID: SERUM by URICASE - OXIDAS	E PEROXIDASE	6.25	mg/dL	3.60 - 7.70
CALCIUM: SERUM		9.11	mg/dL	8.50 - 10.60
by ARSENAZO III, SPE				0.00 4.70
PHOSPHOROUS: SER	KUIVI DATE, SPECTROPHOTOMETRY	2.64	mg/dL	2.30 - 4.70
ELECTROLYTES				
SODIUM: SERUM		140.8	mmol/L	135.0 - 150.0
by ISE (ION SELECTIV				
POTASSIUM: SERUM		4.2	mmol/L	3.50 - 5.00
by ISE (ION SELECTIV CHLORIDE: SERUM	E ELEUIRUDE)	105.6	mmol/L	90.0 - 110.0
by ISE (ION SELECTIV	/E ELECTRODE)	100.0		,
ESTIMATED GLOME	RULAR FILTERATION RATE			
	RULAR FILTERATION RATE	120.7		
(eGFR): SERUM				
INTERPRETATION.				

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

Thopra

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: 37 YRS/MALE	PATIENT ID	: 1622022
:	REG. NO./LAB NO.	: 122409230017
:	REGISTRATION DATE	: 23/Sep/2024 10:35 AM
: 12504882	COLLECTION DATE	: 23/Sep/2024 10:38AM
: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	
Value	Unit	Biological Reference interval
ion plus		
•	fection GI bleeding thyrotoxic	osis Cushing's syndrome high protein diet
a, high fever).		
e.g. ureter colostomy)		
ss (subnormal creatinine production)		
etracycline, glucocorticoids) 1) WITH ELEVATED CREATININE LEVELS:		
	: : : 12504882 : P.K.R JAIN HEALTHCARE INSTITUTE : NASIRPUR, HISSAR ROAD, AMBALA CITY Value ion plus e or production or tissue breakdown (e.g. in a, high fever). e.g. ureter colostomy)	REG. NO./LAB NO. REGISTRATION DATE 12504882 COLLECTION DATE P.K.R JAIN HEALTHCARE INSTITUTE NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Value Unit

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

- 2. Low protein diet and starvation.
- 3. Severe liver disease.
- 4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.
- 8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein ,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN		
AGE/ GENDER	: 37 YRS/MALE	PATIENT ID	: 1622022
COLLECTED BY	:	REG. NO./LAB NO.	: 122409230017
REFERRED BY	:	REGISTRATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	COLLECTION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	PATIEN	T ID	: 1622022
COLLECTED BY	:	REG. NO	./LAB NO.	: 122409230017
REFERRED BY	:	REGIST	RATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882		TION DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS		FING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM			1
-				
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATHO	DLOGY	
	URINE R	OUTINE & MICROSCO	PIC EXAMINAT	ION
PHYSICAL EXAMINA	TION			
,) TANCE SPECTROPHOTOMETRY	25	ml	
COLOUR		PALE YELLOW		PALE YELLOW
by DIP STICK/REFLEC TRANSPARANCY	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
	TANCE SPECTROPHOTOMETRY			VELAN
SPECIFIC GRAVITY		1.02 FKK		1.002 - 1.030
	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINA				
REACTION		ACIDIC		
by DIP STICK/REFLEC PROTEIN	TANCE SPECTROPHOTOMETRY	TRACE		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	INAUE		NEGATIVE (-Ve)
SUGAR		NEGATIVE (-ve)		NEGATIVE (-ve)
-	TANCE SPECTROPHOTOMETRY			
pH		5.5		5.0 - 7.5
by DIP STICK/REFLEC BILIRUBIN	TANCE SPECTROPHOTOMETRY			
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
NITRITE		NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.			
		NOT DETECTED	EU/dL	0.2 - 1.0
by DIP STICK/REFLEC KETONE BODIES	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-VE)		NEGATIVE (-VC)
BLOOD		NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY IINATION			

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NAME

: Mr. PARVEEN

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PARVEEN			
AGE/ GENDER	: 37 YRS/MALE	PATIENT	T ID	: 1622022
COLLECTED BY	:	REG. NO.	/LAB NO.	: 122409230017
REFERRED BY	:	REGISTR	ATION DATE	: 23/Sep/2024 10:35 AM
BARCODE NO.	: 12504882	COLLECT	TON DATE	: 23/Sep/2024 10:38AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE REPORT	ING DATE	: 23/Sep/2024 12:41PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (R	BCs) ENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON C	ENTRIFUGED URINARY SEDIMENT	3-5	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON C	ENTRIFUGED URINARY SEDIMENT	6-8	/HPF	ABSENT
	ENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS	ENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve) NEGATIVE (-ve)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report *

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NEGATIVE (-ve)

ABSENT