PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1629403
COLLECTED BY	:		REG. NO./LAB NO.	: 122409300009
REFERRED BY :		REGISTRATION DATE		: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996		COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	: 30/Sep/2024 11:58AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WE	LLNESS PANEL: 1.0	
	CON	APLETE BLO	DOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		9.4 ^L	gm/dL	12.0 - 16.0
RED BLOOD CELL (RE		4.32	Millions/cr	nm 3.50 - 5.00
PACKED CELL VOLUN	OCUSING, ELECTRICAL IMPEDENCE IE (PCV) AUTOMATED HEMATOLOGY ANALYZER	29.9 ^L	%	37.0 - 50.0
MEAN CORPUSCULA		69.1 ^L	KR fl	80.0 - 100.0
MEAN CORPUSCULA	R HAEMOGLOBIN (MCH)	21.9 ^L	pg	27.0 - 34.0
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC)	31.6 ^L	g/dL	32.0 - 36.0
	ION WIDTH (RDW-CV)	16.8 ^H	%	11.00 - 16.00
RED CELL DISTRIBUT	ION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	44	fL	35.0 - 56.0
MENTZERS INDEX		16	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDE	X	27.05	RATIO	BETA THALASSEMIA TRAIT:<= 65. IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
TOTAL LEUCOCYTE C by FLOW CYTOMETRY DIFFERENTIAL LEUCO	BY SF CUBE & MICROSCOPY	9850	/cmm	4000 - 11000
NEUTROPHILS	/ BY SF CUBE & MICROSCOPY	59	%	50 - 70
LYMPHOCYTES	BY SF CUBE & MICROSCOPY	30	%	20 - 40
EOSINOPHILS	/ BY SF CUBE & MICROSCOPY	5	%	1 - 6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1629403
COLLECTED BY	:		REG. NO./LAB NO.	: 122409300009
REFERRED BY	:		REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996		COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	: 30/Sep/2024 11:58AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	IARYANA	Ĩ
Test Name		Value	Unit	Biological Reference interval
MONOCYTES		6	%	2 - 12
BASOPHILS	Y BY SF CUBE & MICROSCOPY Y BY SF CUBE & MICROSCOPY (TES (WBC) COUNT	0	%	0 - 1
ABSOLUTE NEUTROI	PHIL COUNT	5812	/cmm	2000 - 7500
ABSOLUTE LYMPHO	y by sf cube & microscopy CYTE COUNT y by sf cube & microscopy	2955 ^L	/cmm	800 - 4900
ABSOLUTE EOSINOP		492 ^H	/cmm	40 - 440
ABSOLUTE MONOCY	Y BY SF CUBE & MICROSCOPY /TE COUNT Y BY SF CUBE & MICROSCOPY	591	KR /cmm	80 - 880
ABSOLUTE BASOPHI by flow cytometr	L COUNT y by sf cube & microscopy	0	/cmm	0 - 110
PLATELETS AND OT	HER PLATELET PREDICTIVE MARKE	<u>RS.</u>		
PLATELET COUNT (P by hydro dynamic f	LT) FOCUSING, ELECTRICAL IMPEDENCE	150000	/cmm	150000 - 450000
PLATELETCRIT (PCT)	FOCUSING, ELECTRICAL IMPEDENCE	0.18	%	0.10 - 0.36
MEAN PLATELET VO		12 ^H	fL	6.50 - 12.0
PLATELET LARGE CEI		70000	/cmm	30000 - 90000
PLATELET LARGE CE		46.7 ^H	%	11.0 - 45.0
PLATELET DISTRIBU		15.8	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER : 51 YRS/FEMALE PATIENT ID : 1629403 COLLECTED BY : REG. NO./LAB NO. : 122409300009 REFERRED BY : REGISTRATION DATE : 30/Sep/2024 10:28 BARCODE NO. : 12504996 COLLECTION DATE : 30/Sep/2024 10:28 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 30/Sep/2024 11:58 CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA : 30/Sep/2024 11:58 Test Name Value Unit Biological 1 ERYTHROCYTE SEDIMENTATION RATE (ESR) BARCOT E SEDIMENTATION BY CAPILLARY PHOTOMETRY NTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe Immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood <th></th>	
REFERRED BY : REGISTRATION DATE : 30/Sep/2024 10:28 BARCODE NO. : 12504996 COLLECTION DATE : 30/Sep/2024 10:49 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 30/Sep/2024 11:58 CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA : 30/Sep/2024 11:58 Test Name Value Unit Biological 10 ERYTHROCYTE SEDIMENTATION RATE (ESR) SERYTHROCYTE SEDIMENTATION BY CAPILLARY PHOTOMETRY 35 ^H mm/1st hr 0 - 20 by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY NTERPRETATION: 1. SER is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe 1. SER is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR CONDITION WITH LOW ESR	
BARCODE NO. 12504996 COLLECTION DATE : 30/Sep/2024 10:49 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 30/Sep/2024 11:58 CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Image: Solar Sep/2024 11:58 Test Name Value Unit Biological 10 CERYTHROCYTE SEDIMENTATION RATE (ESR) Solar Sep/2024 10:49 MITERPRETATION RATE (ESR) NO - 20 by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	
CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 30/Sep/2024 11:58 CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Itest Name Value Unit Biological I Test Name Value Unit Biological I ERYTHROCYTE SEDIMENTATION RATE (ESR) by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY 35 ^H mm/1st hr 0 - 20 INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	AM
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Test Name Value Unit Biological ERYTHROCYTE SEDIMENTATION RATE (ESR) 35 ^H mm/1st hr 0 - 20 by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY 35 ^H mm/1st hr 0 - 20 INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with inferimmune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	AM
Test Name Value Unit Biological ERYTHROCYTE SEDIMENTATION RATE (ESR) ERYTHROCYTE SEDIMENTATION RATE (ESR) by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with inferimmune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	AM
ERYTHROCYTE SEDIMENTATION RATE (ESR) ERYTHROCYTE SEDIMENTATION RATE (ESR) by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with inferimmune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	
ERYTHROCYTE SEDIMENTATION RATE (ESR) 35 ^H mm/1st hr 0 - 20 by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY 10 - 20 10 - 20 INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with inferimmune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	Reference interval
INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infe immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causin 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunct as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	
as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus CONDITION WITH LOW ESR	ction, cancer and aut
3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as systemic lupus erythematosus conditions with LOW ESR	on with other test su
A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood	
(polycythaemia), significantly high white blood cell count (leucocytosis) , and some protein abnormalities. Šome change as sickle cells in sickle cell anaemia) also lower the ESR.	cell count s in red cell shape (su
NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation.	
2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves. 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation .	

4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while environment and pregnance and environment. aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR			
AGE/ GENDER	: 51 YRS/FEMALE	PAT	IENT ID	: 1629403
COLLECTED BY	:	REG	. NO./LAB NO.	: 122409300009
REFERRED BY	:	REG	ISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	COL	LECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE REP	ORTING DATE	: 30/Sep/2024 11:37AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARYAN	JA	
Test Name		Value	Unit	Biological Reference interval
	CLIN	IICAL CHEMISTRY	/BIOCHEMISTR	Y
		GLUCOSE FAS	TING (F)	
		86.73	mg/dL	NORMAL: < 100.0

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1629403
COLLECTED BY	:		REG. NO./LAB NO.	: 122409300009
REFERRED BY	:		REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996		COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 30/Sep/2024 11:37AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PF	ROFILE : BASIC	
CHOLESTEROL TOTAL:	SERUM	181.78	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OXID	ASE PAP		J	BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.
TRIGLYCERIDES: SERU	M ATE OXIDASE (ENZYMATIC)	132.71	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0
by dereencer most in				HIGH: 200.0 - 499.0
				VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (DI		52.67	mg/dL	LOW HDL: < 30.0
by SELECTIVE INHIBITIO	V			BORDERLINE HIGH HDL: 30.0 -
				60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: SEI	RUM	102.57	mg/dL	OPTIMAL: < 100.0
by CALCULATED, SPECT	ROPHOTOMETRY			ABOVE OPTIMAL: 100.0 - 129.0
				BORDERLINE HIGH: 130.0 - 159.0
				HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTER	DL: SERUM	129.11	mg/dL	OPTIMAL: < 130.0
by CALCULATED, SPECT			J	ABOVE OPTIMAL: 130.0 - 159.0
				BORDERLINE HIGH: 160.0 - 189.0
				HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: S	ERUM	26.54	mg/dL	0.00 - 45.00
by CALCULATED, SPECT	ROPHOTOMETRY	10/ 27	C C	
TOTAL LIPIDS: SERUM by CALCULATED, SPECT	ROPHOTOMETRY	496.27	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL RA		3.45	RATIO	LOW RISK: 3.30 - 4.40
by CALCULATED, SPECT	ROPHOTOMETRY			AVERAGE RISK: 4.50 - 7.0
				MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SERU	M	1.95	RATIO	LOW RISK: 0.50 - 3.0
by CALCULATED, SPECT				MODERATE RISK: 3.10 - 6.0
				HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 5 of 14



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1629403
COLLECTED BY	:	REG. NO./LAB NO.	: 122409300009
REFERRED BY	:	REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 30/Sep/2024 11:37AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		
Test Name	Value	Unit	Biological Reference interval

TRIGLYCERIDES/HDL RATIO: SERUM RATIO 3.00 - 5.00 2.52^L by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE 【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR			
AGE/ GENDER	: 51 YRS/FEMALE	РА	TIENT ID	: 1629403
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122409300009
REFERRED BY	:	RE	GISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	CO	LLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE RE	PORTING DATE	: 30/Sep/2024 11:37AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	MBALA CITY - HARYA	ANA	
Test Name		Value	Unit	Biological Reference interval
	u	VER FUNCTION T	EST (COMPLETE)	
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.43	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
•	CONJUGATED): SERUM	0.12	mg/dL	0.00 - 0.40
		0.01	/ 11	0.10, 1.00

LIVER	FUNCTION TEST (COM	PLETE)	
BILIRUBIN TOTAL: SERUM by DIAZOTIZATION, SPECTROPHOTOMETRY	0.43	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY	0.12	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by CALCULATED, SPECTROPHOTOMETRY	0.31	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	18.2	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	24.19 PKR	U/L	0.00 - 49.00
AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	0.75	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL	93.84	U/L	40.0 - 130.0
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by SZASZ, SPECTROPHTOMETRY	27.92	U/L	0.00 - 55.0
TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY	7.2	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL GREEN	4.06	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.14	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.29	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1629403
COLLECTED BY	:	REG. NO./LAB NO.	: 122409300009
REFERRED BY	:	REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 30/Sep/2024 11:37AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR				
AGE/ GENDER: 51 YRS/FEMALECOLLECTED BY:REFERRED BY:		PA	ATIENT ID	: 1629403	
		REG. NO./LAB NO.		: 122409300009	
		RI	EGISTRATION DATE	: 30/Sep/2024 10:28 AM	
BARCODE NO.	: 12504996	CO	DLLECTION DATE	: 30/Sep/2024 10:49AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS		EPORTING DATE	: 30/Sep/2024 11:58AM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN			. 56, 56p/ 2024 11.00/101	
Test Name		Value	Unit	Biological Reference interval	
	KIE	DNEY FUNCTION	TEST (COMPLETE)		
UREA: SERUM		26.79	mg/dL	10.00 - 50.00	
	IATE DEHYDROGENASE (GLDH)	2011.7			
CREATININE: SERUM		0.48	mg/dL	0.40 - 1.20	
by ENZYMATIC, SPEC		12 52	ma/dl	7.0 - 25.0	
BLOOD UREA NITRO by CALCULATED, SPE		12.52	mg/dL	7.0 - 25.0	
	GEN (BUN)/CREATININE	26.08 ^H	RATIO	10.0 - 20.0	
RATIO: SERUM					
•			DATIO		
UREA/CREATININE R by CALCULATED, SPE		55.81	RATIO		
URIC ACID: SERUM		4.24	mg/dL	2.50 - 6.80	
by URICASE - OXIDAS	E PEROXIDASE		ing, at	2.00 0.00	
CALCIUM: SERUM		8.95	mg/dL	8.50 - 10.60	
by ARSENAZO III, SPE		2.41		2.20 4.70	
PHOSPHOROUS: SER	CUM DATE, SPECTROPHOTOMETRY	3.41	mg/dL	2.30 - 4.70	
ELECTROLYTES					
SODIUM: SERUM		141.4	mmol/L	135.0 - 150.0	
by ISE (ION SELECTIV	'E ELECTRODE)	T-1	minol/L	133.0 - 130.0	
POTASSIUM: SERUM		4.2	mmol/L	3.50 - 5.00	
by ISE (ION SELECTIV	E ELECTRODE)				
CHLORIDE: SERUM by ISE (ION SELECTIV		106.05	mmol/L	90.0 - 110.0	
	RULAR FILTERATION RATE				
•		11//			
(eGFR): SERUM	RULAR FILTERATION RATE	114.6			
by CALCULATED					
INTERPRETATION:					
To differentiate betw	een pre- and post renal azotemia.				
	een pre- and post renal azotemia.				

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1629403
COLLECTED BY	:	REG. NO./LAB NO.	: 122409300009
REFERRED BY	:	REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 30/Sep/2024 11:58AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	
Test Name	Value	Unit	Biological Reference interva

5. Impaired renal function plus

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet,

burns, surgery, cachexia, high fever).

7. Urine reabsorption (e.g. ureter colostomy)

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids) INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1629403
COLLECTED BY	:	REG. NO./LAB NO.	: 122409300009
REFERRED BY	:	REGISTRATION DATE	: 30/Sep/2024 10:28 AM
BARCODE NO.	: 12504996	COLLECTION DATE	: 30/Sep/2024 10:49AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 30/Sep/2024 11:58AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR				
AGE/ GENDER	: 51 YRS/FEMALE	РАТ	TENT ID	: 1629403	
COLLECTED BY	:	REG	. NO./LAB NO.	: 122409300009	
REFERRED BY	:	REG	ISTRATION DATE	: 30/Sep/2024 10:28 AM	
BARCODE NO.	: 12504996	COL	LECTION DATE	: 30/Sep/2024 10:49AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	NSTITUTE REP	ORTING DATE	: 30/Sep/2024 04:23PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD,	AMBALA CITY - HARYAI	NA		
Test Name		Value	Unit	Biological Reference interval	
	I	MMUNOPATHOLO	JGY/SEROLOGY		
		WIDAL SLIDE AGGLU	JTINATION TEST		
SALMONELLA TYPHI by slide agglutina	-	1 : 80	TITRE	1 : 80	
SALMONELLA TYPHI H 1: by SLIDE AGGLUTINATION		1 : 40	TITRE	1 : 160	
SALMONELLA PARAT	ТҮРНІ АН	NIL	TITRE	1 : 160	
SALMONELLA PARA		NIL	TITRE	1 : 160	

SALMONELLA PARATYPHI BH by SLIDE AGGLUTINATION

INTERPRETATION:

1. Titres of 1:80 or more for "O" agglutinin is considered significant.

2. Titres of 1:160 or more for "H" agglutinin is considered significant.

LIMITATIONS:

1.Agglutinins usually appear by 5th to 6th day of illness of enteric fever, hence a negative result in early stage is inconclusive. The titre then rises till 3rd or 4th week, after which it declines gradually.

2.Lower titres may be found in normal individuals.

3.A single positive result has less significance than the rising agglutination titre, since demonstration of rising titre four or more in 1st and 3rd week is considered as a definite evidence of infection.

4.A simultaneous rise in H agglutinins is suggestive of paratyphoid infection.

NOTE:

1. Individuals with prior infection or immunization with TAB vaccine may develop an ANAMNESTIC RESPONSE (False-Positive) during an unrelated fever i.e High titres of antibodies to various antigens. This may be differentiated by repitition of the test after a week.

2. The anamnestic response shows only a transient rise, while in enteric fever rise is sustained.

3.H agglutinins tend to persist for many months after vaccination but O agglutinins tend to disappear sooner i.e within 6 months. Therefore rise in Oagglutinins indicate recent infection.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





: Mrs. BALIEET KAUR

NAME

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: Mrs. BALJEET KAUR			
: 51 YRS/FEMALE	PATIENT	' ID	: 1629403
:	REG. NO.	/LAB NO.	: 122409300009
:	REGISTR	ATION DATE	: 30/Sep/2024 10:28 AM
: 12504996	COLLECT	ION DATE	: 30/Sep/2024 10:49AM
: P.K.R JAIN HEALTHCARE INST	TTUTE REPORT	ING DATE	: 30/Sep/2024 12:24PM
: NASIRPUR, HISSAR ROAD, AM	BALA CITY - HARYANA		·
	Value	Unit	Biological Reference interval
	CLINICAL PATHO	LOGY	
URINE RC	OUTINE & MICROSCOP	IC EXAMINAT	TION
<u>ON</u>			
ANCE SPECTROPHOTOMETRY	15	ml	
	PALE YELLOW		PALE YELLOW
ANCE SPECTROPHOTOMETRY			CLEAD
ANCE SPECTROPHOTOMETRY	IURBID		CLEAR
	1.02		1.002 - 1.030
ANCE SPECTROPHOTOMETRY			
ION			
	ACIDIC		
INCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
ANCE SPECTROPHOTOMETRY			
	NEGATIVE (-ve)		NEGATIVE (-ve)
NCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
ANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
	NEGATIVE (-ve)		NEGATIVE (-ve)
NCE SPECTROPHOTOMETRY			
ANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)		NEGATIVE (-ve)
	NOT DETECTED	EU/dL	0.2 - 1.0
ANCE SPECTROPHOTOMETRY			
ANCE SPECTROPHOTOMETRY	NEGATIVE (-Ve)		NEGATIVE (-ve)
	NEGATIVE (-ve)		NEGATIVE (-ve)
ANCE SPECTROPHOTOMETRY			
	NEGATIVE (-ve)		NEGATIVE (-ve)
NATION			
	: 51 YRS/FEMALE : : : : : : : : : : : : :	: 51 YRS/FEMALE PATIENT : REG. NO. : REGISTR : 12504996 COLLECT : P.K.R JAIN HEALTHCARE INSTITUTE REPORT : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA CLINICAL PATHOU URINE ROUTIVE & MICROSCOP ON CON IS NACE SPECTROPHOTOMETRY NACE SPECTROPHOTOMETRY INCE SP	: 51 YRS/FEMALE PATIENT ID :



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. BALJEET KAUR				
AGE/ GENDER	: 51 YRS/FEMALE	PATIEN	ТID	: 1629403	
COLLECTED BY	:	REG. NO	./LAB NO.	: 122409300009	
REFERRED BY	:	REGIST	RATION DATE	: 30/Sep/2024 10:28 AM	
BARCODE NO.	: 12504996	COLLEC	FION DATE	: 30/Sep/2024 10:49AM	
CLIENT CODE.	DE. : P.K.R JAIN HEALTHCARE INSTITUTE		TING DATE	: 30/Sep/2024 12:24PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3	
PUS CELLS	CENTRIFUGED URINARY SEDIMENT	8-9	/HPF	0 - 5	
EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	6-7	/HPF	ABSENT	
CRYSTALS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
CASTS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
BACTERIA by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	

OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

NEGATIVE (-ve)

ABSENT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NEGATIVE (-ve)

ABSENT