A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1288726
COLLECTED BY	:		REG. NO./LAB NO.	: 122410070007
REFERRED BY	:		REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064		COLLECTION DATE	:07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA W	ELLNESS PANEL: 1.2	
	CON	NPLETE BI	OOD COUNT (CBC)	
RED BLOOD CELLS (RI	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		13.5	gm/dL	12.0 - 17.0
RED BLOOD CELL (RB		5.24 ^H	Millions/c	mm 3.50 - 5.00
PACKED CELL VOLUM		40.1	%	40.0 - 54.0
by CALCULATED BY AL	JTOMATED HEMATOLOGY ANALYZER	P		80.0 100.0
	VOLUIVIE (IVICV) UTOMATED HEMATOLOGY ANALYZER	76.2 ^L	fL	80.0 - 100.0
	HAEMOGLOBIN (MCH)	25.8 ^L	pg	27.0 - 34.0
MEAN CORPUSCULAR	R HEMOGLOBIN CONC. (MCHC)	33.8	g/dL	32.0 - 36.0
RED CELL DISTRIBUTI		14.1	%	11.00 - 16.00
RED CELL DISTRIBUTI		40.9	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		14.54	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX	(20.53	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	(WBCS)			IKON DEI IGIENGT ANEIMIA. 203.0
TOTAL LEUCOCYTE CO	DUNT (TLC) BY SF CUBE & MICROSCOPY	8590	/cmm	4000 - 11000
NEUTROPHILS		53	%	50 - 70
LYMPHOCYTES	BY SF CUBE & MICROSCOPY BY SF CUBE & MICROSCOPY	36	%	20 - 40
EOSINOPHILS	BY SF CUBE & MICROSCOPY	3	%	1 - 6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 1 of 16

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1288726
COLLECTED BY	:		REG. NO./LAB NO.	: 122410070007
REFERRED BY	:		REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064		COLLECTION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
MONOCYTES		8	%	2 - 12
BASOPHILS	y by sf cube & microscopy y by sf cube & microscopy /TES (WBC) COUNT	0	%	0 - 1
ABSOLUTE NEUTRO		4553	/cmm	2000 - 7500
ABSOLUTE LYMPHO	y by sf cube & microscopy CYTE COUNT y by sf cube & microscopy	3092 ^L	/cmm	800 - 4900
ABSOLUTE EOSINOP	HIL COUNT y by sf cube & microscopy	258	/cmm	40 - 440
ABSOLUTE MONOCY		687	KR /cmm	80 - 880
ABSOLUTE BASOPHI		0	/cmm	0 - 110
	HER PLATELET PREDICTIVE MARKE	<u>RS.</u>		
PLATELET COUNT (P	LT) Focusing, electrical impedence	271000	/cmm	150000 - 450000
PLATELETCRIT (PCT)		0.29	%	0.10 - 0.36
MEAN PLATELET VO		11	fL	6.50 - 12.0
PLATELET LARGE CE		94000 ^H	/cmm	30000 - 90000
PLATELET LARGE CE		34.5	%	11.0 - 45.0
PLATELET DISTRIBU		16.2	%	15.0 - 17.0





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND					
AGE/ GENDER	: 55 YRS/MALE	PATIENT II)	: 1288726		
COLLECTED BY	:	REG. NO./L	AB NO.	: 122410070007		
REFERRED BY	:	REGISTRAT	TION DATE	: 07/Oct/2024 08:50 AM		
BARCODE NO.	: 12505064	COLLECTIO	N DATE	:07/Oct/2024 09:30AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTIN	G DATE	:07/Oct/2024 12:13PM		
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA						
Test Name	V	alue	Unit	Biological Reference interval		
	ERYTHROCY	TE SEDIMENTATIO	N RATE (ESR))		
		5 ^H	mm/1st hr	0 - 20		
by RED CELL AGGRE	GATION BY CAPILLARY PHOTOMETRY					
1. ESR is a non-specif	ic test because an elevated result often i	indicates the presence	of inflammatio	n associated with infection, cancer and auto		
immune disease, but 2 An FSR can be affe	does not tell the health practitioner exact cted by other conditions besides inflame	ctly where the inflamr	the FSR is typi	oody or what is causing it. cally used in conjunction with other test suc		
2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such as C-reactive protein						
		response to therapy in	both of the ab	ove diseases as well as some others, such as		
systemic lupus erythe						
A low ESR can be see	n with conditions that inhibit the normal	l sedimentation of red	blood cells, suc	ch as a high red blood cell count		
(polycythaemia), sigr	nificantly high white blood cell count (leu le cell anaemia) also lower the ESR.	ucocytosis), and some	protein abnorr	nalities. Šome changes in red cell shape (suc		
NOTE:	e cen anaemia) also lower the ESR.					
	e protein (C-RP) are both markers of infla	ammation				

1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while environment of a structure of the start of aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE	P	ATIENT ID	: 1288726
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122410070007
REFERRED BY	:	R	EGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	C	OLLECTION DATE	:07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE R	EPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval
	CLIN	ICAL CHEMIST	RY/BIOCHEMISTRY	(
	CLIN		RY/BIOCHEMISTR ^Y ASTING (F)	(
GLUCOSE FASTING (F): by GLUCOSE OXIDASE				NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1288726
COLLECTED BY	:		REG. NO./LAB NO.	: 122410070007
REFERRED BY	:		REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064		COLLECTION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	FITUTE	REPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TOTAL by CHOLESTEROL OXI		161.22	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.4
TRIGLYCERIDES: SER	UM HATE OXIDASE (ENZYMATIC)	165.49 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (E by SELECTIVE INHIBITIC		32.89	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: SI by CALCULATED, SPEC		95.23	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTER by CALCULATED, SPEC		128.33	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: by CALCULATED, SPEC		33.1	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUN	1	487.93	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL R by CALCULATED, SPEC	ATIO: SERUM	4.9 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SERU		2.9	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND				
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726		
COLLECTED BY	:	REG. NO./LAB NO.	: 122410070007		
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM		
BARCODE NO.	: 12505064	COLLECTION DATE	:07/Oct/2024 09:30AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:07/Oct/2024 12:13PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name	Value	Unit	Biological Reference interval		

	Value	Onit	biological Reference interval
TRIGLYCERIDES/HDL RATIO: SERUM	5.03 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE	P	ATIENT ID	: 1288726
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122410070007
REFERRED BY	:	R	EGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	C	OLLECTION DATE	:07/Oct/2024 09:30AM
CLIENT CODE. : P.K.R JAIN HEALTHCARE		TTUTE R	EPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - HAR	YANA	
Test Name		Value	Unit	Biological Reference interval
	LIV	ER FUNCTION	TEST (COMPLETE)	
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.68	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.12	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT by CALCULATED, SPE	CUNCONJUGATED): SERUM	0.56	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	18.78	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	30.54		0.00 - 49.00
AST/ALT RATIO: SER by CALCULATED, SPE		0.61	RATIO	0.00 - 46.00
ALKALINE PHOSPHA by para nitrophen propanol	TASE: SERUM IYL PHOSPHATASE BY AMINO METHYL	73.33	U/L	40.0 - 130.0
GAMMA GLUTAMY by szasz, spectro	L TRANSFERASE (GGT): SERUM	73.59 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: SI by BIURET, SPECTRO		7.16	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by bromocresol g	REEN	4.12	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE	ECTROPHOTOMETRY	3.04	gm/dL	2.30 - 3.50

A : G RATIO: SERUM

by CALCULATED, SPECTROPHOTOMETRY INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)

1.36





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

RATIO

1.00 - 2.00





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND				
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726		
COLLECTED BY	:	REG. NO./LAB NO.	: 122410070007		
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM		
BARCODE NO.	: 12505064	COLLECTION DATE	: 07/Oct/2024 09:30AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:07/Oct/2024 12:13PM		
CLIENT ADDRESS	DRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				

	Test Name	Value	Unit	Biological Reference interval
--	-----------	-------	------	-------------------------------

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1288726
COLLECTED BY	:		REG. NO./LAB NO.	: 122410070007
REFERRED BY	:	REGISTRATION DATE COLLECTION DATE		: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064			:07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS : NASIRPUR, HISSAR RO		MBALA CITY - HAI	RYANA	
Test Name		Value	Unit	Biological Reference interval
	КІ	DNEY FUNCTIO	N TEST (COMPLETE)	
UREA: SERUM by UREASE - GLUTAM	IATE DEHYDROGENASE (GLDH)	28.35	mg/dL	10.00 - 50.00
CREATININE: SERUN by ENZYMATIC, SPEC	1	0.81	mg/dL	0.40 - 1.40
BLOOD UREA NITRO by CALCULATED, SPE		13.25	mg/dL	7.0 - 25.0
BLOOD UREA NITRO RATIO: SERUM by CALCULATED, SPE	GEN (BUN)/CREATININE	16.36	RATIO	10.0 - 20.0
UREA/CREATININE F by CALCULATED, SPE	RATIO: SERUM	35	RATIO	
URIC ACID: SERUM by URICASE - OXIDAS	E PEROXIDASE	5.52	mg/dL	3.60 - 7.70
CALCIUM: SERUM by arsenazo III, spe	CTROPHOTOMETRY	10.58	mg/dL	8.50 - 10.60
PHOSPHOROUS: SER by PHOSPHOMOLYBE ELECTROLYTES	CUM DATE, SPECTROPHOTOMETRY	3.31	mg/dL	2.30 - 4.70
SODIUM: SERUM	'E ELECTRODE)	139.2	mmol/L	135.0 - 150.0
POTASSIUM: SERUN by ISE (ION SELECTIV	1	4.7	mmol/L	3.50 - 5.00
CHLORIDE: SERUM by ISE (ION SELECTIV		104.4	mmol/L	90.0 - 110.0
ESTIMATED GLOME	RULAR FILTERATION RATE	104.1		

(eGFR): SERUM by CALCULATED

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

BARCODE NO. CLIENT CODE.	: 12505064 : P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/0ct/2024 09:30AM : 07/0ct/2024 12:13PM
CI IENT CODE	Ο Κ Ο ΙΛΙΝΙ ΠΕΛΙ ΤΠΛΛΟΕ ΙΝΟΤΙΤΙΤΕ	DEDODTING DATE	07/0 //000/ 10 1000/
BARCODE NO.	: 12505064	COLLECTION DATE	: 07/Oct/2024 09:30AM
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM
	•		
COLLECTED BY		REG. NO./LAB NO.	: 122410070007
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726
NAME AGE/ GENDER	: Mr. GYAN CHAND : 55 YRS/MALE	PATIENT ID	: 1288726

5. Impaired renai function plus

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet,

burns, surgery, cachexia, high fever).

7. Urine reabsorption (e.g. ureter colostomy)

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids) INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726
COLLECTED BY	:	REG. NO./LAB NO.	: 122410070007
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	COLLECTION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:07/Oct/2024 12:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE	PAT	IENT ID	: 1288726
COLLECTED BY	:	REG.	NO./LAB NO.	: 122410070007
REFERRED BY	:	REG	ISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	COLL	LECTION DATE	:07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	ГЕ Rep (ORTING DATE	:07/Oct/2024 01:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYAN	IA	
Test Name		Value	Unit	Biological Reference interval
	THYR	ENDOCRIN	OLOGY N TEST: TOTAL	
TRIIODOTHYRONIN		1.24	ng/mL	0.35 - 1.93
THYROXINE (T4): SE by CMIA (CHEMILUMI	RUM NESCENT MICROPARTICLE IMMUNOASSAY)	8.03	µgm/dL	4.87 - 12.60
	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE IMMUNOASSAY)	1.97	µIU/mL	0.35 - 5.50
	RASENSITIVE			

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and trilodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levies in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	YRONINE (T3)	THYROXINE (T4)		THYROXINE (T4) THYROID STIMULATING H	
Age	Refferance Range (ng/mL)	Age	Refferance Range (μg/dL)	Age	Reference Range (μIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726
COLLECTED BY	:	REG. NO./LAB NO.	: 122410070007
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	COLLECTION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Oct/2024 01:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	ARYANA	

Test Name			Value	Unit		Biologia	al Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00		
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECOMI	MENDATIONS OF TSH LE	VELS DURING PREG	NANCY (µIU/mL)			
	1st Trimester			0.10 - 2.50			
	2nd Trimester			0.20 - 3.00			
	3rd Trimester			0.30 - 4.10			

INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4.Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE	Р	ATIENT ID	: 1288726
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122410070007
REFERRED BY	:	REGISTRATION DATE		: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	С	OLLECTION DATE	:07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE R	EPORTING DATE	:07/Oct/202404:15PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM			
	, , .			
Test Name		Value	Unit	Biological Reference interva
		CLINICAL P	ATHOLOGY	
	URINE RO	OUTINE & MICR	OSCOPIC EXAMINAT	ION
PHYSICAL EXAMINA	<u>FION</u>			
QUANTITY RECIEVED		10	ml	
	TANCE SPECTROPHOTOMETRY		N	
COLOUR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YELLO	vv	PALE YELLOW
TRANSPARANCY		HAZY		CLEAR
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY		>=1.030		1.002 - 1.030
CHEMICAL EXAMINA	TANCE SPECTROPHOTOMETRY			
REACTION		ACIDIC		
	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
SUGAR		Negative		NEGATIVE (-ve)
pH	TANCE SPECTROPHOTOMETRY	<=5.0		5.0 - 7.5
1	TANCE SPECTROPHOTOMETRY	. 0.0		0.0 7.0
BILIRUBIN		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	Negotivo		NEGATIVE (-ve)
NITRITE by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	Negative		NEGATIVE (-VE)
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
-	TANCE SPECTROPHOTOMETRY			
KETONE BODIES	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
BLOOD		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	Ū.		
ASCORBIC ACID		NEGATIVE (-	-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC MICROSCOPIC EXAN	TANCE SPECTROPHOTOMETRY			
IVILICITIE FAIL				



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



ABSENT

A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND			
AGE/ GENDER	: 55 YRS/MALE	PATIEN	IT ID	: 1288726
COLLECTED BY	:	REG. NO	D./LAB NO.	: 122410070007
REFERRED BY	:	REGIST	RATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	COLLEC	TION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE REPOR	TING DATE	:07/Oct/202404:15PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS	CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5
EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT
CRYSTALS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS		MUCOUS THREAD	S SEEN	NEGATIVE (-ve)

ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GYAN CHAND		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1288726
COLLECTED BY	:	REG. NO./LAB NO.	: 122410070007
REFERRED BY	:	REGISTRATION DATE	: 07/Oct/2024 08:50 AM
BARCODE NO.	: 12505064	COLLECTION DATE	: 07/Oct/2024 09:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:09/Oct/2024 10:14AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Test Name	Value	Unit	Biological Reference interval
	MIC	ROBIOLOGY	
	CULTURE AEROBIC BACTERIA	AND ANTIBIOTIC SENSIT	IVITY: URINE
CUITURE AND SUSC			

COLLOKE AND SOSCEPTIBILITY: OKI	<u>NE</u>
DATE OF SAMPLE	07-10-2024
SPECIMEN SOURCE	URINE
INCUBATION PERIOD	48 HOURS
by AUTOMATED BROTH CULTURE	
CULTURE	STERILE
by AUTOMATED BROTH CULTURE	
ORGANISM	NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT
by AUTOMATED BROTH CULTURE	37*C
AEROBIC SUSCEPTIBILITY: URINE	

INTERPRETATION:

1. In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients, a smaller number of bacteria (100 to 10000/mL) may signify infection. 2. Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or "in-and-out" catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

1. A test interpreted as SENSTITIVE implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated.. 2. A test interpreted as **INTERMEDIATE** implies that the" Infection due to the isolate may be appropriately treated in body sites where the drugs are

physiologically concentrated or when a high dosage of drug can be used". 3.A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.

2. Anaerobic bacterial infection.

- 3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
- Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.

5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

