A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE		PATIENT ID	: 1649958
COLLECTED BY	:		<b>REG. NO./LAB NO.</b>	: 122410220005
REFERRED BY	:		<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284		<b>COLLECTION DATE</b>	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	<b>REPORTING DATE</b>	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA W	ELLNESS PANEL: 1.2	
	CON	MPLETE B	LOOD COUNT (CBC)	
<u>RED BLOOD CELLS (F</u>	RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) by calorimetric	)	14.5	gm/dL	12.0 - 17.0
RED BLOOD CELL (RE	BC) COUNT Focusing, electrical impedence	5.12 <sup>H</sup>	Millions/c	mm 3.50 - 5.00
PACKED CELL VOLUN	/IE (PCV)	42.6	%	40.0 - 54.0
			KP	80.0 100.0
MEAN CORPUSCULA by calculated by A	R VOLUIVIE (IVICV) NUTOMATED HEMATOLOGY ANALYZER	83.2	fL	80.0 - 100.0
	R HAEMOGLOBIN (MCH)	28.4	pg	27.0 - 34.0
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC)	34.1	g/dL	32.0 - 36.0
RED CELL DISTRIBUT	ION WIDTH (RDW-CV)	12	%	11.00 - 16.00
RED CELL DISTRIBUT	TON WIDTH (RDW-SD)	37.6	fL	35.0 - 56.0
MENTZERS INDEX	OTOMATED HEMATOLOGY ANALYZER	16.25	RATIO	BETA THALASSEMIA TRAIT: < 13.
		10.55	DATIO	IRON DEFICIENCY ANEMIA: >13.
GREEN & KING INDE by CALCULATED	Χ	19.55	RATIO	BETA THALASSEMIA TRAIT:<= 65 IRON DEFICIENCY ANEMIA: > 65
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
TOTAL LEUCOCYTE C		7430	/cmm	4000 - 11000
by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY			
NEUTROPHILS		63	%	50 - 70
by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY			
LYMPHOCYTES	Y BY SF CUBE & MICROSCOPY	32	%	20 - 40
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	0 <sup>L</sup>	%	1 - 6



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 



A PIONEER DIAGNOSTIC CENTRE 【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE		PATIENT ID	: 1649958
COLLECTED BY	:		REG. NO./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284		COLLECTION DATE	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - H	IARYANA	
Test Name		Value	Unit	Biological Reference interval
MONOCYTES		5	%	2 - 12
	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
	Y BY SF CUBE & MICROSCOPY	0	70	0 - 1
ABSOLUTE LEUKOCY	TES (WBC) COUNT			
ABSOLUTE NEUTRO		4681	/cmm	2000 - 7500
by FLOW CYTOMETR ABSOLUTE LYMPHO	Y BY SF CUBE & MICROSCOPY		lomm	800 - 4900
	Y BY SF CUBE & MICROSCOPY	2378 <sup>L</sup>	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT		OL	/cmm	40 - 440
by FLOW CYTOMETR ABSOLUTE MONOCY	Y BY SF CUBE & MICROSCOPY	372	KR /cmm	80 - 880
	Y BY SF CUBE & MICROSCOPY	372	/cmm	80 - 880
ABSOLUTE BASOPHI		0	/cmm	0 - 110
-	Y BY SF CUBE & MICROSCOPY			
PLATELETS AND OT	HER PLATELET PREDICTIVE MARKE	<u>RS.</u>		
PLATELET COUNT (P		173000	/cmm	150000 - 450000
PLATELETCRIT (PCT)	FOCUSING, ELECTRICAL IMPEDENCE	0.2	%	0.10 - 0.36
	FOCUSING, ELECTRICAL IMPEDENCE	0.2	70	0.10 - 0.38
MEAN PLATELET VO		12	fL	6.50 - 12.0
,	FOCUSING, ELECTRICAL IMPEDENCE			
	LL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	67000	/cmm	30000 - 90000
PLATELET LARGE CE		38.9	%	11.0 - 45.0
	FOCUSING, ELECTRICAL IMPEDENCE	00.7	70	11.0 10.0
PLATELET DISTRIBU		16.6	%	15.0 - 17.0
	FOCUSING, ELECTRICAL IMPEDENCE			
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD			





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: 21 YRS/MALE	Р	ATIENT ID	: 1649958
:	R	EG. NO./LAB NO.	: 122410220005
:	R	EGISTRATION DATE	: 22/Oct/2024 09:10 AM
: 12505284	C	<b>OLLECTION DATE</b>	: 22/Oct/2024 09:12AM
: P.K.R JAIN HEALTHCARE INSTI	ITUTE <b>R</b>	EPORTING DATE	: 22/Oct/2024 12:59PM
: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARY	'ANA	
	Value	Unit	Biological Reference interval
ERYTHR	OCYTE SEDIM	ENTATION RATE (ESI	R)
c test because an elevated result of does not tell the health practitione ted by other conditions besides in we used to monitor disease activity matosus V ESR with conditions that inhibit the n ficantly high white blood cell court e cell anaemia) also lower the ESR protein (C-RP) are both markers of not change as rapidly as does CR by as many other factors as is ESR,	often indicates ther exactly where the flammation. For y and response to normal sedimenta nt (leucocytosis) R. of inflammation. P, either at the st	he inflammation is in the his reason, the ESR is typ therapy in both of the a tion of red blood cells, su and some protein abno	on associated with infection, cancer and auto body or what is causing it. bically used in conjunction with other test such bove diseases as well as some others, such as uch as a high red blood cell count rmalities. Some changes in red cell shape (su
	: P.K.R JAIN HEALTHCARE INST : NASIRPUR, HISSAR ROAD, AMI ERYTHE MENTATION RATE (ESR) ATION BY CAPILLARY PHOTOMETRY c test because an elevated result does not tell the health practition- ted by other conditions besides in the used to monitor disease activity matosus V ESR n with conditions that inhibit the r ificantly high white blood cell cou e cell anaemia) also lower the ESF protein (C-RP) are both markers of	: 12505284 CO : P.K.R JAIN HEALTHCARE INSTITUTE R : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARY Value ERYTHROCYTE SEDIMI MENTATION RATE (ESR) 5 ATION BY CAPILLARY PHOTOMETRY C test because an elevated result often indicates the does not tell the health practitioner exactly where t ted by other conditions besides inflammation. For t be used to monitor disease activity and response to matosus V ESR n with conditions that inhibit the normal sedimenta ificantly high white blood cell count (leucocytosis), e cell anaemia) also lower the ESR. protein (C-RP) are both markers of inflammation.	P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA          Value       Unit         ERYTHROCYTE SEDIMENTATION RATE (ESI MENTATION RATE (ESR)         MENTATION RATE (ESR)       5       mm/1st h         ATION BY CAPILLARY PHOTOMETRY         C test because an elevated result often indicates the presence of inflammation is in the test because an elevated result often indicates the presence of inflammation is in the test by other conditions besides inflammation. For this reason, the ESR is type used to monitor disease activity and response to therapy in both of the all matosus V ESR         with conditions that inhibit the normal sedimentation of red blood cells, sufficiently high white blood cell count (leucocytosis), and some protein abnormation is cell anaemia) also lower the ESR.





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: Mr. PRINCE KUMAR				
: 21 YRS/MALE	PAT	IENT ID	: 1649958	
COLLECTED BY:REFERRED BY:BARCODE NO.: 12505284CLIENT CODE.: P.K.R JAIN HEALTHCARE INSTITUTE		. NO./LAB NO.	: 122410220005	
		<b>ISTRATION DATE</b>	: 22/Oct/2024 09:10 AM	
		LECTION DATE	: 22/Oct/2024 09:12AM : 22/Oct/2024 12:59PM	
		ORTING DATE		
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HA				
	Value	Unit	Biological Reference interval	
CLIN	ICAL CHEMISTRY	//BIOCHEMISTR	Y	
	GLUCOSE FAS	STING (F)		
-	: 21 YRS/MALE : : : 12505284 : P.K.R JAIN HEALTHCARE INS : NASIRPUR, HISSAR ROAD, A	: 21 YRS/MALE PAT : REG : REG : 12505284 COL : P.K.R JAIN HEALTHCARE INSTITUTE REP : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYAN Value CLINICAL CHEMISTRY	: 21 YRS/MALE PATIENT ID REG. NO./LAB NO. : REGISTRATION DATE COLLECTION DATE COLLECTION DATE COLLECTION DATE P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Unit CLINICAL CHEMISTRY/BIOCHEMISTRY	

A fasting plasma glucose level below 100 mg/di is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



### **PKR JAIN HEALTHCARE INSTITUTE** NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE	]	PATIENT ID	: 1649958
COLLECTED BY	:	1	REG. NO./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:	1	REGISTRATION DATE	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284		COLLECTION DATE	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE	REPORTING DATE	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HAF	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	FILE : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		200.31 <sup>H</sup>	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SEF by GLYCEROL PHOSE	RUM PHATE OXIDASE (ENZYMATIC)	236.02 <sup>H</sup>	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL ( by SELECTIVE INHIBIT		53.55	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		99.56	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		146.76 <sup>H</sup>	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL		47.2 <sup>H</sup>	mg/dL	0.00 - 45.00
by CALCULATED, SPE TOTAL LIPIDS: SERUI by CALCULATED, SPE	M	636.64	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL I by CALCULATED, SPE	RATIO: SERUM	3.74	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		1.86	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)** 



Page 5 of 15



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR		
AGE/ GENDER	: 21 YRS/MALE	PATIENT ID	: 1649958
COLLECTED BY	:	REG. NO./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284	<b>COLLECTION DATE</b>	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval
TRIGLYCERIDES/HDL RATIO: SERUM	4.41	RATIO	3.00 - 5.00
by CALCULATED SPECTROPHOTOMETRY			

#### **INTERPRETATION:**

1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDI

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





## PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR				
AGE/ GENDER	: 21 YRS/MALE		PATIENT ID	: 1649958	
COLLECTED BY	:		REG. NO./LAB NO.	: 122410220005	
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM	
BARCODE NO.	: 12505284		COLLECTION DATE	: 22/Oct/2024 09:12AM	
<b>CLIENT CODE.</b> : P.K.R JAIN HEALTHCARE INSTIT		ITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 12:59PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
	LIV	ER FUNCTIO	ON TEST (COMPLETE)		
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.99	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20	
	CONJUGATED): SERUM	0.21	mg/dL	0.00 - 0.40	
BILIRUBIN INDIRECT by CALCULATED, SPE	(UNCONJUGATED): SERUM ECTROPHOTOMETRY	0.78	mg/dL	0.10 - 1.00	
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	21.28	U/L	7.00 - 45.00	
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	19.08		0.00 - 49.00	
AST/ALT RATIO: SER		1.12	RATIO	0.00 - 46.00	
ALKALINE PHOSPHA		114.9	U/L	40.0 - 130.0	
GAMMA GLUTAMYL by SZASZ, SPECTROF	. TRANSFERASE (GGT): SERUM	26.37	U/L	0.00 - 55.0	
TOTAL PROTEINS: SE		6.9	gm/dL	6.20 - 8.00	
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.63	gm/dL	3.50 - 5.50	
GLOBULIN: SERUM	ECTROPHOTOMETRY	2.27 <sup>L</sup>	gm/dL	2.30 - 3.50	
A : G RATIO: SERUM		2.04 <sup>H</sup>	RATIO	1.00 - 2.00	

by CALCULATED, SPECTROPHOTOMETRY

**INTERPRETATION** 

#### **INCREASED:**

DRUG HEPATOTOXICITY	>2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER : 2					
	21 YRS/MALE	PATIENT ID	: 1649958		
<b>COLLECTED BY</b> :		REG. NO./LAB NO.	: 122410220005		
<b>REFERRED BY</b> :		<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM		
BARCODE NO. : 1	12505284	COLLECTION DATE	: 22/Oct/2024 09:12AM		
CLIENT CODE. : P	P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 12:59PM		
CLIENT ADDRESS : N	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				

	Test Name	Value	Unit	Biological Reference interval
--	-----------	-------	------	-------------------------------

#### **DECREASED:**

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





**A PIONEER DIAGNOSTIC CENTRE** 

💟 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR					
AGE/ GENDER	: 21 YRS/MALE		PATIENT ID	: 1649958		
COLLECTED BY	:		REG. NO./LAB NO.	: 122410220005		
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM		
BARCODE NO.	: 12505284	<b>COLLECTION I</b>		: 22/Oct/2024 09:12AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	FITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 03:52PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HA	ARYANA			
Test Name		Value	Unit	Biological Reference interval		
	KID		ON TEST (COMPLETE)			
UREA: SERUM		23.73	mg/dL	10.00 - 50.00		
	TE DEHYDROGENASE (GLDH)	20.70	ing/ aL	10.00 00.00		
CREATININE: SERUM by ENZYMATIC, SPECTR	OPHOTOMETERY	0.96	mg/dL	0.40 - 1.40		
BLOOD UREA NITROGI		11.09	mg/dL	7.0 - 25.0		
BLOOD UREA NITROGI RATIO: SERUM	EN (BUN)/CREATININE	11.55	RATIO	10.0 - 20.0		
by CALCULATED, SPECT UREA/CREATININE RA by CALCULATED, SPECT	TIO: SERUM	24.72	KR RATIO			
URIC ACID: SERUM by URICASE - OXIDASE I		4.71	mg/dL	3.60 - 7.70		
CALCIUM: SERUM by ARSENAZO III, SPEC		11.11 <sup>H</sup>	mg/dL	8.50 - 10.60		
PHOSPHOROUS: SERUI		3.36	mg/dL	2.30 - 4.70		
SODIUM: SERUM by ISE (ION SELECTIVE I		140.2	mmol/L	135.0 - 150.0		
POTASSIUM: SERUM by ISE (ION SELECTIVE I		4.35	mmol/L	3.50 - 5.00		
CHLORIDE: SERUM by ISE (ION SELECTIVE I		105.15	mmol/L	90.0 - 110.0		
	JLAR FILTERATION RATE					
(eGFR): SERUM by CALCULATED INTERPRETATION:	JLAR FILTERATION RATE	115.3				

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR		
AGE/ GENDER	: 21 YRS/MALE	PATIENT ID	: 1649958
COLLECTED BY	:	REG. NO./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284	<b>COLLECTION DATE</b>	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 03:52PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Test Name	Value	Unit	Biological Reference interval
3. GI haemorrhage.			

4. High protein intake.

5. Impaired renal function plus

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet,

burns, surgery, cachexia, high fever).

7. Urine reabsorption (e.g. ureter colostomy)

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids)

#### INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

#### DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

#### DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

#### **INAPPROPIATE RATIO:**

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	CKD STAGE DESCRIPTION GFR (mL/min/1.73m2)		ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with normal or high GFR	>90	Presence of Protein , Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR		
AGE/ GENDER	: 21 YRS/MALE	PATIENT ID	: 1649958
<b>COLLECTED BY</b>	:	<b>REG. NO./LAB NO.</b>	: 122410220005
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284	<b>COLLECTION DATE</b>	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 03:52PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🖸 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE	PA	TIENT ID	: 1649958
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:	RE	GISTRATION DATE	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284	CO	LLECTION DATE	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE <b>Re</b>	PORTING DATE	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYA	ANA	
Test Name		Value	Unit	Biological Reference interval
	THYR		NOLOGY DN TEST: TOTAL	
TRIIODOTHYRONINE by CMIA (CHEMILUMIN	E (T3): SERUM IESCENT MICROPARTICLE IMMUNOASSAY)	1.22	ng/mL	0.35 - 1.93
THYROXINE (T4): SERUM       6.9         by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)       6.9			µgm/dL	4.87 - 12.60
	ING HORMONE (TSH): SERUM iescent microparticle immunoassay) <b>rasensitive</b>	0.748	µIU/mL	0.35 - 5.50

INTERPRETATION:

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	Т3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

#### LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin , salicylates).

3. Serum T4 levels in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

TRIIODOTH	YRONINE (T3)	THYROXINE (T4)		THYROID STIMUL	ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (μIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE	PATIENT ID	: 1649958	
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122410220005	
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 22/Oct/2024 09:10 AM	
BARCODE NO.	: 12505284	<b>COLLECTION DATE</b>	: 22/Oct/2024 09:12AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 22/Oct/2024 12:59PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name			Value	Unit		Biologi	cal Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00		
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87-13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECOM	MENDATIONS OF TSH LI	EVELS DURING PRE	GNANCY ( µIU/mL)			
	1st Trimester		0.10 - 2.50				
	2nd Trimester		0.20 - 3.00				
	3rd Trimester			0.30 - 4.10			

#### INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1. Toxic multi-nodular goiter & Thyroiditis.

2. Over replacement of thyroid hormone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituitary or hypothalamic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





: Mr. PRINCE KUMAR

## **PKR JAIN HEALTHCARE INSTITUTE** NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR					
AGE/ GENDER	: 21 YRS/MALE	PATIENT	ID	: 1649958		
COLLECTED BY	:	REG. NO.	/LAB NO.	: 122410220005		
REFERRED BY	:	REGISTR	ATION DATE	: 22/Oct/2024 09:10 AM		
BARCODE NO.	: 12505284	COLLECT	ION DATE	: 22/Oct/2024 09:12AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE <b>REPORT</b>	ING DATE	: 22/Oct/2024 12:59PM		
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD		IBALA CITY - HARYANA				
Test Name		Value	Unit	Biological Reference interval		
		CLINICAL PATHO	LOGY			
	URINE RC	DUTINE & MICROSCOP	PIC EXAMINAT	TION		
PHYSICAL EXAMINA	TION					
QUANTITY RECIEVED		30	ml			
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YELLOW		PALE YELLOW		
	TANCE SPECTROPHOTOMETRY	FALL TELEOW		FALL TELEOW		
TRANSPARANCY		CLEAR		CLEAR		
	TANCE SPECTROPHOTOMETRY	DKR		1.000 1.000		
SPECIFIC GRAVITY	TANCE SPECTROPHOTOMETRY	1.01 PAR		1.002 - 1.030		
CHEMICAL EXAMINA						
REACTION		ACIDIC				
	TANCE SPECTROPHOTOMETRY					
PROTEIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
SUGAR	TANCE SPECIFICITIONETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY					
рН		6.5		5.0 - 7.5		
BII IRUBIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
DIEINODIN	TANCE SPECTROPHOTOMETRY					
NITRITE		NEGATIVE (-ve)		NEGATIVE (-ve)		
	TANCE SPECTROPHOTOMETRY.		EU/dL	0.2 - 1.0		
UROBILINOGEN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NOT DETECTED	EU/UL	0.2 - 1.0		
KETONE BODIES		NEGATIVE (-ve)		NEGATIVE (-ve)		
•	TANCE SPECTROPHOTOMETRY					
BLOOD by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)		
•	TANCE SPECTROPHOTOMETRY			· · /		
MICROSCOPIC EXAN	<u>IINATION</u>					



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)** 



NAME

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE KUMAR			
AGE/ GENDER	: 21 YRS/MALE	PATIEN	T ID	: 1649958
COLLECTED BY	:	REG. NO	./LAB NO.	: 122410220005
<b>REFERRED BY</b>	:	REGIST	RATION DATE	: 22/Oct/2024 09:10 AM
BARCODE NO.	: 12505284	COLLEC	TION DATE	: 22/Oct/2024 09:12AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE <b>REPORT</b>	TING DATE	: 22/Oct/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		2-3	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		1-2	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA		NEGATIVE (-ve)		NEGATIVE (-ve)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMEN OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

\*\*\* End Of Report \*

**NEGATIVE** (-ve)

ABSENT



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)** 



NEGATIVE (-ve)

ABSENT