A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KAUR				
AGE/ GENDER	: 44 YRS/FEMALE	PATIENT	' ID	: 16692	90
COLLECTED BY	:	REG. NO.	/LAB NO.	: 1224	11120002
REFERRED BY	:	REGISTR	ATION DATE	:12/No	ov/2024 08:10 AM
BARCODE NO.	: 12505605	COLLECT	ION DATE	: 12/No	ov/2024 08:40AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	E REPORT	ING DATE	: 12/No	ov/2024 11:16AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA	CITY - HARYANA			
Test Name		/alue	Unit		Biological Reference interval
		HAEMATOLO	GY		
		AEMOGLOBIN			
HAEMOGLOBIN (H	(B) 1	13.2	gm/dL		12.0 - 16.0
by CALORIMETRIC			0		
<u>INTERPRETATION:-</u> Hemoglobin is the pr	otein molecule in red blood cells that ca	rries oxygen from th	ne lungs to the bo	odvs tissue	es and returns carbon dioxide from t
tissues back to the lu	ings.	30	ie lange te the b	suje neede	
A low hemoglobin le\ ANEMIA (DECRESED	vel is referred to as ANEMIA or low red b	lood count.			
1) Loss of blood (trau	umatic injury, surgery, bleeding, colon ca	ancer or stomach ul	cer)		
2) Nutritional deficie	ency (iron, vitamin B12, folate)				
3) Bone marrow prob 1) Suppression by red	plems (replacement of bone marrow by c d blood cell synthesis by chemotherapy	ancer) drugs			
5) Kidney failure	a blood cell synthesis by chemotherapy	uruys			
6) Abnormal hemogl	obin structure (sickle cell anemia or tha	lassemia).			
	REASED HAEMOGLOBIN):				
2) Smoking (Seconda	Iltitudes (Physiological) ry Polycythemia)				
3) Dehydration produ	uces a falsely rise in hemoglobin due to	increased haemocor	ncentration		
4) Advanced lung dise	ease (for example, emphysema)				
5) Certain tumors					
 a disorder of the t b drug of the drug 	oone marrow known as polycythemia ruk erythropoetin (Epogen) by athletes for b	ora vera,	o (in an a cline the		

7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KAUR				
AGE/ GENDER	: 44 YRS/FEMALE		PATIENT ID	: 1669290	
COLLECTED BY	:		REG. NO./LAB NO.	: 122411120002	
REFERRED BY	: : 12505605		REGISTRATION DATE	: 12/Nov/2024 08:10 AM : 12/Nov/2024 08:40AM	
BARCODE NO.			COLLECTION DATE		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE		REPORTING DATE	: 12/Nov/2024 11:16AM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name		Value	Unit	Biological Reference interva	
	CLINI	CAL CHEMI	STRY/BIOCHEMIST	RY	
		GLUCOS	E FASTING (F)		
GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)		mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0		
INTERPRETATION	H AMERICAN DIABETES ASSOCIA	TION GUIDELINE	S.	DIADE IIC. > 0R = 120.0	

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KA	UR			
AGE/ GENDER	: 44 YRS/FEMALE	PAT	TIENT ID	: 1669290	
COLLECTED BY	:	REG	G. NO./LAB NO.	: 122411120002	
REFERRED BY	:	REG	SISTRATION DATE	: 12/Nov/2024 08:10 AM	
BARCODE NO. : 12505605 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE		COI	LECTION DATE	: 12/Nov/2024 08:40AM	
		RE INSTITUTE REP	PORTING DATE	: 12/Nov/2024 11:16AM	
CLIENT ADDRESS	: NASIRPUR, HISSAR RO	NA			
Test Name		Value	Unit	Biological Reference interva	
		CHOLESTERO	L: SERUM		
CHOLESTEROL TO by CHOLESTEROL O		211.53 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0	
INTERPRETATION:				210.0	
	PID ASSOCIATION ATIONS (NLA-2014)	CHOLESTEROL IN ADU	TS (mg/dL)	CHOLESTEROL IN ADULTS (mg/dL)	
	SIRABLE	< 200.0		< 170.0	
BORDE	ERLINE HIGH	200.0 - 239.	0	171.0 - 199.0	

NOTE: 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

>= 240.0

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per National Lipid association - 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.





HIGH

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



>= 200.0



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KAUR				
AGE/ GENDER	: 44 YRS/FEMALE	PATI	ENT ID	: 1669290	
COLLECTED BY	:	REG.	NO./LAB NO.	: 122411120002	
REFERRED BY	:	REGI	STRATION DATE	: 12/Nov/2024 08:10 AM	
BARCODE NO.	: 12505605	COLL	ECTION DATE	: 12/Nov/2024 08:40AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE REPC	RTING DATE	: 12/Nov/2024 11:16AM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	AMBALA CITY - HARYAN	A		
Test Name		Value	Unit	Biological Reference interval	
		URIC AC	ID		
URIC ACID: SERUM	EPEROXIDASE	5.66	mg/dL	2.50 - 6.80	
1.GOUT occurs when	high levels of Uric Acid in the b	blood cause crystals to fo . Uric acid is excreted to	rm & accumulate ard a large degree by the	ound a joint. Ekidneys and to a smaller degree in the	
1.GOUT occurs when 2.Uric Acid is the end intestinal tract by mi- (A).DUE TO INCREASED:- (A).DUE TO INCREASE 1.Idiopathic primary pu 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 5.Psoriasis. 6.Sickle cell anaemia	high levels of Uric Acid in the b product of purine metabolism crobial degradation. D PRODUCTION:- gout. Irines (organ meats,legumes,an of malignancies especially leuk & myeloid metaplasia. etc.	. Uric acid is excreted to	rm & accumulate ard a large degree by the	ound a joint. • kidneys and to a smaller degree in the	
GOUT occurs when Cocurs when Cocurs Acid is the end ntestinal tract by mi NCREASED:- (A).DUE TO INCREASEI I.Idiopathic primary pu Cocurs when a second	high levels of Uric Acid in the b product of purine metabolism is crobial degradation. D PRODUCTION:- gout. Irines (organ meats, legumes, an of malignancies especially leuk wyeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. any cause etc.	. Uric acid is excreted to	rm & accumulate ard a large degree by the	ound a joint. e kidneys and to a smaller degree in the	
2.Uric Acid is the end intestinal tract by mi- INCREASED:- (A).DUE TO INCREASEI 1.Idiopathic primary of 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 5.Psoriasis. 6.Sickle cell anaemia (B).DUE TO DECREASE 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (le 5.Diabetic ketoacidos 6.Renal failure due to DECREASED:- (A).DUE TO DIETARY D 1.Dietary deficiency of 2.Fanconi syndrome 3.Multiple sclerosis.	high levels of Uric Acid in the b product of purine metabolism crobial degradation. D PRODUCTION:- gout. Irines (organ meats,legumes,an of malignancies especially leuk & myeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. any cause etc. EFICIENCY f Zinc, Iron and molybdenum. & Wilsons disease.	. Uric acid is excreted to nchovies, etc). kemais & lymphomas.	a large degree by the	bund a joint. A kidneys and to a smaller degree in the	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KAUR			
AGE/ GENDER	: 44 YRS/FEMALE	PA	ATIENT ID	: 1669290
COLLECTED BY	:	RI	EG. NO./LAB NO.	: 122411120002
REFERRED BY	:	RI	EGISTRATION DATE	: 12/Nov/2024 08:10 AM
BARCODE NO.	: 12505605	CO	DLLECTION DATE	: 12/Nov/2024 08:40AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE RI	EPORTING DATE	: 12/Nov/2024 11:16AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PA	ATHOLOGY	
	URINE ROU	UTINE & MICR	OSCOPIC EXAMIN	ATION
PHYSICAL EXAMI	NATION			
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	15	ml	
COLOUR	TANCE SPECTROPHOTOMETRY	PALE YELLO	W	PALE YELLOW
•	TANCE SPECTROPHOTOMETRY			
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
SPECIFIC GRAVITY	r	1.02		1.002 - 1.030
,	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMI REACTION	INATION	ACIDIC		
	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		NEGATIVE (-ve)	NEGATIVE (-ve)
SUGAR	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY		,	
pH by DIP STICK/REELEC	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
BILIRUBIN		NEGATIVE (-ve)	NEGATIVE (-ve)
-	TANCE SPECTROPHOTOMETRY	NECATIVE (
NITRITE by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)	NEGATIVE (-ve)
UROBILINOGEN		NOT DETECT	TED EU/dL	0.2 - 1.0
KETONE BODIES	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
BLOOD by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
ASCORBIC ACID		NEGATIVE (-ve)	NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY			
MICROSCOPIC EXA RED BLOOD CELLS		NEGATIVE (-ve) /HPF	0 - 3
IVED DEOOD CEFF9	(1005)	INEGATIVE (-ve) / nf f	0-3



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. HARJINDER KAUR		
AGE/ GENDER	: 44 YRS/FEMALE	PATIENT ID	: 1669290
COLLECTED BY	:	REG. NO./LAB NO.	: 122411120002
REFERRED BY	:	REGISTRATION DATE	: 12/Nov/2024 08:10 AM
BARCODE NO.	: 12505605	COLLECTION DATE	: 12/Nov/2024 08:40AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 12/Nov/2024 11:16AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	5-6	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

