



A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ANSHUL

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. : 12505784 **COLLECTION DATE** : 22/Nov/2024 10:33AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

HAEMATOLOGY COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

| HAEMOGLOBIN (HB) by CALORIMETRIC | 13.8 | gm/dL | 12.0 - 17.0 |
|---|-------------------|--------------|--|
| RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 4.28 | Millions/cmm | 3.50 - 5.00 |
| PACKED CELL VOLUME (PCV) by calculated by automated hematology analyzer | 39.1 ^L | % | 40.0 - 54.0 |
| MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 91.4 | fL | 80.0 - 100.0 |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 32.2 | pg | 27.0 - 34.0 |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 35.2 | g/dL | 32.0 - 36.0 |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 12.4 | % | 11.00 - 16.00 |
| RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 42.7 | fL | 35.0 - 56.0 |
| MENTZERS INDEX by CALCULATED | 21.36 | RATIO | BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INDEX by CALCULATED | 26.45 | RATIO | BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0 |
| WHITE BLOOD CELLS (WBCS) | | | |
| TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 6480 | /cmm | 4000 - 11000 |
| DIFFERENTIAL LEUCOCYTE COUNT (DLC) | | | |
| NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 63 | % | 50 - 70 |
| LYMPHOCYTES | 30 | % | 20 - 40 |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)







A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

: Mr. ANSHUL NAME

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. : 12505784 **COLLECTION DATE** : 22/Nov/2024 10:33AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval |
|--|----------|----------|-------------------------------|
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| EOSINOPHILS | 1 | % | 1 - 6 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| MONOCYTES | 6 | % | 2 - 12 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS | 0 | % | 0 - 1 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | U | 70 | 0 - 1 |
| ABSOLUTE LEUKOCYTES (WBC) COUNT | | | |
| ABSOLUTE NEUTROPHIL COUNT | 4082 | /cmm | 2000 - 7500 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| ABSOLUTE LYMPHOCYTE COUNT | 1944 | /cmm | 800 - 4900 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | PKR | | |
| ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 65 | /cmm | 40 - 440 |
| ABSOLUTE MONOCYTE COUNT | 389 | /cmm | 80 - 880 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 369 | / CIIIII | 80 - 880 |
| ABSOLUTE BASOPHIL COUNT | 0 | /cmm | 0 - 110 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| PLATELETS AND OTHER PLATELET PREDICTIVE | MARKERS. | | |
| PLATELET COUNT (PLT) | 210000 | /cmm | 150000 - 450000 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | |
| PLATELETCRIT (PCT) | 0.2 | % | 0.10 - 0.36 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 10 | CT. | 0.50 10.0 |
| MEAN PLATELET VOLUME (MPV) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 10 | fL | 6.50 - 12.0 |
| PLATELET LARGE CELL COUNT (P-LCC) | 53000 | /cmm | 30000 - 90000 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 00000 | / CIIIII | 00000 00000 |
| PLATELET LARGE CELL RATIO (P-LCR) | 25.3 | % | 11.0 - 45.0 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | |
| PLATELET DISTRIBUTION WIDTH (PDW) | 15.9 | % | 15.0 - 17.0 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | |
| NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD | | | |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





A PIONEER DIAGNOSTIC CENTRE

NAME : Mr. ANSHUL

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. **COLLECTION DATE** : 22/Nov/2024 10:33AM : 12505784 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Test Name Biological Reference interval**

ERYTHROCYTE SEDIMENTATION RATE (ESR)

ERYTHROCYTE SEDIMENTATION RATE (ESR)

mm/1st hr 0 - 20

by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY

INTERPRETATION:

1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infection, cancer and auto-immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causing it.

2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such as C-reactive protein

3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

- 1. ESR and C reactive protein (C-RP) are both markers of inflammation.
- 2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibringen.
 5. Women tend to average mathyldone and entraceptives professional processing mathyldone and with the opposition of the oppositio

- 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ANSHUL

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. : 12505784 **COLLECTION DATE** : 22/Nov/2024 10:33AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Test Name Value Unit **Biological Reference interval**

CLINICAL CHEMISTRY/BIOCHEMISTRY

KIDNEY FUNCTION TEST (BASIC)

| UREA: SERUM by UREASE - GLUTAMATE DEHYDROGENASE (GLDH) | 24.6 | mg/dL | 10.00 - 50.00 |
|---|--------------|-------|---------------|
| CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY | 0.95 | mg/dL | 0.40 - 1.40 |
| BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETERY | 11.5 | mg/dL | 7.0 - 25.0 |
| BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETERY | 12.11 PKR | RATIO | 10.0 - 20.0 |
| UREA/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETERY | 25.89 | RATIO | |
| URIC ACID: SERUM by URICASE - OXIDASE PEROXIDASE | 4.05 | mg/dL | 3.60 - 7.70 |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)







A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME : Mr. ANSHUL

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. **COLLECTION DATE** : 22/Nov/2024 10:33AM : 12505784 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Test Name Value Unit **Biological Reference interval**

INTERPRETATION:

Normal range for a healthy person on normal diet: 12 - 20

To Differentiate between pre- and postrenal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

Ž.Catabolic states with increased tissue breakdown.

3.GI hemorrhage.

4. High protein intake.

5. Impaired renal function plus.

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushings syndrome, high protein diet,

burns, surgery, cachexia, high fever)

7. Urine reabsorption (e.g. ureterocolostomy)
8. Reduced muscle mass (subnormal creatinine production)
9. Certain drugs (e.g. tetracycline, glucocorticoids)
INCREASED RATIO (pia (PLIN rices diegrapartic particular partic

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN:

1.Acute tubular necrosis.

2.Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6.Inherited hyperammonemias (urea is virtually absent in blood)

7.SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

- 1. Phenacimide therapy (accelerates conversion of creatine to creatinine).
- 2. Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ANSHUL

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. : 12505784 **COLLECTION DATE** : 22/Nov/2024 10:33AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION

PHYSICAL EXAMINATION

| QUANTITY RECIEVED | 30 | ml | |
|---|------------------|----|---------------|
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY COLOUR | PALE YELLOW | | PALE YELLOW |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | TALE TELLOW | | FALE TELLOW |
| TRANSPARANCY | CLEAR | | CLEAR |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | | | |
| SPECIFIC GRAVITY | $1^{\mathbf{L}}$ | | 1.002 - 1.030 |
| | | | |

| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | | | |
|--|----------------|-------|----------------|
| CHEMICAL EXAMINATION | | | |
| REACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | ACIDIC | | |
| PROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| pH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | 6.5 | | 5.0 - 7.5 |
| BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| NITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY. | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NOT DETECTED | EU/dL | 0.2 - 1.0 |
| KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| MICROSCOPIC EXAMINATION | | | |
| | | | |



MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

/HPF

0 - 3



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)

NEGATIVE (-ve)

RED BLOOD CELLS (RBCs)





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

: Mr. ANSHUL NAME

AGE/ GENDER : 39 YRS/MALE **PATIENT ID** : 1679020

COLLECTED BY REG. NO./LAB NO. : 122411220013

REFERRED BY **REGISTRATION DATE** : 22/Nov/2024 10:24 AM BARCODE NO. : 12505784 **COLLECTION DATE** : 22/Nov/2024 10:33AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Nov/2024 01:16PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval |
|--|----------------|------|-------------------------------|
| by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | | | |
| PUS CELLS | 3-4 | /HPF | 0 - 5 |
| by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | | | |
| EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 2-3 | /HPF | ABSENT |
| CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | ABSENT | | ABSENT |

End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

