



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mrs. MANJEET KAUR

AGE/ GENDER : 68 YRS/FEMALE **PATIENT ID** : 1633053

COLLECTED BY REG. NO./LAB NO. : 122411250018

REFERRED BY **REGISTRATION DATE** : 25/Nov/2024 01:20 PM BARCODE NO. : 12505837 **COLLECTION DATE** : 25/Nov/2024 04:11PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 25/Nov/2024 01:58PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

HAEMATOLOGY COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

HAEMOGLOBIN (HB) by CALORIMETRIC	13.6	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	4.61	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	40.1	%	37.0 - 50.0
MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	87.1 PKR	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	29.5	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	33.9	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	15.4	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	49.5	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED	18.89	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED	29.1	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)			
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	11850 ^H	/cmm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	60	%	50 - 70
LYMPHOCYTES	31	%	20 - 40



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mrs. MANJEET KAUR

AGE/ GENDER : 68 YRS/FEMALE **PATIENT ID** : 1633053

COLLECTED BY REG. NO./LAB NO. : 122411250018

REFERRED BY **REGISTRATION DATE** : 25/Nov/2024 01:20 PM BARCODE NO. : 12505837 **COLLECTION DATE** : 25/Nov/2024 04:11PM

CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 25/Nov/2024 01:58PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Test Name	Value	Unit	Biological Reference interval		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
EOSINOPHILS	2	%	1 - 6		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
MONOCYTES	7	%	2 - 12		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS	0	%	0 - 1		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	70	0-1		
ABSOLUTE LEUKOCYTES (WBC) COUNT					
ABSOLUTE NEUTROPHIL COUNT	7110	/cmm	2000 - 7500		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
ABSOLUTE LYMPHOCYTE COUNT	3674 ^L	/cmm	800 - 4900		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
ABSOLUTE EOSINOPHIL COUNT	237	/cmm	40 - 440		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT	830	/amm	80 - 880		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	830	/cmm	00 - 000		
ABSOLUTE BASOPHIL COUNT	0	/cmm	0 - 110		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS.					
PLATELET COUNT (PLT)	217000	/cmm	150000 - 450000		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE					
PLATELETCRIT (PCT)	0.23	%	0.10 - 0.36		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	11	CT.	0.50 10.0		
MEAN PLATELET VOLUME (MPV) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	11	fL	6.50 - 12.0		
PLATELET LARGE CELL COUNT (P-LCC)	73000	/cmm	30000 - 90000		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	70000	/ ciiiii	30000 30000		
PLATELET LARGE CELL RATIO (P-LCR)	33.5	%	11.0 - 45.0		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE					
PLATELET DISTRIBUTION WIDTH (PDW)	16.5	%	15.0 - 17.0		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE					
NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD					



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME : Mrs. MANJEET KAUR

AGE/ GENDER : 68 YRS/FEMALE **PATIENT ID** : 1633053

COLLECTED BY REG. NO./LAB NO. : 122411250018

REFERRED BY **REGISTRATION DATE** : 25/Nov/2024 01:20 PM BARCODE NO. **COLLECTION DATE** : 25/Nov/2024 04:11PM : 12505837 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 25/Nov/2024 05:13PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

IMMUNOPATHOLOGY/SEROLOGY RHEUMATOID FACTOR (RA): QUANTITATIVE - SERUM

RHEUMATOID (RA) FACTOR QUANTITATIVE: 2.2 IU/mL NEGATIVE: < 18.0

SERUM BORDERLINE: 18.0 - 25.0

by NEPHLOMETRY POSITIVE: > 25.0

<u>INTERPRETATION:-</u> RHEUMATOID FACTOR (RA):

1. Rheumatoid factors (RF) are antibodies that are directed against the Fc fragment of IgG altered in its tertiary structure.

2. Over 75% of patients with rheumatoid arthritis (RA) have an IgM antibody to IgG immunoglobulin. This autoantibody (RF) is diagnostically useful although it may not be etiologically related to RA.

3. Inflammatory Markers such as ESR & C-Reactive protein (CRP) are normal in about 60 % of patients with positive RA.

4. The titer of RF correlates poorly with disease activity, but those patients with high titers tend to have more severe disease course.

The test is useful for diagnosis and prognosis of rheumatoid arthritis.

RHEUMATOID ARTHIRITIS:

- 1. Rheumatoid Arthiritis is a systemic autoimmune disease that is multi-functional in origin and is characterized by chronic inflammation of the membrane lining (synovium) joints which ledas to progressive joint destruction and in most cases to disability and reduction of quality life. 2. The disease spredas from small to large joints, with greatest damage in early phase.
- 3. The diagnosis of RA is primarily based on clinical, radiological & immunological features. The most frequent serological test is the measurement of RA factor.
 CAUTION (FALSE POSTIVE):-

- 1. RA factor is not specific for Rheumatoid arthiritis, as it is often present in healthy individuals with other autoimmune diseases and chronic infections.
 2. Non rheumatoid and rheumatoid arthritis (RA) populations are not clearly separate with regard to the presence of rheumatoid factor (RF) (15% of RA patients have a nonreactive titer and 8% of nonrheumatoid patients have a positive titer).
- 3. Patients with various nonrheumatoid diseases,characterized by chronic inflammation may have positive tests for RF. These diseases include systemic lupus erythematosus, polymyositis, tuberculosis, syphilis, viral hepatitis, infectious mononucleosis, and influenza.
- 4. Anti-CCP have been discovered in joints of patients with RA, but not in other form of joint disease. Anti-CCP2 is HIGHLY SENSITIVE (71%) & more specific (98%) than RA factor.

5. Upto 30 % of patients with Seronegative Rheumatoid arthiritis also show Anti-CCP antibodies.

6. The positive predictive value of Anti-CCP antibodies for Rheumatoid Arthiritis is far greater than Rheumatoid factor.

*** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

