**PKR JAIN HEALTHCARE INSTITUTE** NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

NAME	: Mr. SATNAM SINGH					
AGE/ GENDER	: 61 YRS/MALE	PAT	TIENT ID	: 1660148		
COLLECTED BY	:	REG	. NO./LAB NO.	: 122411290014		
<b>REFERRED BY</b>	<b>NO.</b> : 12505906		<b>ISTRATION DATE</b>	: 29/Nov/2024 12:42 PM : 29/Nov/2024 01:29PM		
BARCODE NO.			LECTION DATE			
CLIENT CODE.			ORTING DATE	: 29/Nov/2024 02:16PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
r						
Test Name		Value	Unit	Biological Reference interva		
Test Name	CLINI	Value CAL CHEMISTR GLUCOSE RAI	Y/BIOCHEMIST			

2. A random plusing glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prinadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600, REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





## PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SATNAM SINGH			
AGE/ GENDER	DLLECTED BY :   EFERRED BY :   ARCODE NO. : 12505906		PATIENT ID	: 1660148 <b>: 122411290014</b> : 29/Nov/2024 12:42 PM : 29/Nov/2024 01:29PM : 29/Nov/2024 02:16PM
COLLECTED BY			REG. NO./LAB NO.	
REFERRED BY			<b>REGISTRATION DATE</b>	
BARCODE NO.			COLLECTION DATE	
CLIENT CODE.			<b>REPORTING DATE</b>	
CLIENT ADDRESS	: NASIRPUR, HISSAR R	OAD, AMBALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interva
		CHOLEST	EROL: SERUM	
CHOLESTEROL TOTAL: SERUM by CHOLESTEROL OXIDASE PAP		170.15	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
INTERPRETATION:				210.0
	PID ASSOCIATION ATIONS (NLA-2014)	CHOLESTEROL IN	ADULTS (mg/dL)	CHOLESTEROL IN ADULTS (mg/dL)
	SIRABLE	< 20	0.0	< 170.0
BORDE	ERLINE HIGH	200.0 - 239.0		171.0 – 199.0

NOTE: 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

>= 240.0

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per National Lipid association - 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.





HIGH

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



>= 200.0



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER						
COLI ECTEN DV	: 61 YRS/MALE	PATI	ENT ID	: 1660148		
COLLECTED DI	ECTED BY : REG. NO./LAB NO.		NO./LAB NO.	: 122411290014		
REFERRED BY :		<b>REGISTRATION DATE</b>		: 29/Nov/2024 12:42 PM		
BARCODE NO.			ECTION DATE	: 29/Nov/2024 01:29PM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE <b>REPO</b>	RTING DATE	: 29/Nov/2024 02:16PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - HARYANA	Α			
Test Name		Value	Unit	Biological Reference interval		
		URIC AC	ID			
URIC ACID: SERUM		2.25 <sup>L</sup>	mg/dL	3.60 - 7.70		
by URICASE - OXIDASE INTERPRETATION:-	PEROXIDASE					
3.Cytolytic treatment 4.Polycythemai vera 8 5.Psoriasis. 6.Sickle cell anaemia 6 (B).DUE TO DECREASED 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (le 5.Diabetic ketoacidos 6.Renal failure due to DECREASED:- (A).DUE TO DIETARY DI	rines (organ meats,legumes,anch of malignancies especially leuker a myeloid metaplasia. etc. <b>D EXCREATION (BY KIDNEYS)</b> ss than 2 grams per day ). is or starvation. any cause etc. EFICIENCY f Zinc, Iron and molybdenum. & Wilsons disease.	nais & lymphomas.				
SIMULTIME SCIELOSIS.	opriate antidiuretic hormone (SIA	DH) secretion & low p	urine diet etc.			
4.Syndrome of inappro (B).DUE TO INCREASED	EXCREATION					
4.Syndrome of inappro (B).DUE TO INCREASED	sulphinpyrazone, aspirin doses (r	more than 4 grams per	day), corticosterroid	ds and ACTH, anti-coagulants and estrogens et		



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)** 

