A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME :	Mr. RAM NATH			
AGE/ GENDER :	46 YRS/MALE	PAT	IENT ID :	1687907
COLLECTED BY :		REG	NO./LAB NO. :	122412020010
REFERRED BY :		REG	ISTRATION DATE :	02/Dec/2024 09:42 AM
BARCODE NO. :	12505950	COL	LECTION DATE :	02/Dec/2024 09:58AM
CLIENT CODE.	P.K.R JAIN HEALTHCARE INSTITU	ГЕ REP	ORTING DATE :	02/Dec/2024 11:54AM
CLIENT ADDRESS :	NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYAN	JA	
Test Name		Value	Unit	Biological Reference interval
	SWASTI	HYA WELLN	ESS PANEL: 1.0	
	COMP	LETE BLOOD	COUNT (CBC)	
RED BLOOD CELLS (F	RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) by CALORIMETRIC		11.8 ^L	gm/dL	12.0 - 17.0
RED BLOOD CELL (RB	C) COUNT USING, ELECTRICAL IMPEDENCE	6.08 ^H	Millions/cm	m 3.50 - 5.00
PACKED CELL VOLUM	E (PCV) DMATED HEMATOLOGY ANALYZER	36.5 ^L	%	40.0 - 54.0
MEAN CORPUSCULAR		60.1 ^L PK	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		19.3 ^L	pg	27.0 - 34.0
MEAN CORPUSCULAR	HEMOGLOBIN CONC. (MCHC) DMATED HEMATOLOGY ANALYZER	32.2	g/dL	32.0 - 36.0
RED CELL DISTRIBUT	ION WIDTH (RDW-CV) DMATED HEMATOLOGY ANALYZER	15.5	%	11.00 - 16.00
RED CELL DISTRIBUT	ION WIDTH (RDW-SD) DMATED HEMATOLOGY ANALYZER	35.4	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		9.88	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED		15.24	RATIO	BETA THALASSEMIA TRAIT:< 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS				
TOTAL LEUCOCYTE CO by FLOW CYTOMETRY BY DIFFERENTIAL LEUC	SF CUBE & MICROSCOPY	7890	/cmm	4000 - 11000
NEUTROPHILS	ŚF CUBE & MICROSCOPY	70	%	50 - 70
LYMPHOCYTES		20	%	20 - 40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE]	PATIENT ID	: 1687907
COLLECTED BY	:]	REG. NO./LAB NO.	: 122412020010
REFERRED BY	:]	REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950		COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE I	REPORTING DATE	: 02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HAR	RYANA	
Test Name		Value	Unit	Biological Reference interval
•	Y BY SF CUBE & MICROSCOPY			
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	5	%	1 - 6
MONOCYTES		5	%	2 - 12
•	Y BY SF CUBE & MICROSCOPY	0	0/	0.1
BASOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKO	OCYTES (WBC) COUNT			
ABSOLUTE NEUTR		5523	/cmm	2000 - 7500
by FLOW CYTOMETR' ABSOLUTE LYMPH	Y BY SF CUBE & MICROSCOPY	1578 ^L	/cmm	800 - 4900
	Y BY SF CUBE & MICROSCOPY	1578		800 - 4900
ABSOLUTE EOSINO	OPHIL COUNT y by sf cube & microscopy	394	/cmm	40 - 440
ABSOLUTE MONOC		394	/cmm	80 - 880
	Y BY SF CUBE & MICROSCOPY	0	,	0, 110
ABSOLUTE BASOP	HIL COUN I Y BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
PLATELETS AND (OTHER PLATELET PREDICTIVE	MARKERS.		
PLATELET COUNT by HYDRO DYNAMIC F	(PLT) FOCUSING, ELECTRICAL IMPEDENCE	187000	/cmm	150000 - 450000
PLATELETCRIT (PC	CT) FOCUSING, ELECTRICAL IMPEDENCE	0.21	%	0.10 - 0.36
MEAN PLATELET V	OLUME (MPV)	11	fL	6.50 - 12.0
	FOCUSING, ELECTRICAL IMPEDENCE CELL COUNT (P-LCC)	77000	10000	20000 00000
	CELL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	77000	/cmm	30000 - 90000
	CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	41.2	%	11.0 - 45.0
by HYDRO DYNAMIC F	BUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	15.4	%	15.0 - 17.0
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE	P	ATIENT ID	: 1687907
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122412020010
REFERRED BY	:	R	EGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	C	OLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE R	EPORTING DATE	:02/Dec/2024 12:29PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
	ERYTHRO	CYTE SEDIM	ENTATION RATE (ESR)
	DIMENTATION RATE (ESR)	9	mm/1st	hr 0 - 20
by RED CELL AGGREC	GATION BY CAPILLARY PHOTOMETRY			
	ic test because an elevated result	often indicates th	e presence of inflammat	ion associated with infection, cancer and auto
immune disease, but	does not tell the health practition	er exactly where t	he inflammation is in the	e body or what is causing it.
2. An ESR can be affe as C-reactive protein		flammation. For t	this reason, the ESR is ty	pically used in conjunction with other test suc
3. This test may also	be used to monitor disease activity	and response to	therapy in both of the a	bove diseases as well as some others, such as
systemic lupus erythe	ematosus		13	
CONDITION WITH LON		ormal codimente	tion of red blood calls	ush as a high rad blood call sount
	n with conditions that inhibit the r			uch as a high red blood cell could

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

LER and C - reactive protein (C-RP) are both markers of inflammation.
 Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as dovtram, motbuling, and vities and vit

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH				
AGE/ GENDER	: 46 YRS/MALE		PATIENT ID	: 16879	07
COLLECTED BY	:		REG. NO./LAB NO.	: 1224	12020010
REFERRED BY	:		REGISTRATION DATE	:02/De	ec/2024 09:42 AM
BARCODE NO.	: 12505950		COLLECTION DATE	:02/De	c/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE II	NSTITUTE	REPORTING DATE	:02/De	c/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD,	AMBALA CITY - HA	RYANA		
Test Name		Value	Unit		Biological Reference interva
	CLIN	ICAL CHEMIS	FRY/BIOCHEMIST	'RY	
		GLUCOSE	FASTING (F)		
CLUCOCE EACTING	$(\mathbf{F}) \cdot \mathbf{PI} \mathbf{ASMA}$	81.35	mg/dL		NORMAL: < 100.0
GLUCOSE FASTING	E - PEROXIDASE (GOD-POD)	01100	ing, di		PREDIABETIC: 100.0 - 12 DIABETIC: > 0R = 126.0

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE		PATIENT ID	: 1687907
COLLECTED BY	:		REG. NO./LAB NO.	: 122412020010
REFERRED BY	:		REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950		COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	:02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AI	MBALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TO by CHOLESTEROL OX		197.03	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM phate oxidase (enzymatic)	243.2 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO	L (DIRECT): SERUM	37.92	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROI by CALCULATED, SPE		110.47	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLEST by CALCULATED, SPE		159.11 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER(48.64 ^H	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER	RUM	637.26	mg/dL	350.00 - 700.00
by CALCULATED, SPECTROPHOTOMETRY CHOLESTEROL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY		5.2 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH		
AGE/ GENDER	: 46 YRS/MALE	PATIENT ID	: 1687907
COLLECTED BY	:	REG. NO./LAB NO.	: 122412020010
REFERRED BY	:	REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	2.91	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	6.41 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

 Low hole to consider a structure of the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE		PATIENT ID	: 1687907
COLLECTED BY	:		REG. NO./LAB NO.	: 122412020010
REFERRED BY	:		REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950		COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	:02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interva
	LIVER	FUNCTIO	N TEST (COMPLETE)	
BILIRUBIN TOTAL: by diazotization, sf	: SERUM PECTROPHOTOMETRY	0.84	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	0.28	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE by CALCULATED, SPE	CT (UNCONJUGATED): SERUM	0.56	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	28.82	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	23.91	KR U/L	0.00 - 49.00
AST/ALT RATIO: SI		1. <mark>21</mark>	RATIO	0.00 - 46.00
ALKALINE PHOSPH		116.61	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM PHTOMETRY	15.01	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO		6.38	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.17	gm/dL	3.50 - 5.50
GLOBULIN: SERUN by CALCULATED, SPE	-	2.21 ^L	gm/dL	2.30 - 3.50
A : G RATIO: SERUM		1.89	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE





NAME	: Mr. RAM NATH		
AGE/ GENDER	: 46 YRS/MALE	PATIENT ID	: 1687907
COLLECTED BY	:	REG. NO./LAB NO.	: 122412020010
REFERRED BY	:	REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC	SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

NAME	: Mr. RAM NATH				
AGE/ GENDER	: 46 YRS/MALE		PATIENT ID	: 1687907	
COLLECTED BY	TED BY :		REG. NO./LAB NO.	: 122412020010	
REFERRED BY	:		REGISTRATION DATE	: 02/Dec/2024 09:42 AM	
BARCODE NO.	: 12505950		COLLECTION DATE	: 02/Dec/2024 09:58AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TUTE	REPORTING DATE	: 02/Dec/2024 03:54PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interva	
	KIDNI	EY FUNCTI	ON TEST (COMPLETE))	
UREA: SERUM by UREASE - GLUTAM	ATE DEHYDROGENASE (GLDH)	17.37	mg/dL	10.00 - 50.00	
CREATININE: SERU		0.84	mg/dL	0.40 - 1.40	
BLOOD UREA NITR	OGEN (BUN): SERUM ctrophotometry	8.12	mg/dL	7.0 - 25.0	
BLOOD UREA NITR RATIO: SERUM by CALCULATED, SPE	OGEN (BUN)/CREATININE ctrophotometry	9.67 ^L	RATIO	10.0 - 20.0	
UREA/CREATININE		20.68	RATIO		
URIC ACID: SERUM		4.72	mg/dL	3.60 - 7.70	
CALCIUM: SERUM by ARSENAZO III, SPEC	CTROPHOTOMETRY	8.88	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SE		3.03	mg/dL	2.30 - 4.70	
<u>ELECTROLYTES</u>					
SODIUM: SERUM by ISE (ION SELECTIVE		145.3	mmol/L	135.0 - 150.0	
POTASSIUM: SERUN by ISE (ION SELECTIVE	л И	5.02 ^H	mmol/L	3.50 - 5.00	
CHLORIDE: SERUM by ISE (ION SELECTIVE	E ELECTRODE)	108.98	mmol/L	90.0 - 110.0	
	ERULAR FILTERATION RATE				
ESTIMATED GLOMI (eGFR): SERUM by CALCULATED	ERULAR FILTERATION RATE	108.9			
•			DLY CORRELATE CLINICALLY		

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH					
AGE/ GENDER	: 46 YRS/MALE	PATIENT ID	: 1687907			
COLLECTED BY	:	REG. NO./LAB NO.	: 122412020010			
REFERRED BY	:	REGISTRATION DATE	: 02/Dec/2024 09:42 AM			
BARCODE NO.	: 12505950	COLLECTION DATE	: 02/Dec/2024 09:58AM			
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:02/Dec/202403:54PM			
CLIENT ADDRESS	S : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name	Valu	e Unit	Biological Reference interva			
2. Catabolic states w	ith increased tissue breakdown.					
3. GI haemorrhage.						
4. High protein intake	е.					
5. Impaired renal fur	nction plus					
6. Excess protein inta	ake or production or tissue breakdown (e.g. i	infection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,			
burns, surgery, cache	exia, high fever).					
7. Urine reabsorption	n (e.g. ureter colostomy)					
8. Reduced muscle n	nass (subnormal creatinine production)					

9. Certain drugs (e.g. tetracycline, glucocorticoids)

INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

- 1. Acute tubular necrosis.
- 2. Low protein diet and starvation.
- 3. Severe liver disease.

4. Other causes of decreased urea synthesis.

- 5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).
- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

- 2. Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with normal or high GFR	>90	Presence of Protein , Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH		
AGE/ GENDER	: 46 YRS/MALE	PATIENT ID	: 1687907
COLLECTED BY	:	REG. NO./LAB NO.	: 122412020010
REFERRED BY	:	REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 02/Dec/2024 03:54PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE	РАТ	TENT ID	: 1687907
COLLECTED BY	:	REG	. NO./LAB NO.	: 122412020010
REFERRED BY	:	REG	ISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	COL	LECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE REP	ORTING DATE	:02/Dec/202403:45PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYAI	NA	
Test Name		Value	Unit	Biological Reference interval
	IMM	UNOPATHOLO	GY/SEROLOGY	Y
		C-REACTIVE PRO	OTEIN (CRP)	
C-REACTIVE PROT SERUM by NEPHLOMETRY INTERPRETATION:	EIN (CRP) QUANTITATIVE:	4.52	mg/L	0.0 - 6.0
1. C-reactive protein	(CRP) is one of the most sensitive	acute-phase reactan	ts for inflammation.	n inflammation surgery or reconlection
2. CRP levels can incl proliferation.	rease dramatically (100-fold or mo	bre) after severe trau	ma, pacterial infection	n, inflammation, surgery, or neoplastic
3. CRP levels (Quanti	tative) has been used to assess ac nitor these inflammatory processe	tivity of inflammatory	<mark>y disease</mark> , to detect inf	fections after surgery, to detect transplant

4. As compared to ESR, CRP shows an earlier rise in inflammatory disorders which begins in 4-6 hrs, the intensity of the rise being higher than ESR and the recovery being earlier than ESR. Unlike ESR, CRP levels are not influenced by hematologic conditions like Anemia, Polycythemia etc., 5. Elevated values are consistent with an acute inflammatory process. NOTE:

1. Elevated C-reactive protein (CRP) values are nonspecific and should not be interpreted without a complete clinical history.

2. Oral contraceptives may increase CRP levels.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH			
AGE/ GENDER	: 46 YRS/MALE		PATIENT ID	: 1687907
COLLECTED BY	:		REG. NO./LAB NO.	: 122412020010
REFERRED BY	:		REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950		COLLECTION DATE	: 02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE	REPORTING DATE	:02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	AMBALA CITY - HAI	RYANA	
Test Name		Value	Unit	Biological Reference interva
		CLINICAL	PATHOLOGY	
	URINE R	OUTINE & MIC	ROSCOPIC EXAMIN	ATION
PHYSICAL EXAMI	NATION			
QUANTITY RECIEV		15	ml	
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YEL	LOW	PALE YELLOW
	TANCE SPECTROPHOTOMETRY			
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR
SPECIFIC GRAVITY		1.02		1.002 - 1.030
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMI	<u>NATION</u>			
REACTION	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		NEGATIVI	E (-ve)	NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY			
SUGAR	TANCE SPECTROPHOTOMETRY	NEGATIVI	E (-ve)	NEGATIVE (-ve)
pH		5.5		5.0 - 7.5
•	TANCE SPECTROPHOTOMETRY			
BILIRUBIN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVI	E (-ve)	NEGATIVE (-ve)
NITRITE		NEGATIVI	E (-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	NOT DETH	ECTED EU/dL	0.2 - 1.0
	TANCE SPECTROPHOTOMETRY	NUI DEII	EUTED EU/ QL	0.2 - 1.0
KETONE BODIES		NEGATIVI	E (-ve)	NEGATIVE (-ve)
BLOOD	TANCE SPECTROPHOTOMETRY	NEGATIVI	E (-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVI	E (-ve)	NEGATIVE (-ve)
MICROSCOPIC EX				
	(RBCs)	NEGATIVI	E (-ve) /HPF	0 - 3



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. RAM NATH		
AGE/ GENDER	: 46 YRS/MALE	PATIENT ID	: 1687907
COLLECTED BY	:	REG. NO./LAB NO.	: 122412020010
REFERRED BY	:	REGISTRATION DATE	: 02/Dec/2024 09:42 AM
BARCODE NO.	: 12505950	COLLECTION DATE	:02/Dec/2024 09:58AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:02/Dec/2024 11:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	
Test Name	Value	Unit	Biological Reference interva

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS	4-6	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS	2-4	/HPF	ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
CRYSTALS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
CASTS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
BACTERIA	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
OTHERS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

