PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME : Mr. GULSHAN NANDA | | | |
|--|-------------|--------------------------|--|
| AGE/ GENDER : 49 YRS/MALE | | PATIENT ID | : 1691342 |
| COLLECTED BY : | | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY : | | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. : 12506011 | | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITU | JTE | REPORTING DATE | :05/Dec/2024 01:32PM |
| CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBA | LA CITY - H | ARYANA | |
| Test Name | Value | Unit | Biological Reference interval |
| SWAST | 'HYA WI | ELLNESS PANEL: 1.0 | |
| COM | PLETE BI | LOOD COUNT (CBC) | |
| RED BLOOD CELLS (RBCS) COUNT AND INDICES | | | |
| HAEMOGLOBIN (HB) by CALORIMETRIC | 13.5 | gm/dL | 12.0 - 17.0 |
| RED BLOOD CELL (RBC) COUNT by hydro dynamic focusing, electrical impedence | 4.93 | Millions/o | cmm 3.50 - 5.00 |
| PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 40.7 | % | 40.0 - 54.0 |
| MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 82.5 | fL | 80.0 - 100.0 |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 27.5 | pg | 27.0 - 34.0 |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | | g/dL | 32.0 - 36.0 |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 12.6 | % | 11.00 - 16.00 |
| RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 38.9 | fL | 35.0 - 56.0 |
| MENTZERS INDEX by CALCULATED | 16.73 | RATIO | BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INDEX by CALCULATED | 21.18 | RATIO | BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0 |
| WHITE BLOOD CELLS (WBCS) | | | |
| TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 8990 | /cmm | 4000 - 11000 |
| DIFFERENTIAL LEUCOCYTE COUNT (DLC) | | 0/ | 70 7 0 |
| NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 67 | % | 50 - 70 |

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | | |
|--------------------------------------|--|---------------------|--------------------------|-------------------------------|
| AGE/ GENDER | : 49 YRS/MALE | | PATIENT ID | : 1691342 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTIT | TUTE | REPORTING DATE | :05/Dec/2024 01:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMB | ALA CITY - HA | RYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| LYMPHOCYTES | / BY SF CUBE & MICROSCOPY | 19 ^L | % | 20 - 40 |
| EOSINOPHILS | / BY SF CUBE & MICROSCOPY | 4 | % | 1 - 6 |
| MONOCYTES by FLOW CYTOMETRY | Y BY SF CUBE & MICROSCOPY | 10 | % | 2 - 12 |
| BASOPHILS | Y BY SF CUBE & MICROSCOPY | 0 | % | 0 - 1 |
| | CYTES (WBC) COUNT | | | |
| ABSOLUTE NEUTR | OPHIL COUNT / by sf cube & microscopy | 6023 | /cmm | 2000 - 7500 |
| ABSOLUTE LYMPH | OCYTE COUNT / by sf cube & microscopy | 1708 ^L | KR /cmm | 800 - 4900 |
| ABSOLUTE EOSING | PHIL COUNT / by sf cube & microscopy | 360 | /cmm | 40 - 440 |
| ABSOLUTE MONOC | YTE COUNT / by sf cube & microscopy | 899 ^H | /cmm | 80 - 880 |
| ABSOLUTE BASOPI | HIL COUNT / by sf cube & microscopy | 0 | /cmm | 0 - 110 |
| PLATELETS AND O | THER PLATELET PREDICTIVE | MARKERS. | | |
| PLATELET COUNT by HYDRO DYNAMIC F | (PLT) OCUSING, ELECTRICAL IMPEDENCE | 140000 ^L | /cmm | 150000 - 450000 |
| PLATELETCRIT (PC | T) OCUSING, ELECTRICAL IMPEDENCE | 0.2 | % | 0.10 - 0.36 |
| MEAN PLATELET V | | 14 ^H | fL | 6.50 - 12.0 |
| | CELL COUNT (P-LCC) | 80000 | /cmm | 30000 - 90000 |
| PLATELET LARGE | CELL RATIO (P-LCR) | 56.9 ^H | % | 11.0 - 45.0 |
| by HYDRO DYNAMIC F | BUTION WIDTH (PDW) COCUSING, ELECTRICAL IMPEDENCE CTED ON EDTA WHOLE BLOOD | 16.3 | % | 15.0 - 17.0 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|--|---|--|---|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| | . 49 IK5/MALE | | |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | :05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/202401:59PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - | HARYANA | |
| | ··· • | . | |
| Test Name | Value | Unit | Biological Reference interval |
| EKTIIRKUUTTE SEI | DIMENTATION RATE (ESR) 8 | mm/1st | hr 0 - 20 |
| by RED CELL AGGRE | GATION BY CAPILLARY PHOTOMETRY | IIIII/ ISt | nr 0-20 |
| by RED CELL AGGREC INTERPRETATION: 1. ESR is a non-specifimmune disease, but 2. An ESR can be affe as C-reactive protein | GATION BY CAPILLARY PHOTOMETRY ic test because an elevated result often indicat does not tell the health practitioner exactly wi cted by other conditions besides inflammation be used to monitor disease activity and respor ematosus | tes the presence of inflammati here the inflammation is in the . For this reason, the ESR is typ | on associated with infection, cancer and aut body or what is causing it. bically used in conjunction with other test su |

CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | | |
|----------------|----------------------------|------------------------------|----------------|-------------------------------|
| AGE/ GENDER | : 49 YRS/MALE | РАТ | IENT ID | : 1691342 |
| COLLECTED BY | : | REG | . NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REG | ISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COL | LECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE IN | STITUTE REP | ORTING DATE | :05/Dec/202401:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, A | MBALA CITY - HARYAN | NA | |
| Test Name | | Value | Unit | Biological Reference interval |
| i est Maine | | | | |
| | CLINI | CAL CHEMISTRY | /BIOCHEMIST | |
| | CLINI | CAL CHEMISTRY GLUCOSE FAS | | |

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | | |
|---|-----------------------------------|---------------------|--------------------------|--|
| AGE/ GENDER | : 49 YRS/MALE | | PATIENT ID | : 1691342 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INS | TITUTE | REPORTING DATE | :05/Dec/202401:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AN | MBALA CITY - HA | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| | | LIPID PR | OFILE : BASIC | |
| CHOLESTEROL TO' by CHOLESTEROL O | | 185.09 | mg/dL | OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0 |
| TRIGLYCERIDES: S by GLYCEROL PHOSF | ERUM PHATE OXIDASE (ENZYMATIC) | 95.39 | mg/dL | OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0 |
| HDL CHOLESTERO by SELECTIVE INHIBIT | L (DIRECT): SERUM TION | 52.34 | mg/dL | LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0 |
| LDL CHOLESTERO | | 113.67 | mg/dL | OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0 |
| NON HDL CHOLES' by Calculated, spe | | 132.75 ^H | mg/dL | OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0 |
| VLDL CHOLESTER | | 19.08 | mg/dL | 0.00 - 45.00 |
| TOTAL LIPIDS: SEF by CALCULATED, SPE | RUM | 465.57 | mg/dL | 350.00 - 700.00 |
| CHOLESTEROL/HI by CALCULATED, SPE | | 3.54 | RATIO | LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|--------------------|--------------------------------------|--------------------------|------------------------|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/202401:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY | - HARYANA | |

| Test Name | Value | Unit | Biological Reference interval |
|--|-------------------|-------|---|
| LDL/HDL RATIO: SERUM by calculated, spectrophotometry | 2.17 | RATIO | LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0 |
| TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 1.82 ^L | RATIO | 3.00 - 5.00 |

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

 Low hole to consider a structure of the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | | |
|---|--|--------------|--------------------------|---|
| AGE/ GENDER | : 49 YRS/MALE | | PATIENT ID | : 1691342 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITU | JTE | REPORTING DATE | :05/Dec/202401:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBA | LA CITY - HA | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| | LIVER | FUNCTIO | N TEST (COMPLETE) | |
| BILIRUBIN TOTAL: by DIAZOTIZATION, SPI | | 1.02 | mg/dL | INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20 |
| | (CONJUGATED): SERUM PECTROPHOTOMETRY | 0.33 | mg/dL | 0.00 - 0.40 |
| BILIRUBIN INDIREC | CT (UNCONJUGATED): SERUM | 0.69 | mg/dL | 0.10 - 1.00 |
| SGOT/AST: SERUM by IFCC, WITHOUT PYF | RIDOXAL PHOSPHATE | 28.44 | U/L | 7.00 - 45.00 |
| SGPT/ALT: SERUM by IFCC, WITHOUT PYF | RIDOXAL PHOSPHATE | 40.03 | KR U/L | 0.00 - 49.00 |
| AST/ALT RATIO: SE by calculated, spec | | 0.71 | RATIO | 0.00 - 46.00 |
| ALKALINE PHOSPH by para nitropheny propanol | ATASE: SERUM /L PHOSPHATASE BY AMINO METHYL | 65.52 | U/L | 40.0 - 130.0 |
| GAMMA GLUTAMYI by SZASZ, SPECTROP | L TRANSFERASE (GGT): SERUM | 25.48 | U/L | 0.00 - 55.0 |
| TOTAL PROTEINS: S by BIURET, SPECTROF | | 6.62 | gm/dL | 6.20 - 8.00 |
| ALBUMIN: SERUM by BROMOCRESOL GF | REEN | 4.25 | gm/dL | 3.50 - 5.50 |
| GLOBULIN: SERUM | CTROPHOTOMETRY | 2.37 | gm/dL | 2.30 - 3.50 |

A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

| DRUG HEPATOTOXICITY | > 2 |
|--|----------------------------|
| ALCOHOLIC HEPATITIS | > 2 (Highly Suggestive) |
| CIRRHOSIS | 1.4 - 2.0 |
| INTRAHEPATIC CHOLESTATIS | > 1.5 |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | > 1.3 (Slightly Increased) |

1.79





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

RATIO

1.00 - 2.00





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|--------------------|--|--------------------------|------------------------|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/2024 01:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - H | IARYANA | |
| | | | |

| Test NameValueUnitBiological Reference interval |
|---|
|---|

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

| NORMAL | < 0.65 |
|----------------------|-----------|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|----------------|------------------------------------|--------------------------|-------------------------------|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | :05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/202404:27PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CI | TY - HARYANA | |
| Test Name | Va | lue Unit | Biological Reference interval |
| | KIDNEY FU | NCTION TEST (COMPLETE | .) |
| UREA: SERUM | 30 ATE DEHYDROGENASE (GLDH) | .84 mg/dL | 10.00 - 50.00 |

| by UREASE - GLUTAMATE DEHYDROGENASE (GLDH) | 30.84 | iiig/uL | 10.00 - 50.00 |
|--|--------------------|---------|---------------|
| CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY | 1.17 | mg/dL | 0.40 - 1.40 |
| BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY | 14.41 | mg/dL | 7.0 - 25.0 |
| BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 12.32 ^L | RATIO | 10.0 - 20.0 |
| UREA/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 26.36 | RATIO | |
| URIC ACID: SERUM by URICASE - OXIDASE PEROXIDASE | 3.77 | mg/dL | 3.60 - 7.70 |
| CALCIUM: SERUM by ARSENAZO III, SPECTROPHOTOMETRY | 9.24 | mg/dL | 8.50 - 10.60 |
| PHOSPHOROUS: SERUM by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY | 2.89 | mg/dL | 2.30 - 4.70 |
| <u>ELECTROLYTES</u> | | | |
| SODIUM: SERUM by ISE (ION SELECTIVE ELECTRODE) | 139.7 | mmol/L | 135.0 - 150.0 |
| POTASSIUM: SERUM by ISE (ION SELECTIVE ELECTRODE) | 4.18 | mmol/L | 3.50 - 5.00 |
| CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTRODE) | 104.78 | mmol/L | 90.0 - 110.0 |
| FSTIMATED CLOMERIII AR FILTERATION RATE | | | |

ESTIMATED GLOMERULAR FILTERATION RATE

ESTIMATED GLOMERULAR FILTERATION RATE 76.4 (eGFR): SERUM

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



by CALCULATED

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. G | JLSHAN NANDA | | | | |
|---|--|--|---------------------|---------------|-------------------------------|-----------------------|
| AGE/ GENDER | : 49 YR | S/MALE | PATIEN | IT ID | : 1691342 | |
| COLLECTED BY | : | | REG. N | D./LAB NO. | : 122412050014 | |
| REFERRED BY | : | | REGIST | RATION DAT | TE : 05/Dec/2024 11:39 | 9 AM |
| BARCODE NO. | : 12506 | 011 | COLLEG | TION DATE | :05/Dec/202403:1 | 1PM |
| CLIENT CODE. | | AIN HEALTHCARE INSTITUT | | TING DATE | : 05/Dec/2024 04:27 | |
| CLIENT ADDRESS | | PUR, HISSAR ROAD, AMBALA | | INGDAIL | . 03/ Dec/ 2024 04.2 | / 1 1/1 |
| CLIENT ADDRESS | . INASIN | FUR, HISSAR ROAD, AMDALA | CITT-HARTANA | | | |
| Test Name | | | Value | Unit | Biological | Reference interval |
| 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia | i (e.g. uret hass (subn tetracycli 20:1) WITH a (BUN ris superimp 10:1) WITH rosis. | er colostomy) ormal creatinine production) ne, glucocorticoids) I ELEVATED CREATININE LEVEL es disproportionately more th osed on renal disease. I DECREASED BUN : | | obstructive u | ropathy). | |
| 6. Inherited hyperam 7. SIADH (syndrome o 8. Pregnancy. | ecreased u (urea rath imonemia of inappro | er than creatinine diffuses ou s (urea is virtually absent in b piate antidiuretic harmone) d | lood). | | | |
| Phenacimide thera Rhabdomyolysis (r Muscular patients INAPPROPIATE RATIO Diabetic ketoacido | ipy (accele releases m who deve : osis (aceto | HINCREASED CREATININE: erates conversion of creatine s suscle creatinine). elop renal failure. acetate causes false increase | | | ndologies resulting in norma | |
| should produce an in | | | in ci cutiline with | certain metho | actogres, i osarting in norma | I ratio when dehydrat |

| CKD STAGE | DESCRIPTION | GFR (mL/min/1.73m2) | ASSOCIATED FINDINGS |
|-----------|--|-----------------------|---|
| G1 | Normal kidney function | >90 | No proteinuria |
| G2 | Kidney damage with normal or high GFR | >90 | Presence of Protein , Albumin or cast in urine |
| G3a | Mild decrease in GFR | 60 -89 | |
| G3b | Moderate decrease in GFR | 30-59 | |
| G4 | Severe decrease in GFR | 15-29 | |
| G5 | Kidney failure | <15 | |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|-----------------------|--|--------------------------|------------------------|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/202404:27PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - H | IARYANA | |
| | | | |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|--------------------------------------|
| | | | |

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | | |
|--|-------------------------------|-------------------|-------------------|------------------------------|
| AGE/ GENDER | : 49 YRS/MALE |] | PATIENT ID | : 1691342 |
| COLLECTED BY | : |] | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : |] | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INST | TITUTE I | REPORTING DATE | :05/Dec/2024 01:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AM | /IBALA CITY - HAR | ZYANA | |
| Test Name | | Value | Unit | Biological Reference interva |
| | | CLINICAL I | PATHOLOGY | |
| | URINE RO | UTINE & MIC | ROSCOPIC EXAMIN | ATION |
| PHYSICAL EXAMIN | | | | |
| QUANTITY RECIEV | ED TANCE SPECTROPHOTOMETRY | 30 | ml | |
| COLOUR | TANCE SPECTROPHOTOMETRT | PALE YEL | LOW | PALE YELLOW |
| | TANCE SPECTROPHOTOMETRY | | | |
| TRANSPARANCY | TANCE SPECTROPHOTOMETRY | CLEAR | | CLEAR |
| SPECIFIC GRAVITY | | | | 1.002 - 1.030 |
| , | TANCE SPECTROPHOTOMETRY | - | | |
| CHEMICAL EXAMI | NATION | | | |
| REACTION | TANCE SPECTROPHOTOMETRY | ACIDIC | | |
| PROTEIN | | NEGATIVE | : (-ve) | NEGATIVE (-ve) |
| • | TANCE SPECTROPHOTOMETRY | | | |
| SUGAR by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE | . (-ve) | NEGATIVE (-ve) |
| pН | | 6 | | 5.0 - 7.5 |
| | TANCE SPECTROPHOTOMETRY | | | |
| BILIRUBIN by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE | . (-ve) | NEGATIVE (-ve) |
| NITRITE | | NEGATIVE | (-ve) | NEGATIVE (-ve) |
| by DIP STICK/REFLEC [®] UROBILINOGEN | TANCE SPECTROPHOTOMETRY. | NOT DETE | CTED EU/dL | 0.2 - 1.0 |
| | TANCE SPECTROPHOTOMETRY | NUI DEIE | | 0.2 - 1.0 |
| KETONE BODIES | | NEGATIVE | (-ve) | NEGATIVE (-ve) |
| by DIP STICK/REFLEC ⁻ BLOOD | TANCE SPECTROPHOTOMETRY | NEGATIVE | (_vo) | NEGATIVE (-ve) |
| | TANCE SPECTROPHOTOMETRY | NEGATIVE | . (-v€) | |
| ASCORBIC ACID | | NEGATIVE | (-ve) | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | | | |
| RED BLOOD CELLS | | NEGATIVE | C(-ve) /HPF | 0 - 3 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. GULSHAN NANDA | | |
|--------------------|--------------------------------------|--------------------------|------------------------|
| AGE/ GENDER | : 49 YRS/MALE | PATIENT ID | : 1691342 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122412050014 |
| REFERRED BY | : | REGISTRATION DATE | : 05/Dec/2024 11:39 AM |
| BARCODE NO. | : 12506011 | COLLECTION DATE | :05/Dec/202403:11PM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | :05/Dec/2024 01:32PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY | - HARYANA | |

| Test Name | Value | Unit | Biological Reference interval |
|---|----------------|------|--------------------------------------|
| by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | | | |
| PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 4-5 | /HPF | 0 - 5 |
| EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 2-3 | /HPF | ABSENT |
| CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | ABSENT | | ABSENT |

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

