

PKR JAIN HEALTHCARE INSTITUTE
NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

**NAME** : Mrs. PARVINDER KAUR

**AGE/ GENDER** : 29 YRS/FEMALE **PATIENT ID** : 1650546

**COLLECTED BY** REG. NO./LAB NO. : 122412220002

REFERRED BY **REGISTRATION DATE** : 22/Dec/2024 12:08 PM BARCODE NO. : 12506256 **COLLECTION DATE** : 22/Dec/2024 12:16PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 22/Dec/2024 01:00PM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

**Test Name Value** Unit **Biological Reference interval** 

## **CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE TOLERANCE TEST MODIFIED (AFTER 75 GMS OF GLUCOSE)**

GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	77.56	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
GLUCOSE AFTER 60 MINS: PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	126.33	mg/dL	60.0 - 180.0
GLUCOSE AFTER 120 MINS: PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	134.55	mg/dL	60.0 - 160.0
GLUCOSE AFTER 180 MINS: PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	96.32	mg/dL	60.0 - 140.0

## Interpretation: (In accordance with the American diabetes association guidelines):

This test is recommended for patients who have tested positive in the screening OGT (50 gram OGT) or in patients who are deemed to be at high risk of developing gestational diabetes. An 8-14 hour fasting is mandatory for initiation of this test.

For this test, a fasting sample is followed by two more samples drawn at 1 hour and 2 hours after ingestion of 75 grams of glucose.

The American diabetes group recommendations suggest that gestational diabete	s be diagnosed wh	nen one or more of the		
plasma glucose values are:				
Time	Unit	Blood Sugar level		
Fasting	mg/dl	>=95		
1 hour	mg/dl	>=180		
2 hour	mg/dl	>=155		

\*\*\* End Of Report \*\*\*



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

