PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE		PATIENT ID	: 1706405
COLLECTED BY	:		REG. NO./LAB NO.	: 122412230010
REFERRED BY	:		REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270		COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - H	IARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAST	HYA W	ELLNESS PANEL: 1.0)
	COMP	LETE B	LOOD COUNT (CBC)	
RED BLOOD CELLS	S (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (H	B)	14.5	gm/dL	12.0 - 17.0
RED BLOOD CELL ((RBC) COUNT FOCUSING, ELECTRICAL IMPEDENCE	4.93	Millions/	cmm 3.50 - 5.00
PACKED CELL VOL	UME (PCV) Automated hematology analyzer	41.6	%	40.0 - 54.0
MEAN CORPUSCUL	AR VOLUME (MCV) AUTOMATED HEMATOLOGY ANALYZER	84.3	KR fl	80.0 - 100.0
	AR HAEMOGLOBIN (MCH)	29.5	pg	27.0 - 34.0
	AR HEMOGLOBIN CONC. (MCHC)	34.9	g/dL	32.0 - 36.0
RED CELL DISTRIB	UTION WIDTH (RDW-CV)	12.8	%	11.00 - 16.00
RED CELL DISTRIB	UTION WIDTH (RDW-SD) AUTOMATED HEMATOLOGY ANALYZER	40.5	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		17.1	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA:
GREEN & KING INI by Calculated	DEX	21.95	RATIO	>13.0 BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CE	LLS (WBCS)			00.0
TOTAL LEUCOCYTE		5190	/cmm	4000 - 11000
	<u>UCOCYTE COUNT (DLC)</u>			
NEUTROPHILS by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY	58	%	50 - 70
LYMPHOCYTES		35	%	20 - 40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

Mr. GURJANT SINGH			
23 YRS/MALE		PATIENT ID	: 1706405
		REG. NO./LAB NO.	: 122412230010
		REGISTRATION DATE	: 23/Dec/2024 12:40 PM
12506270		COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE		REPORTING DATE	: 23/Dec/2024 02:38PM
NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - HA	RYANA	
	Value	Unit	Biological Reference interval
Y SF CUBE & MICROSCOPY			
	0 ^L	%	1 - 6
7 SF CUBE & MICROSCOPY	7	%	2 - 12
Y SF CUBE & MICROSCOPY		10	~ 1~
	0	%	0 - 1
	0010	1	0000 7500
	3010	/cmm	2000 - 7500
	1816	/cmm	800 - 4900
	Γ. Ρ		
		23 YRS/MALE 12506270 P.K.R JAIN HEALTHCARE INSTITUTE NASIRPUR, HISSAR ROAD, AMBALA CITY - HA Value Y SF CUBE & MICROSCOPY Y SF CUBE & MICROSCOPY Y SF CUBE & MICROSCOPY Y SF CUBE & MICROSCOPY TES (WBC) COUNT HIL COUNT Y SF CUBE & MICROSCOPY YTE COUNT Y SF CUBE & MICROSCOPY 1816	23 YRS/MALE PATIENT ID REG. NO./LAB NO. REGISTRATION DATE 12506270 COLLECTION DATE P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Value Value Vulue Volue

by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			000-4000
ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0 ^L	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	363	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
PLATELETS AND OTHER PLATELET PREDICTIVE M	ARKERS.		
PLATELET COUNT (PLT) by hydro dynamic focusing, electrical impedence	180000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	0.18	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) by hydro dynamic focusing, electrical impedence	10	fL	6.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) by hydro dynamic focusing, electrical impedence	51000	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR) by hydro dynamic focusing, electrical impedence	28.5	%	11.0 - 45.0
PLATELET DISTRIBUTION WIDTH (PDW) by hydro dynamic focusing, electrical impedence	16.2	%	15.0 - 17.0
NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER: 23 YRS/MALEPATIENT IDCOLLECTED BY:REG. NO./LAREFERRED BY:REGISTRATBARCODE NO.: 12506270COLLECTIONCLIENT CODE.: P.K.R JAIN HEALTHCARE INSTITUTEREPORTINGCLIENT ADDRESS: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA	AB NO. : 122412230010 CION DATE : 23/Dec/2024 01:07 PM N DATE : 23/Dec/2024 01:13PM
REFERRED BY:REGISTRAT.BARCODE NO.: 12506270COLLECTIONCLIENT CODE.: P.K.R JAIN HEALTHCARE INSTITUTEREPORTING	CION DATE : 23/Dec/2024 01:07 PM IN DATE : 23/Dec/2024 01:13PM
BARCODE NO.: 12506270COLLECTIONCLIENT CODE.: P.K.R JAIN HEALTHCARE INSTITUTEREPORTING	N DATE : 23/Dec/2024 01:13PM
CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING	
	G DATE : 23/Dec/2024 02:38PM
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA	
Test Name Value	Unit Biological Reference interval
BLOOD GROUP (ABO) AND RH F	ACTOR TYPING
ABO GROUP A	
RH FACTOR TYPE POSITIVE by SLIDE AGGLUTINATION	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE		PATIENT ID	: 1706405
COLLECTED BY			REG. NO./LAB NO.	: 122412230010
REFERRED BY	:		REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270		COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	EDVTUDA	CVTE CEDI	MENTATION RATE (1	CCD)
	ERIIHRU	UTTE SEDI	MENTATION RATE (I	LSR)
	DIMENTATION RATE (ESR) GATION BY CAPILLARY PHOTOMETRY	15	mm/1st	hr 0 - 20
	ic test because an elevated result of	often indicates	the presence of inflammati	on associated with infection, cancer and auto
immune disease, but	does not tell the health practitione	er exactly when	re the inflammation is in the	body or what is causing it.
		flammation. F	or this reason, the ESR is typ	pically used in conjunction with other test suc
as C-reactive protein 3 This test may also	be used to monitor disease activity	and response	to therapy in both of the al	bove diseases as well as some others, such a
systemic lupus eryth	ematosus	and response		oove diseases as well as some others, such as
CONDITION WITH LO	W ESR			
	n with conditions that inhibit the n			uch as a high red blood cell count rmalities. Some changes in red cell shape (su
as sickle cells in sickl	e cell anaemia) also lower the ESR		is), and some protein abilo	manties, some changes in red cell shape (su

NOTE:

TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT

LER and C - reactive protein (C-RP) are both markers of inflammation.
 Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as dovtram, motbuling, and vities and vit

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH		
AGE/ GENDER	: 23 YRS/MALE	PATIENT ID	: 1706405
COLLECTED BY	:	REG. NO./LAB NO.	: 122412230010
REFERRED BY	:	REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270	COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA (CITY - HARYANA	
Test Name	V	alue Unit	Biological Reference interva
	CLINICAL CI	HEMISTRY/BIOCHEMIST	RY
		HEMISTRY/BIOCHEMIST UCOSE FASTING (F)	RY

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE		PATIENT ID	: 1706405
COLLECTED BY	:		REG. NO./LAB NO.	: 122412230010
REFERRED BY	:		REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270		COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	OFILE : BASIC	
CHOLESTEROL TO by CHOLESTEROL O>		205.25 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM PHATE OXIDASE (ENZYMATIC)	87.99	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO by SELECTIVE INHIBIT	L (DIRECT): SERUM	67.57	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTERO by CALCULATED, SPE		120.08	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLES' by CALCULATED, SPE		137.68 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER		17.6	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER by CALCULATED, SPE		498.49	mg/dL	350.00 - 700.00
CHOLESTEROL/HE by CALCULATED, SPE		3.04	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH		
AGE/ GENDER	: 23 YRS/MALE	PATIENT ID	: 1706405
COLLECTED BY	:	REG. NO./LAB NO.	: 122412230010
REFERRED BY	:	REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270	COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.78	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.3 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

 Low hole to consider a structure of the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE		PATIENT ID	: 1706405
COLLECTED BY	:		REG. NO./LAB NO.	: 122412230010
REFERRED BY	:		REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270		COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interva
	LIVER	FUNCTIO	ON TEST (COMPLETE)	
BILIRUBIN TOTAL: by DIAZOTIZATION, SF	SERUM PECTROPHOTOMETRY	0.53	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	0.19	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE by CALCULATED, SPE	CT (UNCONJUGATED): SERUM	0.34	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	42.64	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	40.98	U/L	0.00 - 49.00
AST/ALT RATIO: SI by CALCULATED, SPE		1.04	RATIO	0.00 - 46.00
ALKALINE PHOSPH by Para NITROPHEN PROPANOL	IATASE: SERUM YL PHOSPHATASE BY AMINO METHYL	63.88	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM	16.09	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO		6.69	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.36	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE		2.33	gm/dL	2.30 - 3.50
A : G RATIO: SERUN	N	1.87	RATIO	1.00 - 2.00

A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH				
AGE/ GENDER	: 23 YRS/MALE	PATIENT ID	: 1706405		
COLLECTED BY	:	REG. NO./LAB NO.	: 122412230010		
REFERRED BY	:	REGISTRATION DATE	: 23/Dec/2024 12:40 PM		
BARCODE NO.	: 12506270	COLLECTION DATE	: 23/Dec/2024 12:54PM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Dec/2024 02:38PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				

Test Name Value Unit Biological Reference interval
--

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE	Р	ATIENT ID	: 1706405
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122412230010
REFERRED BY	:	R	EGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270	С	OLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	E INSTITUTE REPORTING DATI		: 23/Dec/2024 04:58PM
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA (YANA	
Test Name		Value	Unit	Biological Reference interval
	KIDNI	EY FUNCTION	TEST (COMPLETE))
UREA: SERUM by urease - glutan	IATE DEHYDROGENASE (GLDH)	20.36	mg/dL	10.00 - 50.00
CREATININE: SERU		1.1	mg/dL	0.40 - 1.40
	COGEN (BUN): SERUM	9.51	mg/dL	7.0 - 25.0
BLOOD UREA NITH RATIO: SERUM by CALCULATED, SPE	ROGEN (BUN)/CREATININE	8.65 ^L	RATIO	10.0 - 20.0
UREA/CREATININ by CALCULATED, SPE		18.51	RATIO	
URIC ACID: SERUM by URICASE - OXIDAS		3.33 ^L	mg/dL	3.60 - 7.70
CALCIUM: SERUM by arsenazo III, spe	CTROPHOTOMETRY	9.85	mg/dL	8.50 - 10.60
PHOSPHOROUS: SERUM by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY		3.16	mg/dL	2.30 - 4.70
<u>ELECTROLYTES</u>				
SODIUM: SERUM by ISE (ION SELECTIV		141.2	mmol/L	135.0 - 150.0
POTASSIUM: SERU by ISE (ION SELECTIV	ELECTRODE)	4.1	mmol/L	3.50 - 5.00
CHLORIDE: SERUM	1	105.9	mmol/L	90.0 - 110.0

by ISE (ION SELECTIVE ELECTRODE) ESTIMATED GLOMERULAR FILTERATION RATE

ESTIMATED GLOMERULAR FILTERATION RATE 96.7 (eGFR): SERUM

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



by CALCULATED

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH		
AGE/ GENDER	: 23 YRS/MALE	PATIENT ID	: 1706405
COLLECTED BY	:	REG. NO./LAB NO.	: 122412230010
REFERRED BY	:	REGISTRATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270	COLLECTION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Dec/2024 04:58PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Test Name	Value	Unit	Biological Reference interval
		Unit	Biological Reference interval
4. High protein intake 5. Impaired renal fun	e. Inction plus		C C
4. High protein intake 5. Impaired renal fun 6. Excess protein inta	e. Inction plus Ike or production or tissue breakdown (e.g. inf		C C
4. High protein intake 5. Impaired renal fun 6. Excess protein inta burns, surgery, cache	e. Inction plus Ike or production or tissue breakdown (e.g. inf		Biological Reference interval
burns, surgery, cache 7. Urine reabsorption	e. Inction plus Ike or production or tissue breakdown (e.g. inf Exia, high fever).		C C
 High protein intake Impaired renal fun Excess protein inta burns, surgery, cache Urine reabsorption Reduced muscle m Certain drugs (e.g. 	e. Inction plus Ike or production or tissue breakdown (e.g. inf Exia, high fever). I (e.g. ureter colostomy)		

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with normal or high GFR	>90	Presence of Protein , Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURJANT SINGH			
AGE/ GENDER	: 23 YRS/MALE	PATIENT ID	: 1706405	
COLLECTED BY	:	REG. NO./LAB NO.	: 122412230010	
REFERRED BY	:	REGISTRATION DATE	: 23/Dec/2024 12:40 PM	
BARCODE NO.	: 12506270	COLLECTION DATE	: 23/Dec/2024 12:54PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 23/Dec/2024 04:58PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



: Mr. GURJANT SINGH

NAME

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: MIT. GURJAN I SINGH			
AGE/ GENDER	: 23 YRS/MALE	PATIENT	ID	: 1706405
COLLECTED BY	:	REG. NO./	'LAB NO.	: 122412230010
REFERRED BY	:	REGISTRA	ATION DATE	: 23/Dec/2024 12:40 PM
BARCODE NO.	: 12506270	COLLECTI	ION DATE	: 23/Dec/2024 12:54PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE REPORTI	NG DATE	: 23/Dec/2024 02:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interva
		CLINICAL PATHO	LOGY	
	URINE RO	UTINE & MICROSCOP	PIC EXAMINA	ATION
PHYSICAL EXAMIN	NATION			
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	20	ml	
COLOUR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YELLOW		PALE YELLOW
TRANSPARANCY by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR
SPECIFIC GRAVITY by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			1.002 - 1.030
CHEMICAL EXAMI	NATION			
REACTION by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
SUGAR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	6.5		5.0 - 7.5
BILIRUBIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
NITRITE by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)		NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY	NOT DETECTED	EU/dL	0.2 - 1.0
KETONE BODIES by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
ASCORBIC ACID by DIP STICK/REFLEC MICROSCOPIC EXA	TANCE SPECTROPHOTOMETRY AMINATION	NEGATIVE (-ve)		NEGATIVE (-ve)
RED BLOOD CELLS		NEGATIVE (-ve)	/HPF	0 - 3



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME : Mr. GURJANT SINGH	
AGE/ GENDER: 23 YRS/MALEPATIENT ID: 1706405	
COLLECTED BY : REG. NO./LAB NO. : 122412230010	
REFERRED BY : REGISTRATION DATE : 23/Dec/2024 12:40 PM	
BARCODE NO. : 12506270 COLLECTION DATE : 23/Dec/2024 12:54PM	
CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 23/Dec/2024 02:38PM	
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA	
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA	

Test Name	Value	Unit	Biological Reference interval
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS	3-5	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

* End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

