PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RAVINDER				
AGE/ GENDER	LLECTED BY : SFERRED BY : RCODE NO. : 12506355		PATIENT ID	: 1712618	
COLLECTED BY			REG. NO./LAB NO.	: 122412310003	
REFERRED BY			REGISTRATION DATE	E : 31/Dec/2024 11:18 AM : 31/Dec/2024 11:55AM : 31/Dec/2024 01:42PM	
BARCODE NO.			COLLECTION DATE		
CLIENT CODE.			REPORTING DATE		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
		HAEM	IATOLOGY		
	СОМР	LETE BI	LOOD COUNT (CBC)		
RED BLOOD CELLS	S (RBCS) COUNT AND INDICES				
HAEMOGLOBIN (H		8.3 ^L	gm/dL	12.0 - 16.0	
RED BLOOD CELL (3.89	Millions/	cmm 3.50 - 5.00	
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		26.7 ^L	%	37.0 - 50.0	
MEAN CORPUSCULAR VOLUME (MCV)		68.5 ^L	KR fl	80.0 - 100.0	
by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		21.2 ^L	pg	27.0 - 34.0	
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		31 ^L	g/dL	32.0 - 36.0	
RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		21.7 ^H	%	11.00 - 16.00	
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		56.4 ^H	fL	35.0 - 56.0	
MENTZERS INDEX by CALCULATED		17.61	RATIO	BETA THALASSEMIA TRAIT: 13.0 IRON DEFICIENCY ANEMIA: >13.0	
GREEN & KING INDEX by CALCULATED		37.97	RATIO	BETA THALASSEMIA TRAIT:- 65.0 IRON DEFICIENCY ANEMIA: 65.0	
WHITE BLOOD CE	LLS (WBCS)			00.0	
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		5030	/cmm	4000 - 11000	
<u>DIFFERENTIAL LE</u>	<u>UCOCYTE COUNT (DLC)</u>				
NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		72 ^H	%	50 - 70	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RAVINDER			
AGE/ GENDER	: 49 YRS/FEMALE		PATIENT ID	: 1712618
COLLECTED BY	:		REG. NO./LAB NO.	: 122412310003
REFERRED BY	:		REGISTRATION DATE	: 31/Dec/2024 11:18 AM
BARCODE NO.	: 12506355		COLLECTION DATE	: 31/Dec/2024 11:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	: 31/Dec/2024 01:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
LYMPHOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		17 ^L	%	20 - 40
EOSINOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		5	%	1 - 6
MONOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		6	%	2 - 12
BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0	%	0 - 1
•	CYTES (WBC) COUNT			
ABSOLUTE NEUTROPHIL COUNT by flow cytometry by SF cube & microscopy		3622	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		855	KR /cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		252	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		302	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0	/cmm	0 - 110
PLATELETS AND O	THER PLATELET PREDICTIVE	MARKERS.		
PLATELET COUNT ((PLT) OCUSING, ELECTRICAL IMPEDENCE	240000	/cmm	150000 - 450000
PLATELETCRIT (PC by HYDRO DYNAMIC F	T) OCUSING, ELECTRICAL IMPEDENCE	0.24	%	0.10 - 0.36
MEAN PLATELET V	OLUME (MPV) ocusing, electrical impedence	10	fL	6.50 - 12.0
	CELL COUNT (P-LCC) OCUSING, ELECTRICAL IMPEDENCE	69000	/cmm	30000 - 90000
PLATELET LARGE (CELL RATIO (P-LCR) OCUSING, ELECTRICAL IMPEDENCE	28.9	%	11.0 - 45.0
by HYDRO DYNAMIC F	UTION WIDTH (PDW) OCUSING, ELECTRICAL IMPEDENCE CTED ON EDTA WHOLE BLOOD	15.4	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RAVINDER					
AGE/ GENDER	: 49 YRS/FEMALE	PATIENT ID	: 1712618			
COLLECTED BY	:	REG. NO./LAB NO.	: 122412310003			
REFERRED BY	:	REGISTRATION DATE	: 31/Dec/2024 11:18 AM			
BARCODE NO.	: 12506355	COLLECTION DATE	: 31/Dec/2024 11:55AM			
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 31/Dec/2024 01:42PM			
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name	Value	Unit	Biological Reference interval			
	ERYTHROCYTE SE	DIMENTATION RATE (1	ESR)			
	DIMENTATION RATE (ESR) 11 GATION BY CAPILLARY PHOTOMETRY	mm/1st	hr 0 - 20			
immune disease, but 2. An ESR can be affe as C-reactive protein 3. This test may also systemic lupus eryth CONDITION WITH LOV	be used to monitor disease activity and responent ematosus W ESR	here the inflammation is in the h. For this reason, the ESR is typ nse to therapy in both of the a	e body or what is causing it. pically used in conjunction with other test suc bove diseases as well as some others, such as			
(polycythaemia), sigr as sickle cells in sickl	n with conditions that inhibit the normal sedin nificantly high white blood cell count (leucocyt le cell anaemia) also lower the ESR.	mentation of red blood cells, si tosis) , and some protein abno	uch as a high red blood cell count rmalities. Some changes in red cell shape (su			
2. Generally, ESR doe	e protein (C-RP) are both markers of inflamma es not change as rapidly as does CRP, either at by as many other factors as is ESR, making it a	the start of inflammation or as				

CKP is not anected by as many other factors as is Exe, making it a better marker of inmanination.
If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

