A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE	F	PATIENT ID	: 1717991
COLLECTED BY	:	H	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	H	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	(COLLECTION DATE	:07/Jan/2025 10:55AM
CLIENT CODE.	P.K.R JAIN HEALTHCARE INSTITU	FE F	REPORTING DATE	:07/Jan/202501:23PM
CLIENT ADDRESS	NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HAR	YANA	
Test Name		Value	Unit	Biological Reference interval
	SWASTI	HYA WEL	LNESS PANEL: 1.2	
	СОМР	LETE BLO	OD COUNT (CBC)	
RED BLOOD CELLS (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		13.1	gm/dL	12.0 - 17.0
RED BLOOD CELL (RI	BC) COUNT CUSING, ELECTRICAL IMPEDENCE	4.76	Millions/c	emm 3.50 - 5.00
PACKED CELL VOLUN	IE (PCV) Tomated hematology analyzer	39 ^L	%	40.0 - 54.0
MEAN CORPUSCULAR		81.8	(R fl	80.0 - 100.0
	R HAEMOGLOBIN (MCH)	27.6	pg	27.0 - 34.0
MEAN CORPUSCULAI	R HEMOGLOBIN CONC. (MCHC)	33.7	g/dL	32.0 - 36.0
by CALCULATED BY AUT	TION WIDTH (RDW-CV)	13.7	%	11.00 - 16.00
by CALCULATED BY AUT	TION WIDTH (RDW-SD)	42.4	fL	35.0 - 56.0
MENTZERS INDEX by calculated		17.18	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDE by CALCULATED	X	23.61	RATIO	BETA THALASSEMIA TRAIT:< 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELL	<u>S (WBCS)</u>			
	OUNT (TLC) y sf cube & microscopy C OCYTE COUNT (DLC)	8820	/cmm	4000 - 11000
NEUTROPHILS by flow cytometry b	Y SF CUBE & MICROSCOPY	64	%	50 - 70
LYMPHOCYTES		25	%	20 - 40



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE		PATIENT ID	: 1717991
COLLECTED BY	:		REG. NO./LAB NO.	: 122501070004
REFERRED BY	:		REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423		COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB.	ALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY			
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	5	%	1 - 6
MONOCYTES	Y BY SF CUBE & MICROSCOPY	6	%	2 - 12
BASOPHILS		0	%	0 - 1
	Y BY SF CUBE & MICROSCOPY CYTES (WBC) COUNT			
ABSOLUTE NEUTR		5645	/cmm	2000 - 7500
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY			
ABSOLUTE LYMPH	OCYTE COUNT Y by sf cube & microscopy	2205 ^L	/cmm	800 - 4900
ABSOLUTE EOSING		441 ^H	/cmm	40 - 440
ABSOLUTE MONOC	CYTE COUNT Y BY SF CUBE & MICROSCOPY	529	/cmm	80 - 880
ABSOLUTE BASOP	HIL COUNT y by sf cube & microscopy	0	/cmm	0 - 110
	OTHER PLATELET PREDICTIVE	MARKERS.		
PLATELET COUNT by HYDRO DYNAMIC F	(PLT) FOCUSING, ELECTRICAL IMPEDENCE	332000	/cmm	150000 - 450000
PLATELETCRIT (PC by HYDRO DYNAMIC F	CT) FOCUSING, ELECTRICAL IMPEDENCE	0.31	%	0.10 - 0.36
MEAN PLATELET V	OLUME (MPV)	9	fL	6.50 - 12.0
PLATELET LARGE	CELL COUNT (P-LCC)	79000	/cmm	30000 - 90000
	CELL RATIO (P-LCR)	23.7	%	11.0 - 45.0
PLATELET DISTRI	BUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	16.1	%	15.0 - 17.0
NOTE: TEST CONDU	CTED ON EDTA WHOLE BLOOD			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE	1	PATIENT ID	: 1717991
COLLECTED BY	:]	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:]	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423		COLLECTION DATE	:07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE	REPORTING DATE	:07/Jan/202501:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HAF	RYANA	
Test Name		Value	Unit	Biological Reference interval
	ERYTHR	OCYTE SEDIN	IENTATION RATE (ESR)
	DIMENTATION RATE (ESR) gation by capillary photometr	42 ^H	mm/1st	hr 0 - 20
INTERPRETATION: 1. ESR is a non-specif	fic test because an elevated result	often indicates t	he presence of inflammat	ion associated with infection, cancer and auto
2. An ESR can be affe	does not tell the health practition cted by other conditions besides	inflammation. For	this reason, the ESR is ty	pically used in conjunction with other test suc
as C-reactive protein		ty and response t	a thorapy in both of the a	bove diseases as well as some others, such as
systemic lupus eryth	ematosus	ty and response t	o therapy in both of the a	bove diseases as well as some others, such as
		normal sodimont	ation of red blood colls is	uch as a high red blood cell count
(polycythaemia), sigi	nificantly high white blood cell co	unt (leucocytosis)	, and some protein abno	ormalities. Some changes in red cell shape (suc
as síckle cells in sick	le cell anaemia) also lower the ES	SR.		5
NOTE: 1. ESR and C - reactiv	e protein (C-RP) are both markers	of inflammation.		
2. Generally, ESR doe	es not change as rapidly as does C	RP, either at the s	start of inflammation or a	
3. CRP is not affected	by as many other factors as is ESF	R, making it a bett	er marker of inflammation	n.
5 Women tend to ha	ed, it is typically a result of two ty ave a higher ESR, and menstruation	pes of proteins, (giobulins of Hormogen. can cause temporary eleva	ations
Drugs such as dext	tran, methyldopa, oral contracept	ives, penicillamir	e procainamide, theophy	Iline, and vitamin A can increase ESR, while

aspirin, cortisone, and quinine may decrease it



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE	PAT	TIENT ID	: 1717991
COLLECTED BY	:	REC	G. NO./LAB NO.	: 122501070004
REFERRED BY	:	REC	GISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COI	LECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	ISTITUTE REF	PORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	AMBALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
	CLIN	ICAL CHEMISTR GLUCOSE FAS		RY
		GLUCUSE FA	511NG (F)	
GLUCOSE FASTING	G (F): PLASMA E - PEROXIDASE (GOD-POD)	83.52	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0
				DIABETIC: > 0R = 126.0

A fasting plasma glucose level below 100 mg/dl is considered normal.
A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE		PATIENT ID	: 1717991
COLLECTED BY	:		REG. NO./LAB NO.	: 122501070004
REFERRED BY	:		REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423		COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PE	ROFILE : BASIC	
CHOLESTEROL TO by CHOLESTEROL O		158.4	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM PHATE OXIDASE (ENZYMATIC)	84.13	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO by SELECTIVE INHIBIT	L (DIRECT): SERUM 10N	58.17	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROI by CALCULATED, SPE		83.4	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLES by CALCULATED, SPE		100.23	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER(16.83	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER by CALCULATED, SPE		400.93	mg/dL	350.00 - 700.00
CHOLESTEROL/HE by CALCULATED, SPE		2.72	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by Calculated, SPECTROPHOTOMETRY	1.43	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.45 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



: Mr. PRINCE

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE		PATIENT ID	: 1717991
COLLECTED BY	:		REG. NO./LAB NO.	: 122501070004
REFERRED BY	:		REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423		COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	UTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTION	N TEST (COMPLETE)	
BILIRUBIN TOTAL by DIAZOTIZATION, SI	: SERUM PECTROPHOTOMETRY	0.37	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	0.11	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE	CT (UNCONJUGATED): SERUM	0.26	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	22.47	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	15.91	U/L	0.00 - 49.00
AST/ALT RATIO: S by CALCULATED, SPE		1.41	RATIO	0.00 - 46.00
ALKALINE PHOSPI by PARA NITROPHEN PROPANOL	HATASE: SERUM YL PHOSPHATASE BY AMINO METHYL	144.19 ^H	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM PHTOMETRY	26.66	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO	SERUM	6.67	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.12	gm/dL	3.50 - 5.50
GLOBULIN: SERUM	-	2.55	gm/dL	2.30 - 3.50
A : G RATIO: SERUN by CALCULATED, SPE	M	1.62	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NAME





【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

	Test NameValueUnitBiological Reference interview
--	--

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

PKR JAIN HEALTHCARE INSTITUTE

NAME	: Mr. PRINCE				
AGE/ GENDER	: 44 YRS/MALE		PATIENT ID	: 1717991	
COLLECTED BY	¥ :		REG. NO./LAB NO.	: 122501070004	
REFERRED BY	:		REGISTRATION DATE	: 07/Jan/2025 10:40 AM	
BARCODE NO.	: 12506423		COLLECTION DATE	: 07/Jan/2025 10:55AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE	REPORTING DATE	: 07/Jan/2025 01:35PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interva	
	KIDNI	EY FUNCTI	ON TEST (COMPLETE)	
UREA: SERUM by UREASE - GLUTAM	IATE DEHYDROGENASE (GLDH)	24.77	mg/dL	10.00 - 50.00	
CREATININE: SERU		0.87	mg/dL	0.40 - 1.40	
	OGEN (BUN): SERUM	11.57	mg/dL	7.0 - 25.0	
· ·	OGEN (BUN)/CREATININE	13.3	RATIO	10.0 - 20.0	
by CALCULATED, SPE					
UREA/CREATININ by CALCULATED, SPE		2 <mark>8.47</mark>	RATIO		
URIC ACID: SERUM	[3.81	mg/dL	3.60 - 7.70	
CALCIUM: SERUM		9.68	mg/dL	8.50 - 10.60	
by ARSENAZO III, SPE PHOSPHOROUS: SE by PHOSPHOMOLYBE		3.01	mg/dL	2.30 - 4.70	
ELECTROLYTES					
SODIUM: SERUM by ISE (ION SELECTIV	'E ELECTRODE)	139.3	mmol/L	135.0 - 150.0	
POTASSIUM: SERUI		4.1	mmol/L	3.50 - 5.00	
CHLORIDE: SERUM	Í Í	104.48	mmol/L	90.0 - 110.0	

ESTIMATED GLOMERULAR FILTERATION RATE

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.

4. High protein intake.

5. Impaired renal function plus

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet,





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



P K R JAIN HEALTHCARE INSTITUTE

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

ASSOCIATED FINDINGS No proteinuria

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:35PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

burns, surgery, cachexia, high fever).

7. Urine reabsorption (e.g. ureter colostomy)

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids)

INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

ESTIMATED GLOMERULAR FILTERATION RATE:					
CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)			
G1	Normal kidney function	>90			
G2	Kidney damage with normal or high GFR	>90			

Ī	G2	Kidney damage with	>90	Presence of Protein,
		normal or high GFR		Albumin or cast in urine
I	G3a	Mild decrease in GFR	60 -89	
Ī	G3b	Moderate decrease in GFR	30-59	
Ī	G4	Severe decrease in GFR	15-29	
Ī	G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:35PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



NAME	: Mr. PRINCE			
AGE/ GENDER	: 44 YRS/MALE	PA	ATIENT ID	: 1717991
COLLECTED BY	:	RF	EG. NO./LAB NO.	: 122501070004
REFERRED BY	:	RI	EGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	CO	DLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE R I	EPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
		F.V.I.W.W.DI		
		ENDOCRI		
	THYRO		NOLOGY ON TEST: TOTAL	
TRIIODOTHYRONI				0.35 - 1.93
by CMIA (CHEMILUMIN THYROXINE (T4): S	NE (T3): SERUM iescent microparticle immunoassay)	DID FUNCTI 1.24 8.96	ON TEST: TOTAL	0.35 - 1.93 4.87 - 12.60
by CMIA (CHEMILUMIN THYROXINE (T4): S by CMIA (CHEMILUMIN THYROID STIMULA by CMIA (CHEMILUMIN	NE (T3): SERUM iescent microparticle immunoassay) SERUM iescent microparticle immunoassay) ATING HORMONE (TSH): SERUM iescent microparticle immunoassay)	DID FUNCTI 1.24 8.96	ON TEST: TOTAL ng/mL	
by CMIA (CHEMILUMIN THYROXINE (T4): 5 by CMIA (CHEMILUMIN THYROID STIMULA	NE (T3): SERUM iescent microparticle immunoassay) SERUM iescent microparticle immunoassay) ATING HORMONE (TSH): SERUM iescent microparticle immunoassay)	DID FUNCTI 1.24 8.96	ON TEST: TOTAL ng/mL μgm/dL	4.87 - 12.60

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	Т3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin , salicylates).

3. Serum T4 levels in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism , recent rapid correction of hyperthyroidism or hypothyroidism , pregnancy , phenytoin therapy.

TRIIODOTH	(RONINE (T3)	THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH)	
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)
0-7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE





🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
REFERRED BY	:	REGISTRATION DATE	: 07/Jan/2025 10:40 AM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	

Test Name		Value	Unit	Unit		Biological Reference interval	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87-13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECOM	MENDATIONS OF TSH LE	VELS DURING PREG	NANCY (µIU/mL)			
1st Trimester			0.10 - 2.50				
2nd Trimester			0.20 - 3.00				
	3rd Trimester			0.30 - 4.10			

INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3. Hashimotos thyroiditis

4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goiter & Thyroiditis.

2. Over replacement of thyroid hormone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4.Secondary pituitary or hypothalamic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



: Mr. PRINCE

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. PRINCE													
AGE/ GENDER	: 44 YRS/MALE	ALE PATIENT ID		: 1717991										
COLLECTED BY:REFERRED BY:BARCODE NO.: 12506423CLIENT CODE.: P.K.R JAIN HEALTHCARE INST		REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE TITUTE REPORTING DATE		: 122501070004 : 07/Jan/2025 10:40 AM : 07/Jan/2025 10:55AM : 07/Jan/2025 01:23PM										
							CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA						
							Test Name		Value	Unit	Biological Reference interva			
									CLINICAL PATHO	LOGY				
	URINE RO	UTINE & MICROSCOP	IC EXAMINA	ATION										
PHYSICAL EXAMIN	NATION													
QUANTITY RECIEV by DIP STICK/REFLEC	ED TANCE SPECTROPHOTOMETRY	30	ml											
COLOUR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YELLOW		PALE YELLOW										
TRANSPARANCY		HAZY		CLEAR										
SPECIFIC GRAVITY	TANCE SPECTROPHOTOMETRY TANCE SPECTROPHOTOMETRY	1.02 PKR		1.002 - 1.030										
CHEMICAL EXAMI														
REACTION		ACIDIC												
PROTEIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
SUGAR	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5										
BILIRUBIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
NITRITE by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)		NEGATIVE (-ve)										
UROBILINOGEN	TANCE SPECTROPHOTOMETRY	NOT DETECTED	EU/dL	0.2 - 1.0										
KETONE BODIES	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
BLOOD	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)										
	(RBCs)	NEGATIVE (-ve)	/HPF	0 - 3										



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NAME

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

Test Name	Value	Unit	Biological Reference interval
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	HARYANA	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Jan/2025 01:23PM
BARCODE NO.	: 12506423	COLLECTION DATE	: 07/Jan/2025 10:55AM
	10500400		
REFERRED BY		REGISTRATION DATE	: 07/Jan/2025 10:40 AM
COLLECTED BY	:	REG. NO./LAB NO.	: 122501070004
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1717991
NAME	: Mr. PRINCE		

by MICROSCOFT ON CENTRIFOGED ORINART SEDIMENT			
PUS CELLS	2-3	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	4-5	/HPF	ABSENT
CRYSTALS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
CASTS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
BACTERIA	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	112411112 (110)		
OTHERS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGHTIVE (VC)		
	ADCENT		ADCENT
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

