

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mrs. ANITA RANI

AGE/ GENDER : 23 YRS/FEMALE **PATIENT ID** : 1305793

COLLECTED BY REG. NO./LAB NO. : 122501070011

REFERRED BY **REGISTRATION DATE** : 07/Jan/2025 11:54 AM BARCODE NO. : 12506430 **COLLECTION DATE** : 07/Jan/2025 12:01PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 07/Jan/2025 01:33PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

HAEMATOLOGY COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

| HAEMOGLOBIN (HB) by CALORIMETRIC | 13.2 | gm/dL | 12.0 - 16.0 |
|---|--------------------|--------------|--|
| RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 4.4 | Millions/cmm | 3.50 - 5.00 |
| PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 38.8 | % | 37.0 - 50.0 |
| MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 88.2 | fL | 80.0 - 100.0 |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 30 | pg | 27.0 - 34.0 |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 34 | g/dL | 32.0 - 36.0 |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 13.4 | % | 11.00 - 16.00 |
| RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 44.8 | fL | 35.0 - 56.0 |
| MENTZERS INDEX by CALCULATED | 20.05 | RATIO | BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INDEX by CALCULATED | 26.86 | RATIO | BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0 |
| WHITE BLOOD CELLS (WBCS) | | | |
| TOTAL LEUCOCYTE COUNT (TLC) by flow cytometry by sf cube & microscopy DIFFERENTIAL LEUCOCYTE COUNT (DLC) | 11110 ^H | /cmm | 4000 - 11000 |
| NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 67 | % | 50 - 70 |



LYMPHOCYTES

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



20 - 40

28





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mrs. ANITA RANI

AGE/ GENDER : 23 YRS/FEMALE **PATIENT ID** : 1305793

COLLECTED BY REG. NO./LAB NO. : 122501070011

REFERRED BY **REGISTRATION DATE** : 07/Jan/2025 11:54 AM BARCODE NO. : 12506430 **COLLECTION DATE** : 07/Jan/2025 12:01PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 07/Jan/2025 01:33PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval | | | | |
|--|-------------------|----------|-------------------------------|--|--|--|--|
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | | | | | |
| EOSINOPHILS | $\mathbf{0^L}$ | % | 1 - 6 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | | | | | |
| MONOCYTES | 5 | % | 2 - 12 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | O/ | 0 1 | | | | |
| BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 0 | % | 0 - 1 | | | | |
| ABSOLUTE LEUKOCYTES (WBC) COUNT | | | | | | | |
| ABSOLUTE NEUTROPHIL COUNT | 7444 | /cmm | 2000 - 7500 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 7111 | / CIIIII | 2000 7300 | | | | |
| ABSOLUTE LYMPHOCYTE COUNT | 3111 ^L | /cmm | 800 - 4900 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | | | | | |
| ABSOLUTE EOSINOPHIL COUNT | $\mathbf{0^L}$ | /cmm | 40 - 440 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | ~ ~ 0 | | 00.000 | | | | |
| ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 556 | /cmm | 80 - 880 | | | | |
| ABSOLUTE BASOPHIL COUNT | 0 | /cmm | 0 - 110 | | | | |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | / CIIIII | 0 110 | | | | |
| PLATELETS AND OTHER PLATELET PREDICTIVE | MARKERS. | | | | | | |
| PLATELET COUNT (PLT) | 255000 | /cmm | 150000 - 450000 | | | | |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | | | | | |
| PLATELETCRIT (PCT) | 0.28 | % | 0.10 - 0.36 | | | | |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | OT. | 0.70.40.0 | | | | |
| MEAN PLATELET VOLUME (MPV) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 11 | fL | 6.50 - 12.0 | | | | |
| PLATELET LARGE CELL COUNT (P-LCC) | 84000 | /cmm | 30000 - 90000 | | | | |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 04000 | / CIIIII | 30000 - 30000 | | | | |
| PLATELET LARGE CELL RATIO (P-LCR) | 32.9 | % | 11.0 - 45.0 | | | | |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | | | | | |
| PLATELET DISTRIBUTION WIDTH (PDW) | 15.7 | % | 15.0 - 17.0 | | | | |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | | | | | |
| NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD | | | | | | | |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST







A PIONEER DIAGNOSTIC CENTRE

: 07/Jan/2025 01:33PM

NAME : Mrs. ANITA RANI

AGE/ GENDER : 23 YRS/FEMALE **PATIENT ID** : 1305793

COLLECTED BY REG. NO./LAB NO. : 122501070011

REFERRED BY **REGISTRATION DATE** : 07/Jan/2025 11:54 AM BARCODE NO. : 12506430 **COLLECTION DATE** : 07/Jan/2025 12:01PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Value Unit **Biological Reference interval Test Name**

REPORTING DATE

ENDOCRINOLOGY

THYROID FUNCTION TEST: TOTAL

TRIIODOTHYRONINE (T3): SERUM 1.32 0.35 - 1.93ng/mL by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

THYROXINE (T4): SERUM 9.74

μgm/dL 4.87 - 12.60by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

THYROID STIMULATING HORMONE (TSH): SERUM 2.92 μIU/mL 0.35 - 5.50by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

3rd GENERATION, ULTRASENSITIVE

INTERPRETATION:

CLIENT CODE.

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triliodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

| CLINICAL CONDITION | T3 | T4 | TSH |
|------------------------------|-----------------------|-----------------------|---------------------------------|
| Primary Hypothyroidism: | Reduced | Reduced | Increased (Significantly) |
| Subclinical Hypothyroidism: | Normal or Low Normal | Normal or Low Normal | High |
| Primary Hyperthyroidism: | Increased | Increased | Reduced (at times undetectable) |
| Subclinical Hyperthyroidism: | Normal or High Normal | Normal or High Normal | Reduced |

- 1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests
- 2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs
- 3. Serum T4 levels in neonates and infants are higher than values in the normal adult, due to the increased concentration of TBG in neonate serum.
- 4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

| TRIIODOTHYRONINE (T3) | | THYROXINE (T4) | | THYROID STIMULATING HORMONE (TSH) | | |
|-----------------------|-----------------------------|-------------------|-----------------------------|-----------------------------------|------------------------------|--|
| Age | Refferance Range (ng/mL) | Age | Refferance Range (µg/dL) | Age | Reference Range (μΙU/mL) | |
| 0 - 7 Days | 0.20 - 2.65 | 0 - 7 Days | 5.90 - 18.58 | 0 - 7 Days | 2.43 - 24.3 | |
| 7 Days - 3 Months | 0.36 - 2.59 | 7 Days - 3 Months | 6.39 - 17.66 | 7 Days - 3 Months | 0.58 - 11.00 | |
| 3 - 6 Months | 0.51 - 2.52 | 3 - 6 Months | 6.75 – 17.04 | 3 Days – 6 Months | 0.70 - 8.40 | |
| 6 - 12 Months | 0.74 - 2.40 | 6 - 12 Months | 7.10 – 16.16 | 6 – 12 Months | 0.70 - 7.00 | |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mrs. ANITA RANI

AGE/ GENDER : 23 YRS/FEMALE **PATIENT ID** : 1305793

COLLECTED BY REG. NO./LAB NO. : 122501070011

REFERRED BY **REGISTRATION DATE** : 07/Jan/2025 11:54 AM BARCODE NO. : 12506430 **COLLECTION DATE** : 07/Jan/2025 12:01PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 07/Jan/2025 01:33PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | | | Value | Unit | | Biological Reference interval | |
|---------------------|--|---------------------|--------------|---------------------|-------------|-------------------------------|--|
| 1 - 10 Years | 0.92 - 2.28 | 1 - 10 Years | 6.00 - 13.80 | 1 – 10 Years | 0.60 - 5.50 | | |
| 11- 19 Years | 0.35 - 1.93 | 11 - 19 Years | 4.87- 13.20 | 11 – 19 Years | 0.50 - 5.50 | | |
| > 20 years (Adults) | 0.35 - 1.93 | > 20 Years (Adults) | 4.87 - 12.60 | > 20 Years (Adults) | 0.35- 5.50 | | |
| | RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (µIU/mL) | | | | | | |
| | 1st Trimester | | | 0.10 - 2.50 | | | |
| | 2nd Trimester | | 0.20 - 3.00 | | | | |
| | 3rd Trimester | | | 0.30 - 4.10 | | | |

INCREASED TSH LEVELS:

- 1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.
- 2. Hypothyroid patients receiving insufficient thyroid replacement therapy.
- 3. Hashimotos thyroiditis
- 4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.
- 5. Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

- 1. Toxic multi-nodular goiter & Thyroiditis.
- 2. Over replacement of thyroid hormone in treatment of hypothyroidism.
- 3. Autonomously functioning Thyroid adenoma
- 4. Secondary pituitary or hypothalamic hypothyroidism
- 5. Acute psychiatric illness
- 6. Severe dehydration.
- 7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.
- 8. Pregnancy: 1st and 2nd Trimester

*** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)