



P K R JAIN HEALTHCARE INSTITUTE

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

☎ 0171-2532620, 8222896961 ✉ pkrjainhealthcare@gmail.com

NAME : Miss. VINNI CHOPRA
AGE/ GENDER : 20 YRS/FEMALE
COLLECTED BY :
REFERRED BY :
BARCODE NO. : 12506681
CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

PATIENT ID : 1435573
REG. NO./LAB NO. : 122501250009
REGISTRATION DATE : 25/Jan/2025 09:48 AM
COLLECTION DATE : 25/Jan/2025 09:53AM
REPORTING DATE : 25/Jan/2025 04:15PM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL CHEMISTRY/BIOCHEMISTRY

LITHIUM

LITHIUM: SERUM
by ISE (ION SELECTIVE ELECTRODE)

0.89	mmol/L	0.30 - 1.50
------	--------	-------------

INTERPRETATION:

Therapeutic	mmol/L	0.6 - 1.2
Potentially toxic	mmol/L	1.5 - 2.5
Severely toxic	mmol/L	> 2.5

- 1.Serum Lithium levels are useful for monitoring therapy of patients with bipolar disorders, including recurrent episodes of mania and depression and for evaluation of toxicity
- 2.Lithium alters the intraneuronal metabolism of catecholamines by an unknown mechanism. It is used to suppress the manic phase of manic-depressive psychosis.
- 3.Lithium is distributed throughout the total water spaces of the body and is excreted primarily by the kidney.
- 4.Toxicity from lithium salts leads to ataxia, slurred speech, and confusion.
- 5.Since the concentration of lithium in the serum varies with the time after the dose, blood for lithium determination should be drawn at a standard time, preferably 8 to 12 hours after the last dose (trough values).

NOTE:-Values above 1.6 mmol/L (trough values) are generally considered toxic and are indicative of dose modulation.

*** End Of Report ***




DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY)

