



## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

**NAME** : Mr. GULSHAN DUTT

AGE/ GENDER : 56 YRS/MALE **PATIENT ID** : 1746236

**COLLECTED BY** REG. NO./LAB NO. : 122502050012

REFERRED BY **REGISTRATION DATE** : 05/Feb/2025 11:28 AM BARCODE NO. : 12506846 **COLLECTION DATE** :05/Feb/2025 11:36AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 05/Feb/2025 01:06PM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name** 

## **HAEMATOLOGY HAEMOGLOBIN (HB)**

12 HAEMOGLOBIN (HB) 12.0 - 17.0 gm/dL

by CALORIMETRIC

**INTERPRETATION:-**Hemoglobin is the protein molecule in red blood cells that carries oxygen from the lungs to the bodys tissues and returns carbon dioxide from the tissues back to the lungs.

A low hemoglobin level is referred to as ANEMIA or low red blood count.

ANEMIA (DECRESED HAEMOGLOBIN):

1) Loss of blood (traumatic injury, surgery, bleeding, colon cancer or stomach ulcer)

2) Nutritional deficiency (iron, vitamin B12, folate)

- 3) Bone marrow problems (replacement of bone marrow by cancer)
- 4) Suppression by red blood cell synthesis by chemotherapy drugs

5) Kidney failure

6) Abnormal hemoglobin structure (sickle cell anemia or thalassemia).

### POLYCYTHEMIA (INCREASED HAEMOGLOBIN):

- 1) People in higher altitudes (Physiological)
- 2) Smoking (Secondary Polycythemia)
- 3) Dehydration produces a falsely rise in hemoglobin due to increased haemoconcentration
- 4) Advanced lung disease (for example, emphysema)
- 5) Certain tumors
- 6) A disorder of the bone marrow known as polycythemia rubra vera,
- 7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

**NAME** : Mr. GULSHAN DUTT

**AGE/ GENDER** : 56 YRS/MALE **PATIENT ID** : 1746236

**COLLECTED BY** REG. NO./LAB NO. : 122502050012

REFERRED BY **REGISTRATION DATE** : 05/Feb/2025 11:28 AM BARCODE NO. : 12506846 **COLLECTION DATE** :05/Feb/2025 11:36AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 05/Feb/2025 01:06PM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

**Test Name Value** Unit **Biological Reference interval** 

### **CLINICAL CHEMISTRY/BIOCHEMISTRY**

### **LIPID PROFILE: BASIC**

| CHOLESTEROL TOTAL: SERUM by CHOLESTEROL OXIDASE PAP            | 184.58              | mg/dL | OPTIMAL: < 200.0<br>BORDERLINE HIGH: 200.0 -<br>239.0<br>HIGH CHOLESTEROL: > OR =   |
|--|---------------------|-------|---|
| TRIGLYCERIDES: SERUM by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC) | 200.39 <sup>H</sup> | mg/dL | 240.0<br>OPTIMAL: < 150.0<br>BORDERLINE HIGH: 150.0 -<br>199.0<br>HIGH: 200.0 - 499.0<br>VERY HIGH: > OR = 500.0                        |
| HDL CHOLESTEROL (DIRECT): SERUM by SELECTIVE INHIBITION        | 35.58               | mg/dL | LOW HDL: < 30.0<br>BORDERLINE HIGH HDL: 30.0 -<br>60.0<br>HIGH HDL: > OR = 60.0   |
| LDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY        | 108.92              | mg/dL | OPTIMAL: < 100.0<br>ABOVE OPTIMAL: 100.0 - 129.0<br>BORDERLINE HIGH: 130.0 -<br>159.0<br>HIGH: 160.0 - 189.0<br>VERY HIGH: > OR = 190.0 |
| NON HDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY    | 149 <sup>H</sup>    | mg/dL | OPTIMAL: < 130.0<br>ABOVE OPTIMAL: 130.0 - 159.0<br>BORDERLINE HIGH: 160.0 -<br>189.0<br>HIGH: 190.0 - 219.0<br>VERY HIGH: > OR = 220.0 |
| VLDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY       | 40.08               | mg/dL | 0.00 - 45.00  |
| TOTAL LIPIDS: SERUM  by CALCULATED, SPECTROPHOTOMETRY          | 569.55              | mg/dL | 350.00 - 700.00   |
| CHOLESTEROL/HDL RATIO: SERUM                                   | 5.19 <sup>H</sup>   | RATIO | LOW RISK: 3.30 - 4.40   |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



AVERAGE RISK: 4.50 - 7.0

by CALCULATED, SPECTROPHOTOMETRY





## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

**NAME** : Mr. GULSHAN DUTT

AGE/ GENDER : 56 YRS/MALE **PATIENT ID** :1746236

**COLLECTED BY** REG. NO./LAB NO. : 122502050012

REFERRED BY **REGISTRATION DATE** : 05/Feb/2025 11:28 AM BARCODE NO. **COLLECTION DATE** :05/Feb/2025 11:36AM : 12506846 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 05/Feb/2025 01:06PM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name   | Value             | Unit  | Biological Reference interval  |
|---|-------------------|-------|--|
| LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY           | 3.06 <sup>H</sup> | RATIO | MODERATE RISK: 7.10 - 11.0<br>HIGH RISK: > 11.0<br>LOW RISK: 0.50 - 3.0<br>MODERATE RISK: 3.10 - 6.0 |
| TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED. SPECTROPHOTOMETRY | 5.63 <sup>H</sup> | RATIO | HIGH RISK: > 6.0<br>3.00 - 5.00  |

**INTERPRETATION:** 

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.

4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

**NAME** : Mr. GULSHAN DUTT

**AGE/ GENDER** : 56 YRS/MALE **PATIENT ID** : 1746236

**COLLECTED BY** : 122502050012 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 05/Feb/2025 11:28 AM BARCODE NO. : 12506846 **COLLECTION DATE** :05/Feb/2025 11:36AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 05/Feb/2025 01:06PM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

**Test Name Value** Unit **Biological Reference interval** 

### **LIVER FUNCTION TEST (COMPLETE)**

| BILIRUBIN TOTAL: SERUM by DIAZOTIZATION, SPECTROPHOTOMETRY                           | 0.91                | mg/dL | INFANT: 0.20 - 8.00<br>ADULT: 0.00 - 1.20 |
|--|---------------------|-------|---|
| BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY            | 0.41 <sup>H</sup>   | mg/dL | 0.00 - 0.40                               |
| BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by CALCULATED, SPECTROPHOTOMETRY            | 0.5                 | mg/dL | 0.10 - 1.00                               |
| SGOT/AST: SERUM<br>by IFCC, WITHOUT PYRIDOXAL PHOSPHATE                              | 220.25 <sup>H</sup> | U/L   | 7.00 - 45.00                              |
| SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE                                 | 196.01 <sup>H</sup> | U/L   | 0.00 - 49.00                              |
| AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY                                | 1.12                | RATIO | 0.00 - 46.00                              |
| ALKALINE PHOSPHATASE: SERUM by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL | 71.99               | U/L   | 40.0 - 130.0                              |
| GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by SZASZ, SPECTROPHTOMETRY                   | 79.31 <sup>H</sup>  | U/L   | 0.00 - 55.0                               |
| TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY                                   | 6.31                | gm/dL | 6.20 - 8.00                               |
| ALBUMIN: SERUM by BROMOCRESOL GREEN  | 4.28                | gm/dL | 3.50 - 5.50                               |
| GLOBULIN: SERUM by CALCULATED, SPECTROPHOTOMETRY                                     | $2.03^{L}$          | gm/dL | 2.30 - 3.50                               |
| A: GRATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY                                    | 2.11 <sup>H</sup>   | RATIO | 1.00 - 2.00                               |
|  |                     |       |   |

#### INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

**USE**:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

#### INCREASED:

| DRUG HEPATOTOXICITY                          | > 2                        |
|--|----------------------------|
| ALCOHOLIC HEPATITIS                          | > 2 (Highly Suggestive)    |
| CIRRHOSIS                                    | 1.4 - 2.0                  |
| INTRAHEPATIC CHOLESTATIS                     | > 1.5                      |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | > 1.3 (Slightly Increased) |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







## A PIONEER DIAGNOSTIC CENTRE

**■** 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

: 05/Feb/2025 01:06PM

**NAME** : Mr. GULSHAN DUTT

**AGE/ GENDER** : 56 YRS/MALE **PATIENT ID** : 1746236

**COLLECTED BY** REG. NO./LAB NO. : 122502050012

REFERRED BY **REGISTRATION DATE** : 05/Feb/2025 11:28 AM BARCODE NO. : 12506846 **COLLECTION DATE** :05/Feb/2025 11:36AM

**CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

**Test Name Value** Unit **Biological Reference interval** 

REPORTING DATE

#### **DECREASED:**

CLIENT CODE.

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

#### PROGNOSTIC SIGNIFICANCE:

| NORMAL               | < 0.65    |  |
|----------------------|-----------|--|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |  |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |  |

\*\*\* End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)