



PKR JAIN HEALTHCARE INSTITUTE

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

: 11/Feb/2025 04:19PM

NAME : Mr. NARESH KUMAR

AGE/ GENDER : 74 YRS/MALE **PATIENT ID** : 1579002

COLLECTED BY : 122502110002 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 11/Feb/2025 08:29 AM BARCODE NO. : 12506940 **COLLECTION DATE** : 11/Feb/2025 09:06AM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Value Unit **Biological Reference interval Test Name**

REPORTING DATE

HAEMATOLOGY **GLYCOSYLATED HAEMOGLOBIN (HBA1C)**

GLYCOSYLATED HAEMOGLOBIN (HbA1c): 5.9 4.0 - 6.4%

WHOLE BLOOD by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)

ESTIMATED AVERAGE PLASMA GLUCOSE 122.63 mg/dL 60.00 - 140.00

by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)

INTERPRETATION:

CLIENT CODE.

| AS PER AMERICAN DI | IABETES ASSOCIATION (ADA): | |
|--|----------------------------|-------------------|
| REFERENCE GROUP | GLYCOSYLATED HEMOGI | OGIB (HBAIC) in % |
| Non diabetic Adults >= 18 years | <5.7 | |
| At Risk (Prediabetes) | 5.7 – 6. | 4 |
| Diagnosing Diabetes | >= 6.5 | |
| | Age > 19 Y | ears |
| | Goals of Therapy: | < 7.0 |
| Therapeutic goals for glycemic control | Actions Suggested: | >8.0 |
| | Age < 19 Y | ears |
| | Goal of therapy: | <7.5 |

COMMENTS:

- 1. Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients.
- 2. Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled.
- 3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be appropiate. 4.High
- HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications
- 5. Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.
- 6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.
- 7. Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. NARESH KUMAR

AGE/ GENDER : 74 YRS/MALE **PATIENT ID** : 1579002

COLLECTED BY REG. NO./LAB NO. : 122502110002

REFERRED BY **REGISTRATION DATE** : 11/Feb/2025 08:29 AM BARCODE NO. : 12506940 **COLLECTION DATE** : 11/Feb/2025 09:06AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 11/Feb/2025 04:19PM


CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Test Name Value Unit **Biological Reference interval**

LIFOTRONIC Graph Report

| Name : | Case: | Patient Type : | Test Date: 11/02/2025 18:37:20 |
|---------|-------------|-------------------------------|--------------------------------|
| Age: | Department: | Sample Type: Whole Blood EDTA | Sample ld: 12506940 |
| Gender: | | | Total Area : 10207 |

| Peak Name | Retention Time(s) | Absorbance | Area | Result (Area %) |
|-----------|-------------------|------------|------|-----------------|
| HbA0 | 69 | 2960 | 9103 | 83.9 |
| HbA1c | 38 | 63 | 640 | 5.9 |
| La1c | 26 | 32 | 247 | 2.3 |
| HbF | 19 | 15 | 25 | 0.2 |
| Hba1b | 14 | 32 | 110 | 1.0 |
| Hba1a | 11 | 23 | 82 | 0.8 |





NOT VALID FOR MEDICO LEGAL PURPOSE

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME : Mr. NARESH KUMAR

AGE/ GENDER : 74 YRS/MALE **PATIENT ID** : 1579002

COLLECTED BY REG. NO./LAB NO. : 122502110002

REFERRED BY **REGISTRATION DATE** : 11/Feb/2025 08:29 AM BARCODE NO. **COLLECTION DATE** : 11/Feb/2025 09:06AM : 12506940 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 11/Feb/2025 01:56PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval Test Name**

CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F) AND POST PRANDIAL (PP)

GLUCOSE FASTING (F): PLASMA 82.41 NORMAL: < 100.0 mg/dL

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) PREDIABETIC: 100.0 - 125.0

DIABETIC: > 0R = 126.0

GLUCOSE POST PRANDIAL (PP): PLASMA 160.37^H mg/dL NORMAL: < 140.00 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)

PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0

INTERPRETATION:

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose below 100 mg/dL and post-prandial plasma glucose level below 140 mg/dl is considered normal.

- 2. A fasting plasma glucose level between 100 125 mg/dl and post-prandial plasma glucose level between 140 200 mg/dL is considered as glucose intolerant or pre diabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such
- 3. A fasting plasma glucose level of above 125 mg/dL and post-prandial plasma glucose level above 200 mg/dL is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

*** End Of Report ***



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

