PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

RS/MALE 6962 JAIN HEALTHCARE INSTT RPUR, HISSAR ROAD, AME	REC REC COI TUTE REF	CIENT ID G. NO./LAB NO. CISTRATION DATE LECTION DATE PORTING DATE NA	: 1753313 : 122502110024 : 11/Feb/2025 03:58 PM : 11/Feb/2025 04:12PM : 11/Feb/2025 04:35PM
JAIN HEALTHCARE INSTI	REC COI TUTE REF	SISTRATION DATE LECTION DATE PORTING DATE	: 11/Feb/2025 03:58 PM : 11/Feb/2025 04:12PM
JAIN HEALTHCARE INSTI	COI TUTE REP	LECTION DATE PORTING DATE	: 11/Feb/2025 04:12PM
JAIN HEALTHCARE INSTI	TUTE REP	PORTING DATE	
			: 11/Feb/2025 04:35PM
RPUR, HISSAR ROAD, AME	BALA CITY - HARYA	NA	
	Value	Unit	Biological Reference interva
CLINICA	L CHEMISTR	Y/BIOCHEMIST	'RY
GL	UCOSE POST P	RANDIAL (PP)	
	346.42 ^H	mg/dL	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0
COSE LEVEL DELOW 140 mg/r	IN GUIDELINES:	mal	
el between 140 - 200 mg/	dl is considered as o	glucose intolerant or p	prediabetic. A fasting and post-prandial bloo
gms of glucose) is recomm	nended for all such	batients.	
	GL (PP): PLASMA <i>KIDASE (GOD-POD)</i> CAN DIABETES ASSOCIATIO (cose level below 140 mg/c yel between 140 - 200 mg/c gms of glucose) is recomm	GLUCOSE POST PI A. (PP): PLASMA XIDASE (GOD-POD) CAN DIABETES ASSOCIATION GUIDELINES: Icose level below 140 mg/dl is considered nor rel between 140 - 200 mg/dl is considered as g gms of glucose) is recommended for all such g cose level of above 200 mg/dl is highly sugges	XIDASE (GOD-POD)

recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

