

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

: Mr. JODH SINGH **NAME**

AGE/ GENDER : 66 YRS/MALE **PATIENT ID** :1759464

COLLECTED BY REG. NO./LAB NO. : 122502170008

REFERRED BY **REGISTRATION DATE** : 17/Feb/2025 11:11 AM BARCODE NO. : 12507054 **COLLECTION DATE** : 17/Feb/2025 11:23AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 17/Feb/2025 03:52PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Test Name Value Unit **Biological Reference interval**

HAEMATOLOGY

PROTHROMBIN TIME STUDIES (PT/INR)

PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	14.2	SECS	11.5 - 14.5
PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION	12	SECS	
ISI	1.1		
by PHOTO OPTICAL CLOT DETECTION INTERNATIONAL NORMALISED RATIO (INR)	1.2		0.80 - 1.20
by PHOTO OPTICAL CLOT DETECTION PT INDEX by PHOTO OPTICAL CLOT DETECTION	84.51	%	

INTERPRETATION:-

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropiate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

INDICATION		INTERNATIONAL NORMALIZED RATIO (INR)	
Treatment of venous thrombosis		(IIVK)	
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity	2.0 - 3.0	
Acute myocardial infarction	1		
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity	2.5 - 3.5	

DECOMMENDED THE DADELITIC DANICE FOR ORAL ANTI-COACH AND THE DADY (IND)



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

REPORTING DATE

: 17/Feb/2025 03:52PM

: Mr. JODH SINGH **NAME**

AGE/ GENDER : 66 YRS/MALE **PATIENT ID** :1759464

COLLECTED BY : 122502170008 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 17/Feb/2025 11:11 AM BARCODE NO. : 12507054 **COLLECTION DATE** : 17/Feb/2025 11:23AM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Test Name Value Unit **Biological Reference interval**

Antiphospholipid antibodies+

CLIENT CODE.

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are:

1. Oral Anticoagulant therapy.

2.Liver disease.

3. Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5. Factor 5, 7, 10 or Prothrombin dificiency

End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)