A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE	PA	TIENT ID	: 1760984
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122502180003
REFERRED BY	:	RE	GISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	CO	LLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	ГЕ RE	PORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
	SWASTI	HYA WELL	NESS PANEL: 1.2	
	СОМР	LETE BLOO	D COUNT (CBC)	
RED BLOOD CELLS	S (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (H	B)	15.2	gm/dL	12.0 - 17.0
RED BLOOD CELL (RBC) COUNT	5.18 ^H	Millions/c	cmm 3.50 - 5.00
PACKED CELL VOL	UME (PCV) NUTOMATED HEMATOLOGY ANALYZER	43.3	%	40.0 - 54.0
MEAN CORPUSCUL	AR VOLUME (MCV)	83.7 PK	R fL	80.0 - 100.0
	AR HAEMOGLOBIN (MCH)	29.4	pg	27.0 - 34.0
by CALCULATED BY A	AR HEMOGLOBIN CONC. (MCHC)	35.2	g/dL	32.0 - 36.0
by CALCULATED BY A	UTION WIDTH (RDW-CV)	13.8	%	11.00 - 16.00
by CALCULATED BY A	UTION WIDTH (RDW-SD)	44.7	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		16.16	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INI by CALCULATED		22.34	RATIO	BETA THALASSEMIA TRAIT:< 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CE				
.,	E COUNT (TLC) y by sf cube & microscopy UCOCYTE COUNT (DLC)	9180	/cmm	4000 - 11000
NEUTROPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	58	%	50 - 70
LYMPHOCYTES		34	%	20 - 40

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE		PATIENT ID	: 1760984
COLLECTED BY	:		REG. NO./LAB NO.	: 122502180003
REFERRED BY	:		REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069		COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	ΓUTE	REPORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY			
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	2	%	1 - 6
MONOCYTES		6	%	2 - 12
	Y BY SF CUBE & MICROSCOPY			
BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
	CYTES (WBC) COUNT			
ABSOLUTE NEUTR	OPHIL COUNT	5324	/cmm	2000 - 7500
	Y BY SF CUBE & MICROSCOPY		i	000 1000
ABSOLUTE LYMPH	OCYTE COUNT Y BY SF CUBE & MICROSCOPY	3121	/cmm	800 - 4900
ABSOLUTE EOSING		184	/cmm	40 - 440
ABSOLUTE MONOC	CYTE COUNT y by sf cube & microscopy	551	/cmm	80 - 880
ABSOLUTE BASOP	HIL COUNT y by sf cube & microscopy	0	/cmm	0 - 110
PLATELETS AND (DTHER PLATELET PREDICTIVE	MARKERS.		
PLATELET COUNT by HYDRO DYNAMIC F	(PLT) FOCUSING, ELECTRICAL IMPEDENCE	306000	/cmm	150000 - 450000
PLATELETCRIT (PC		0.26	%	0.10 - 0.36
MEAN PLATELET V	FOCUSING, ELECTRICAL IMPEDENCE	8	fL	6.50 - 12.0
	FOCUSING, ELECTRICAL IMPEDENCE	0	IL	0.00 12.0
by HYDRO DYNAMIC F	CELL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	51000	/cmm	30000 - 90000
by HYDRO DYNAMIC F	CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	16.7	%	11.0 - 45.0
by HYDRO DYNAMIC F	BUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	15.9	%	15.0 - 17.0
NOTE: TEST CONDU	ICTED ON EDTA WHOLE BLOOD			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE		PATIENT ID	: 1760984
COLLECTED BY	:		REG. NO./LAB NO.	: 122502180003
REFERRED BY	:		REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069		COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	ГUTE	REPORTING DATE	: 18/Feb/2025 02:26PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	ERYTHRO	CYTE SEDI	MENTATION RATE (I	ESR)
	DIMENTATION RATE (ESR)	12	mm/1st	hr 0 - 20
INTERPRETATION:	GATION BY CAPILLARY PHOTOMETRY			
1. ESR is a non-specif immune disease, but 2. An ESR can be affe- as C-reactive protein	does not tell the health practitione cted by other conditions besides in	er exactly wher flammation. Fo	e the inflammation is in the or this reason, the ESR is typ	bically used in conjunction with other test suc
3. This test may also systemic lupus erythe	be used to monitor disease activity	and response	to therapy in both of the al	bove diseases as well as some others, such as
A low ESR can be see (polycythaemia), sign	n with conditions that inhibit the n	nt (leucocytosi	ntation of red blood cells, su s) , and some protein abnor	uch as a high red blood cell count rmalities. Some changes in red cell shape (suc

NOTE:
1. ESR and C - reactive protein (C-RP) are both markers of inflammation.
2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
4. Drugs such as doutrant methyldona oral contracentives penicillamine procainamide, theophylline, and vit

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE	PATI	ENT ID	: 1760984
COLLECTED BY	:	REG.	NO./LAB NO.	: 122502180003
REFERRED BY	:	REGI	STRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	COLL	ECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE REPC	RTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name		Value	Unit	Biological Reference interv
	CLINI	CAL CHEMISTRY	/BIOCHEMIST	'nY
		GLUCOSE FAST	ГING (F)	
GLUCOSE FASTING		107.43 ^H	mg/dL	NORMAL: < 100.0
by GLUCOSE OXIDAS	E - PEROXIDASE (GOD-POD)			PREDIABETIC: 100.0 - 125. DIABETIC: > 0R = 126.0

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE		PATIENT ID	: 1760984
COLLECTED BY	:		REG. NO./LAB NO.	: 122502180003
REFERRED BY	:		REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069		COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TO' by CHOLESTEROL O		233.65 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM PHATE OXIDASE (ENZYMATIC)	310.46 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO by SELECTIVE INHIBIT	L (DIRECT): SERUM	38.55	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTERO		133.01 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLES' by CALCULATED, SPE		195.1 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER		62.09 ^H	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SEF by CALCULATED, SPE	RUM	777.76 ^H	mg/dL	350.00 - 700.00
CHOLESTEROL/HI by CALCULATED, SPE	DL RATIO: SERUM	6.06 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984	
COLLECTED BY	:	REG. NO./LAB NO.	: 122502180003	
REFERRED BY	:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM	
BARCODE NO.	: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 01:33PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.45 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	8.05 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

 Low hole to consider a structure of the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH			
AGE/ GENDER	: 30 YRS/MALE		PATIENT ID	: 1760984
COLLECTED BY	:		REG. NO./LAB NO.	: 122502180003
REFERRED BY	:		REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069		COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTION	N TEST (COMPLETE)	
BILIRUBIN TOTAL: by diazotization, sp		0.58	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	(CONJUGATED): SERUM PECTROPHOTOMETRY	0.22	mg/dL	0.00 - 0.40
BILIRUBIN INDIREO	CT (UNCONJUGATED): SERUM	0.36	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PYF	RIDOXAL PHOSPHATE	28.81	U/L	7.00 - 45.00
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	35.02	U/L	0.00 - 49.00
AST/ALT RATIO: SE	CRUM	0.82	RATIO	0.00 - 46.00
ALKALINE PHOSPH		106.04	U/L	40.0 - 130.0
GAMMA GLUTAMYI by SZASZ, SPECTROP	L TRANSFERASE (GGT): SERUM	72.93 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: S	SERUM	6.22	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL GF	REEN	4.05	gm/dL	3.50 - 5.50
GLOBULIN: SERUM		2.17 ^L	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by CALCULATED, SPEC	1	1.87	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





: Mr. GURLAL SINGH

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NAME





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH		
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984
COLLECTED BY	:	REG. NO./LAB NO.	: 122502180003
REFERRED BY	:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

|--|

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:	
--------------------------	--

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: Mr. GURLAL SINGH		
: 30 YRS/MALE	PATIENT ID	: 1760984
:	REG. NO./LAB NO.	: 122502180003
:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM
: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM
: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 05:23PM
: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Valuo	Init	Biological Reference interval
-	: 30 YRS/MALE : : : 12507069 : P.K.R JAIN HEALTHCARE INSTITUTE	: 30 YRS/MALEPATIENT ID:REG. NO./LAB NO.:REGISTRATION DATE: 12507069COLLECTION DATE: P.K.R JAIN HEALTHCARE INSTITUTEREPORTING DATE: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

KIDN	EY FUNCTION TE	EST (COMPLETE)	
UREA: SERUM	29.41	mg/dL	10.00 - 50.00
by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)			
CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY	1.19	mg/dL	0.40 - 1.40
BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY	13.74	mg/dL	7.0 - 25.0
BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM	11.55	RATIO	10.0 - 20.0
by CALCULATED, SPECTROPHOTOMETRY			
UREA/CREATININE RATIO: SERUM by calculated, spectrophotometry	24.71	RATIO	
URIC ACID: SERUM by URICASE - OXIDASE PEROXIDASE	4.15	mg/dL	3.60 - 7.70
CALCIUM: SERUM by ARSENAZO III, SPECTROPHOTOMETRY	8.55	mg/dL	8.50 - 10.60
PHOSPHOROUS: SERUM by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY	2.72	mg/dL	2.30 - 4.70
ELECTROLYTES			
SODIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	139	mmol/L	135.0 - 150.0
POTASSIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	4.1	mmol/L	3.50 - 5.00
CHLORIDE: SERUM	104.25	mmol/L	90.0 - 110.0
by ISE (ION SELECTIVE ELECTRODE)	104.60	IIIIIOI/ L	0.0 - 110.0
ESTIMATED GLOMERULAR FILTERATION RATI	<u>E</u>		
ESTIMATED GLOMERULAR FILTERATION RATE	84.3		

(eGFR): SERUM

by CALCULATED

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

▼0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH		
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984
COLLECTED BY	:	REG. NO./LAB NO.	0. : 122502180003
REFERRED BY	:	REGISTRATION D	DATE : 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	COLLECTION DAT	TE : 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATI	FE : 18/Feb/2025 05:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA	CITY - HARYANA	
Test Name	v	Value Un	nit Biological Reference interval
4. High protein intak			
5. Impaired renal fur			
		e.g. infection, GI bleeding, thy	yrotoxicosis, Cushing's syndrome, high protein diet,
burns, surgery, cache	5		
	n (e.g. ureter colostomy)		
	nass (subnormal creatinine production)		
	. tetracycline, glucocorticoids) 20:1) WITH ELEVATED CREATININE LEVELS		
•	a (BUN rises disproportionately more that		ve uronathy)
	superimposed on renal disease.		

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement). ESTIMATED GLOMERULAR FILTERATION RATE:

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS	
G1	Normal kidney function	>90	No proteinuria	
G2	Kidney damage with	>90	Presence of Protein ,	
	normal or high GFR		Albumin or cast in urine	
G3a	Mild decrease in GFR	60 -89		
G3b	Moderate decrease in GFR	30-59		
G4	Severe decrease in GFR	15-29		
G5	Kidney failure	<15		



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH		
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984
COLLECTED BY	:	REG. NO./LAB NO.	: 122502180003
REFERRED BY	:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 05:23PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

💟 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH				
AGE/ GENDER	: 30 YRS/MALE	РАТ	IENT ID	: 1760984	
COLLECTED BY	:	REG	. NO./LAB NO.	: 122502180003	
REFERRED BY	:	REG	ISTRATION DATE	: 18/Feb/2025 08:32 AM	
BARCODE NO.	: 12507069	COL	LECTION DATE	: 18/Feb/2025 09:21AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	ГЕ REP	ORTING DATE	: 18/Feb/2025 01:33PM	
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name		Value	Unit	Biological Reference interval	
Test Name				Biological Reference interval	
Test Name	THVD	ENDOCRIN	OLOGY	Biological Reference interval	
Test Name	THYRO	ENDOCRIN		Biological Reference interval	
TRIIODOTHYRONIN		ENDOCRIN	OLOGY	Biological Reference interva 0.35 - 1.93	
TRIIODOTHYRONIN by CMIA (CHEMILUMIN THYROXINE (T4): S	IE (T3): SERUM ESCENT MICROPARTICLE IMMUNOASSAY)	ENDOCRIN DID FUNCTIO	OLOGY N TEST: TOTAL	-	
TRIIODOTHYRONIN by CMIA (CHEMILUMIN THYROXINE (T4): S by CMIA (CHEMILUMIN THYROID STIMULA	IE (T3): SERUM ESCENT MICROPARTICLE IMMUNOASSAY) ERUM	ENDOCRIN DID FUNCTIO 1.35	OLOGY N TEST: TOTAL ng/mL	0.35 - 1.93	
TRIIODOTHYRONIN by CMIA (CHEMILUMIN THYROXINE (T4): S by CMIA (CHEMILUMIN THYROID STIMULA	IE (T3): SERUM escent microparticle immunoassay) ERUM escent microparticle immunoassay) TING HORMONE (TSH): SERUM escent microparticle immunoassay)	ENDOCRIN DID FUNCTIO 1.35 8.71	OLOGY N TEST: TOTAL ng/mL µgm/dL	0.35 - 1.93 4.87 - 12.60	

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	Т3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin , salicylates).

3. Serum T4 levels in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

TRIIODOTHYRONINE (T3)		THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH)		
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)	
0-7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3	
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00	
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 – 17.04	3 Days – 6 Months	0.70 - 8.40	
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH		
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984
COLLECTED BY	:	REG. NO./LAB NO.	: 122502180003
REFERRED BY	:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM
BARCODE NO.	: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 01:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	

Fest Name		Value	lue Unit		Biological Reference interval	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50	
	RECOM	MENDATIONS OF TSH LE	VELS DURING PRE	GNANCY (µIU/mL)		
	1st Trimester			0.10 - 2.50		
	2nd Trimester			0.20 - 3.00		
	3rd Trimester			0.30 - 4.10		

INCREASED TSH LEVELS:

1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goiter & Thyroiditis.

2. Over replacement of thyroid hormone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituitary or hypothalamic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER: 30 YRS/MALECOLLECTED BY:REFERRED BY:BARCODE NO.: 12507069		PATIENT ID REG. NO./LAB NO.		: 1760984 : 122502180003	
		COLLECTION DATE		: 18/Feb/2025 09:21AM	
		CLIENT CODE.			NG DATE
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interva	
		CLINICAL PATHO	LOGY		
	URINE RO	UTINE & MICROSCOP	PIC EXAMINA	ATION	
PHYSICAL EXAMIN	NATION				
QUANTITY RECIEVED		20	ml		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY COLOUR		PALE YELLOW		PALE YELLOW	
•	TANCE SPECTROPHOTOMETRY				
TRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		CLEAR		CLEAR	
SPECIFIC GRAVITY		1.02 PK R		1.002 - 1.030	
by DIP STICK/REFLEC CHEMICAL EXAMI	TANCE SPECTROPHOTOMETRY				
REACTION	MATION	ACIDIC			
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					
PROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		NEGATIVE (-ve)		NEGATIVE (-ve)	
SUGAR		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		6.5		5.0 - 7.5	
	TANCE SPECTROPHOTOMETRY	0.5		5.0 - 7.5	
		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY NITRITE		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.			E11 / J1		
UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		NOT DETECTED	EU/dL	0.2 - 1.0	
KETONE BODIES		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY BLOOD		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					
ASCORBIC ACID by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)	
MICROSCOPIC EXA	AMINATION				
RED BLOOD CELLS	(RBCs)	NEGATIVE (-ve)	/HPF	0 - 3	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NAME

: Mr. GURLAL SINGH

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. GURLAL SINGH				
AGE/ GENDER	: 30 YRS/MALE	PATIENT ID	: 1760984		
COLLECTED BY	:	REG. NO./LAB NO.	: 122502180003		
REFERRED BY	:	REGISTRATION DATE	: 18/Feb/2025 08:32 AM		
BARCODE NO.	: 12507069	COLLECTION DATE	: 18/Feb/2025 09:21AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Feb/2025 01:33PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name	Value	Unit	Biological Reference interval		

I CSt Maine	Value	Cint	biological weier chee meer var
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS	4-5	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT EPITHELIAL CELLS	2-4	/HPF	ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-4	/ HPF	ADSENI
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

* End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

