A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH			
AGE/ GENDER	: 43 YRS/MALE	PA	TIENT ID	: 1449734
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122503050001
REFERRED BY	:	RE	GISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	CO	LLECTION DATE	:05/Mar/202508:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE re	PORTING DATE	:05/Mar/202501:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
	SWASTI	HYA WELL	NESS PANEL: 1.2	
	СОМР	LETE BLOO	D COUNT (CBC)	
RED BLOOD CELLS	(RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HI	B)	13.7	gm/dL	12.0 - 17.0
RED BLOOD CELL (RBC) COUNT OCUSING, ELECTRICAL IMPEDENCE	4.75	Millions/	cmm 3.50 - 5.00
PACKED CELL VOLU	JME (PCV) utomated hematology analyzer	40.1	%	40.0 - 54.0
	UTOMATED HEMATOLOGY ANALYZER	84.5	fL	80.0 - 100.0
by CALCULATED BY A	AR HAEMOGLOBIN (MCH) UTOMATED HEMATOLOGY ANALYZER	28.8	pg	27.0 - 34.0
	AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	34	g/dL	32.0 - 36.0
	UTION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	13.3	%	11.00 - 16.00
by CALCULATED BY A	UTION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	42.6	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		17.79	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING IND by CALCULATED	ΈX	23.63	RATIO	BETA THALASSEMIA TRAIT:< 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CEI				
	BY SF CUBE & MICROSCOPY	7300	/cmm	4000 - 11000
	<u>UCOCYTE COUNT (DLC)</u>	~ ~	<u>.</u>	50.50
NEUTROPHILS by FLOW CYTOMETRY	' BY SF CUBE & MICROSCOPY	55	%	50 - 70
LYMPHOCYTES		36	%	20 - 40

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH				
AGE/ GENDER	: 43 YRS/MALE		PATIENT ID	: 1449734	
COLLECTED BY	:		REG. NO./LAB NO.	: 122503050001	
REFERRED BY	:		REGISTRATION DATE	: 05/Mar/2025 08:13 AM	
BARCODE NO.	: 12507339		COLLECTION DATE	: 05/Mar/2025 08:20AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	: 05/Mar/2025 01:13PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY				
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	3	%	1 - 6	
MONOCYTES	Y BY SF CUBE & MICROSCOPY	6	%	2 - 12	
BASOPHILS		0	%	0 - 1	
	Y BY SF CUBE & MICROSCOPY DCYTES (WBC) COUNT				
ABSOLUTE NEUTR		4015	/cmm	2000 - 7500	
	Y BY SF CUBE & MICROSCOPY	4015	/ chilli		
ABSOLUTE LYMPH	OCYTE COUNT Y BY SF CUBE & MICROSCOPY	2628 ^L	/cmm	800 - 4900	
ABSOLUTE EOSING		219	/cmm	40 - 440	
ABSOLUTE MONOG		438	/cmm	80 - 880	
ABSOLUTE BASOP	HIL COUNT y by sf cube & microscopy	0	/cmm	0 - 110	
PLATELETS AND	OTHER PLATELET PREDICTIVE	MARKERS.			
PLATELET COUNT by hydro dynamic i	(PLT) FOCUSING, ELECTRICAL IMPEDENCE	218000		150000 - 450000	
PLATELETCRIT (PO	CT) FOCUSING, ELECTRICAL IMPEDENCE	0.25	%	0.10 - 0.36	
MEAN PLATELET V	OLUME (MPV) FOCUSING, ELECTRICAL IMPEDENCE	12	fL	6.50 - 12.0	
	CELL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	82000	/cmm	30000 - 90000	
by HYDRO DYNAMIC I	CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	37.8	%	11.0 - 45.0	
by HYDRO DYNAMIC I	BUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	16.2	%	15.0 - 17.0	
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD				





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH			
AGE/ GENDER	: 43 YRS/MALE	Р	ATIENT ID	: 1449734
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122503050001
REFERRED BY	:	R	EGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	С	OLLECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE R	EPORTING DATE	:05/Mar/202501:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARY	YANA	
Test Name		Value	Unit	Biological Reference interval
	ERYTHRO	CYTE SEDIM	ENTATION RATE ()	ESR)
EDVTUDOCVTE CEI	DIMENTATION RATE (ESR)	5	mm/1st	hr 0 - 20
by RED CELL AGGRE	GATION BY CAPILLARY PHOTOMETRY			
by RED CELL AGGREG INTERPRETATION: 1. ESR is a non-specif	ic test because an elevated result (often indicates th	e presence of inflammati	on associated with infection, cancer and auto
by RED CELL AGGREG INTERPRETATION: 1. ESR is a non-specif immune disease, but	ic test because an elevated result o does not tell the health practition	er exactly where t	the inflammation is in the	body or what is causing it.
by RED CELL AGGREG INTERPRETATION: 1. ESR is a non-specifimmune disease, but 2. An ESR can be affe	ic test because an elevated result o does not tell the health practition cted by other conditions besides ir	er exactly where t	the inflammation is in the	on associated with infection, cancer and auto body or what is causing it. pically used in conjunction with other test such
by RED CELL AGGREG INTERPRETATION: 1. ESR is a non-specifi immune disease, but 2. An ESR can be affe as C-reactive protein	ic test because an elevated result o does not tell the health practitione cted by other conditions besides ir	er exactly where t iflammation. For	the inflammation is in the this reason, the ESR is types the transmission of the the the transmission of transmission of the transmission of transmiss	e body or what is causing it. bically used in conjunction with other test such
by RED CELL AGGREG INTERPRETATION: 1. ESR is a non-specifi immune disease, but 2. An ESR can be affe as C-reactive protein	ic test because an elevated result o does not tell the health practitione cted by other conditions besides ir be used to monitor disease activity ematosus	er exactly where t iflammation. For	the inflammation is in the this reason, the ESR is types the transmission of the the the transmission of transmission of the transmission of transmiss	body or what is causing it.

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 4. Drugs such as devicent matching and units of two types of proteins and units of the temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

43 YRS/MALE		
45 IRS/ WALE	PATIENT ID	: 1449734
	REG. NO./LAB NO.	: 122503050001
	REGISTRATION DATE	: 05/Mar/2025 08:13 AM
12507339	COLLECTION DATE	: 05/Mar/2025 08:20AM
P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:05/Mar/202501:13PM
NASIRPUR, HISSAR ROAD, AMBALA CITY	Y - HARYANA	
Value	e Unit	Biological Reference interva
CLINICAL CHE	MISTRY/BIOCHEMIST	'nY
GLUC	OSE FASTING (F)	
T): PLASMA 96.4 PEROXIDASE (GOD-POD)	9 mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
ĩ	P.K.R JAIN HEALTHCARE INSTITUTE NASIRPUR, HISSAR ROAD, AMBALA CITY Valu CLINICAL CHE GLUC): PLASMA 96.4	REGISTRATION DATE 12507339 COLLECTION DATE P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Value Unit CLINICAL CHEMISTRY/BIOCHEMIST GLUCOSE FASTING (F)): PLASMA 96.49 mg/dL

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH			
AGE/ GENDER	: 43 YRS/MALE		PATIENT ID	: 1449734
COLLECTED BY	:		REG. NO./LAB NO.	: 122503050001
REFERRED BY	:		REGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339		COLLECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	:05/Mar/202501:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AI	MBALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TO' by CHOLESTEROL O		272.15 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM PHATE OXIDASE (ENZYMATIC)	322.23 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO by SELECTIVE INHIBIT	L (DIRECT): SERUM Ton	51.23	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTERO		156.47 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLES' by Calculated, spe		220.92 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER		64.45 ^H	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SEF by CALCULATED, SPE	RUM	866 .53 ^H	mg/dL	350.00 - 700.00
CHOLESTEROL/HI by CALCULATED, SPE	DL RATIO: SERUM	5.31 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH				
AGE/ GENDER	: 43 YRS/MALE	PATIENT ID	: 1449734		
COLLECTED BY	:	REG. NO./LAB NO.	: 122503050001		
REFERRED BY	:	REGISTRATION DATE	: 05/Mar/2025 08:13 AM		
BARCODE NO.	: 12507339	COLLECTION DATE	: 05/Mar/2025 08:20AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:05/Mar/202501:13PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.05 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	6.29 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH				
AGE/ GENDER	: 43 YRS/MALE		PATIENT ID	: 1449734	
COLLECTED BY	:		REG. NO./LAB NO.	: 122503050001	
REFERRED BY	:		REGISTRATION DATE	: 05/Mar/2025 08:13 AM	
BARCODE NO.	: 12507339		COLLECTION DATE	:05/Mar/202508:20AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	:05/Mar/202501:13PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interva	
	LIVER	FUNCTIO	N TEST (COMPLETE)		
BILIRUBIN TOTAL: by diazotization, sf	SERUM PECTROPHOTOMETRY	0.54	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20	
	C (CONJUGATED): SERUM	0.18	mg/dL	0.00 - 0.40	
BILIRUBIN INDIRE by CALCULATED, SPE	CT (UNCONJUGATED): SERUM	0.36	mg/dL	0.10 - 1.00	
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	22.99	U/L	7.00 - 45.00	
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	26.13	KR U/L	0.00 - 49.00	
AST/ALT RATIO: SI		0. <mark>88</mark>	RATIO	0.00 - 46.00	
ALKALINE PHOSPH by para nitrophen propanol	IATASE: SERUM YL PHOSPHATASE BY AMINO METHYL	83.21	U/L	40.0 - 130.0	
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM PHTOMETRY	98.59 ^H	U/L	0.00 - 55.0	
TOTAL PROTEINS: by BIURET, SPECTRO		6.47	gm/dL	6.20 - 8.00	
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.22	gm/dL	3.50 - 5.50	
GLOBULIN: SERUN by CALCULATED, SPE	-	2.25 ^L	gm/dL	2.30 - 3.50	
A : G RATIO: SERUN	M	1.88	RATIO	1.00 - 2.00	

A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH		
AGE/ GENDER	: 43 YRS/MALE	PATIENT ID	: 1449734
COLLECTED BY	:	REG. NO./LAB NO.	: 122503050001
REFERRED BY	:	REGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	COLLECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 05/Mar/2025 01:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - I	HARYANA	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH					
AGE/ GENDER	: 43 YRS/MALE		PATIENT ID	: 1449734		
COLLECTED BY	:		REG. NO./LAB NO.	: 122503050001		
REFERRED BY	:	REGISTRATION DATE		: 05/Mar/2025 08:13 AM		
BARCODE NO. : 12507339			COLLECTION DATE	: 05/Mar/2025 08:20AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	ГИТЕ	REPORTING DATE	: 05/Mar/2025 03:38PM		
CLIENT ADDRESS			IARYANA			
Test Name		Value	Unit	Biological Reference interval		
	KIDNE	Y FUNCTI	ON TEST (COMPLETE))		
UREA: SERUM by UREASE - GLUTAM	ATE DEHYDROGENASE (GLDH)	18.56	mg/dL	10.00 - 50.00		
CREATININE: SERU		0.97	mg/dL	0.40 - 1.40		
BLOOD UREA NITR by CALCULATED, SPE	OGEN (BUN): SERUM	8.67	mg/dL	7.0 - 25.0		
	OGEN (BUN)/CREATININE	8.94 ^L	RATIO	10.0 - 20.0		
UREA/CREATININI by CALCULATED, SPE	E RATIO: SERUM	<mark>19.13</mark>	RATIO			
URIC ACID: SERUM		5.1	mg/dL	3.60 - 7.70		
CALCIUM: SERUM by ARSENAZO III, SPE	CTROPHOTOMETRY	9.78	mg/dL	8.50 - 10.60		
PHOSPHOROUS: SE		3.09	mg/dL	2.30 - 4.70		
<u>ELECTROLYTES</u>						
SODIUM: SERUM by ISE (ION SELECTIV	E ELECTRODE)	140.2	mmol/L	135.0 - 150.0		
POTASSIUM: SERUN by ISE (ION SELECTIV	M	4.42	mmol/L	3.50 - 5.00		
CHLORIDE: SERUM	· · · · · · · · · · · · · · · · · · ·	105.15	mmol/L	90.0 - 110.0		
	IERULAR FILTERATION RATE					
ESTIMATED GLOM (eGFR): SERUM by CALCULATED INTERPRETATION:	ERULAR FILTERATION RATE	99.3				

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: Mr. AJAIB SINGH				
AGE/ GENDER	: 43 YRS/MALE	PATIEN	ГID	: 1449734	
COLLECTED BY	:	REG. NO	./LAB NO.	: 122503050001	
REFERRED BY	:	REGIST	RATION DATE	: 05/Mar/2025 08:13	BAM
BARCODE NO.	: 12507339	COLLEC	TION DATE	: 05/Mar/2025 08:20	AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT		ING DATE	: 05/Mar/2025 03:38	
CLIENT ADDRESS			INUDATE	. 007 Wai 7 2020 00.00	1 1 1
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA UITT - HARTANA			
Test Name		Value	Unit	Biological	Reference interval
burns, surgery, cache. 7. Urine reabsorption 3. Reduced muscle m 9. Certain drugs (e.g. NCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia	(e.g. ureter colostomy) ass (subnormal creatinine productio tetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE LEV (BUN rises disproportionately more superimposed on renal disease. 0:1) WITH DECREASED BUN : posis.	on) VELS:			,
 Severe liver disease Other causes of deependent 	e. creased urea synthesis.				
 Severe liver disease Other causes of dee Repeated dialysis (Inherited hyperame 	e. creased urea synthesis. urea rather than creatinine diffuses monemias (urea is virtually absent i	n blood).			
 Severe liver disease Other causes of dee Repeated dialysis (Inherited hyperam SIADH (syndrome of the syndrome of the syndrom	e. creased urea synthesis. urea rather than creatinine diffuses	n blood).			
 Severe liver disease Other causes of der Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (re Muscular patients of INAPPROPIATE RATIO Diabetic ketoacido should produce an intera Cephalosporin ther 	 creased urea synthesis. urea rather than creatinine diffuses monemias (urea is virtually absent i finappropiate antidiuretic harmone 0:1) WITH INCREASED CREATININE: py (accelerates conversion of creatinaleases muscle creatinine). who develop renal failure. sis (acetoacetate causes false increationaleased BUN/creatinine ratio). apy (interferes with creatinine meas 	n blood). e) due to tubular secret ne to creatinine). ase in creatinine with c	ion of urea.	ogies,resulting in normal	ratio when dehydrati
 Severe liver disease Other causes of der Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (re Muscular patients of INAPPROPIATE RATIO Diabetic ketoacidos should produce an intera Cephalosporin ther 	 A. Creased urea synthesis. Urea rather than creatinine diffuses monemias (urea is virtually absent i f inappropiate antidiuretic harmone O:1) WITH INCREASED CREATININE: py (accelerates conversion of creatine) Who develop renal failure. sis (acetoacetate causes false increation creased BUN/creatinine ratio). 	n blood). e) due to tubular secret ne to creatinine). ase in creatinine with c	ion of urea. ertain methodolo	ogies,resulting in normal	ratio when dehydrati

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST







A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH		
AGE/ GENDER	: 43 YRS/MALE	PATIENT ID	: 1449734
COLLECTED BY	:	REG. NO./LAB NO.	: 122503050001
REFERRED BY	:	REGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	COLLECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 05/Mar/2025 03:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - 1	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH			
AGE/ GENDER	: 43 YRS/MALE	PATI	ENT ID	: 1449734
COLLECTED BY	:	REG.	NO./LAB NO.	: 122503050001
REFERRED BY	:	REGI	STRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	COLL	ECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	ГЕ REPO	RTING DATE	: 05/Mar/2025 01:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYAN	A	
Test Name		Value	Unit	Biological Reference interval
Test Name				Biological Reference interval
Test Name		Value ENDOCRIN(Biological Reference interval
Test Name	THYRO	ENDOCRINO		Biological Reference interval
TRIIODOTHYRONIN		ENDOCRINO	DLOGY	Biological Reference interva 0.35 - 1.93
TRIIODOTHYRONIN by CMIA (CHEMILUMIN THYROXINE (T4): S	NE (T3): SERUM ESCENT MICROPARTICLE IMMUNOASSAY)	ENDOCRIN(DID FUNCTION	DLOGY TEST: TOTAL	
TRIIODOTHYRONIN by cmia (chemilumin). THYROXINE (T4): S by cmia (chemilumin). THYROID STIMULA	NE (T3): SERUM escent microparticle immunoassay) ERUM escent microparticle immunoassay) TING HORMONE (TSH): SERUM escent microparticle immunoassay)	ENDOCRING DID FUNCTION 1.35	DLOGY TEST: TOTAL ng/mL	0.35 - 1.93

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin , salicylates).

3. Serum T4 levels in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism , recent rapid correction of hyperthyroidism or hypothyroidism , pregnancy , phenytoin therapy.

TRIIODOTH	YRONINE (T3)	THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH)		
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)	
0-7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3	
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00	
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 – 17.04	3 Days – 6 Months	0.70 - 8.40	
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH		
AGE/ GENDER	: 43 YRS/MALE	PATIENT ID	: 1449734
COLLECTED BY	:	REG. NO./LAB NO.	: 122503050001
REFERRED BY	:	REGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	COLLECTION DATE	: 05/Mar/2025 08:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:05/Mar/202501:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	ARYANA	

Test Name			Value	Unit		Biolog	ical Reference interval
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87-13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECO	MMENDATIONS OF TSH LE	VELS DURING PRE	GNANCY (µIU/mL)			
	1st Trimester			0.10 - 2.50			
	2nd Trimester			0.20 - 3.00			
	3rd Trimester			0.30 - 4.10			

INCREASED TSH LEVELS:

1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goiter & Thyroiditis.

2. Over replacement of thyroid hormone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4.Secondary pituitary or hypothalamic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



: Mr. AJAIB SINGH

NAME

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH					
AGE/ GENDER	: 43 YRS/MALE	PATIENT	ID	: 1449734		
COLLECTED BY	:	REG. NO./	'LAB NO.	: 122503050001		
REFERRED BY	:	REGISTRA	ATION DATE	: 05/Mar/2025 08:13 AM		
BARCODE NO.	: 12507339	COLLECT	ION DATE	: 05/Mar/2025 08:20AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE REPORTI	NG DATE	:05/Mar/202501:13PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	IBALA CITY - HARYANA				
Test Name		Value	Unit	Biological Reference interva		
		CLINICAL PATHO	LOGY			
	URINE RO	UTINE & MICROSCOI	PIC EXAMINA	ATION		
PHYSICAL EXAMIN	ATION					
QUANTITY RECIEV by DIP STICK/REFLEC	ED TANCE SPECTROPHOTOMETRY	30	ml			
COLOUR		PALE YELLOW		PALE YELLOW		
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR		
SPECIFIC GRAVITY		1.01 PKR		1.002 - 1.030		
	TANCE SPECTROPHOTOMETRY					
REACTION		ACIDIC				
•	TANCE SPECTROPHOTOMETRY					
PROTEIN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
SUGAR		NEGATIVE (-ve)		NEGATIVE (-ve)		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5		
	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5		
BILIRUBIN		NEGATIVE (-ve)		NEGATIVE (-ve)		
NITRITE	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
UROBILINOGEN	TANCE SPECTROPHOTOMETRY	NOT DETECTED	EU/dL	0.2 - 1.0		
KETONE BODIES	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
,	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
•	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)		
MICROSCOPIC EXA	(RBCs)	NEGATIVE (-ve)	/HPF	0 - 3		

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. AJAIB SINGH		
AGE/ GENDER	: 43 YRS/MALE	PATIENT ID	: 1449734
COLLECTED BY	:	REG. NO./LAB NO.	: 122503050001
REFERRED BY	:	REGISTRATION DATE	: 05/Mar/2025 08:13 AM
BARCODE NO.	: 12507339	COLLECTION DATE	:05/Mar/202508:20AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:05/Mar/202501:13PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS	4-5	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

* End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

