PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|-----------------------------------|--|-------------------|--------------------------|---|
| AGE/ GENDER | : 52 YRS/MALE | | PATIENT ID | : 1783139 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITU | TE | REPORTING DATE | : 11/Mar/2025 03:29PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBAL | A CITY - H | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interva |
| | SWASTI | HYA WI | ELLNESS PANEL: 1.0 |) |
| | СОМР | LETE BI | LOOD COUNT (CBC) | |
| RED BLOOD CELLS | S (RBCS) COUNT AND INDICES | | | |
| HAEMOGLOBIN (H | B) | 8.3 ^L | gm/dL | 12.0 - 17.0 |
| RED BLOOD CELL (| RBC) COUNT | 2.53 ^L | Millions/ | /cmm 3.50 - 5.00 |
| PACKED CELL VOL | UME (PCV) UTOMATED HEMATOLOGY ANALYZER | 23.2 ^L | % | 40.0 - 54.0 |
| MEAN CORPUSCUL | | 91.6 | KR fl | 80.0 - 100.0 |
| | AR HAEMOGLOBIN (MCH) UTOMATED HEMATOLOGY ANALYZER | 32.7 | pg | 27.0 - 34.0 |
| | AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER | 35.7 | g/dL | 32.0 - 36.0 |
| | UTION WIDTH (RDW-CV) | 16.7 ^H | % | 11.00 - 16.00 |
| RED CELL DISTRIB | UTION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER | 58.1 ^H | fL | 35.0 - 56.0 |
| MENTZERS INDEX by CALCULATED | | 36.21 | RATIO | BETA THALASSEMIA TRAIT: 13.0 IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INI by CALCULATED | DEX | 60.27 | RATIO | BETA THALASSEMIA TRAIT: 65.0 IRON DEFICIENCY ANEMIA: 65.0 |
| WHITE BLOOD CE | LLS (WBCS) | | | |
| TOTAL LEUCOCYTE | E COUNT (TLC) y by sf cube & microscopy | 10610 | /cmm | 4000 - 11000 |
| DIFFERENTIAL LE | <u>UCOCYTE COUNT (DLC)</u> | | | |
| NEUTROPHILS | Y BY SF CUBE & MICROSCOPY | 86 ^H | % | 50 - 70 |





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|---------------------------------------|--|--------------------|--------------------------|-------------------------------|
| AGE/ GENDER | : 52 YRS/MALE | | PATIENT ID | : 1783139 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTIT | ΓUTE | REPORTING DATE | : 11/Mar/2025 03:29PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMB | ALA CITY - H | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| LYMPHOCYTES | | 6 ^L | % | 20 - 40 |
| EOSINOPHILS | Y BY SF CUBE & MICROSCOPY Y BY SF CUBE & MICROSCOPY | 2 | % | 1 - 6 |
| MONOCYTES | Y BY SF CUBE & MICROSCOPY | 6 | % | 2 - 12 |
| BASOPHILS | | 0 | % | 0 - 1 |
| - | Y BY SF CUBE & MICROSCOPY DCYTES (WBC) COUNT | | | |
| ABSOLUTE NEUTR | | 9125 ^H | /cmm | 2000 - 7500 |
| by FLOW CYTOMETR | Y BY SF CUBE & MICROSCOPY | | | |
| ABSOLUTE LYMPH | OCYTE COUNT Y BY SF CUBE & MICROSCOPY | 637 ^L | /cmm | 800 - 4900 |
| ABSOLUTE EOSING | | 212 | /cmm | 40 - 440 |
| ABSOLUTE MONOC | | 637 | /cmm | 80 - 880 |
| ABSOLUTE BASOP | Y BY SF CUBE & MICROSCOPY HIL COUNT | 0 | /cmm | 0 - 110 |
| by FLOW CYTOMETR | Y BY SF CUBE & MICROSCOPY | | | 0 110 |
| | <u> THER PLATELET PREDICTIVE</u> | | - | |
| PLATELET COUNT | (PLT) FOCUSING, ELECTRICAL IMPEDENCE | 43000 ^L | /cmm | 150000 - 450000 |
| PLATELETCRIT (PC | | 0.05 ^L | % | 0.10 - 0.36 |
| - | FOCUSING, ELECTRICAL IMPEDENCE | 11 | fL | 650 120 |
| MEAN PLATELET V by HYDRO DYNAMIC F | OLUME (MPV) FOCUSING, ELECTRICAL IMPEDENCE | 11 | IL | 6.50 - 12.0 |
| | CELL COUNT (P-LCC) | 15000 ^L | /cmm | 30000 - 90000 |
| | CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE | 35.2 | % | 11.0 - 45.0 |
| | BUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE | 16.3 | % | 15.0 - 17.0 |
| NOTE: TEST CONDU | UCTED ON EDTA WHOLE BLOOD | | | |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|---|---|---|---|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 02:57PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY | - HARYANA | |
| Test Name | Value | Unit | Biological Reference interval |
| INTERPRETATION: | GATION BY CAPILLARY PHOTOMETRY | | |
| immune disease, but 2. An ESR can be affe as C-reactive protein | does not tell the health practitioner exactly v cted by other conditions besides inflammatio be used to monitor disease activity and respo ematosus | vhere the inflammation is in the n. For this reason, the ESR is ty | ion associated with infection, cancer and auto e body or what is causing it. pically used in conjunction with other test suc bove diseases as well as some others, such as |
| A low ESR can be see (polycythaemia), sigr | n with conditions that inhibit the normal sedi | | uch as a high red blood cell count rmalities. Some changes in red cell shape (su |
| 1. ESR and C - reactiv 2. Generally, ESR doe 3. CRP is not affected | e protein (C-RP) are both markers of inflamma s not change as rapidly as does CRP, either at by as many other factors as is ESR, making it ed, it is typically a result of two types of prote | t the start of inflammation or as a better marker of inflammatior | s it resolves. n. |

The Earlis elevated, it is typically a result of two types of proteins, globulins of fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|----------------|----------------------------------|---|------------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUT | E REPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA | CITY - HARYANA | |
| Test Name | | Value Unit | Biological Reference interva |
| | | | |
| | CLINICAL C | HEMISTRY/BIOCHEMIST | TRY |
| | | HEMISTRY/BIOCHEMIST LUCOSE FASTING (F) | 'RY |

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|---|-----------------------------------|---------------------|--------------------------|--|
| AGE/ GENDER | : 52 YRS/MALE | | PATIENT ID | : 1783139 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INS | STITUTE | REPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, A | MBALA CITY - H | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| | | LIPID PR | OFILE : BASIC | |
| CHOLESTEROL TO by CHOLESTEROL O | | 99.17 | mg/dL | OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0 |
| TRIGLYCERIDES: S by GLYCEROL PHOSE | ERUM PHATE OXIDASE (ENZYMATIC) | 111.01 | mg/dL | OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0 |
| HDL CHOLESTERO by SELECTIVE INHIBIT | L (DIRECT): SERUM 70N | 19.91 ^L | mg/dL | LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0 |
| LDL CHOLESTERO | | 57.06 | mg/dL | OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0 |
| NON HDL CHOLES' by Calculated, spe | | 79.26 | mg/dL | OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0 |
| VLDL CHOLESTER | | 22.2 | mg/dL | 0.00 - 45.00 |
| TOTAL LIPIDS: SEP by CALCULATED, SPE | RUM | 309.35 ^L | mg/dL | 350.00 - 700.00 |
| CHOLESTEROL/HI by CALCULATED, SPE | DL RATIO: SERUM | 4.98 ^H | RATIO | LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0 |

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



Page 5 of 13



A PIONEER DIAGNOSTIC CENTRE 🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|-----------------------|--|--------------------------|------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA | | |

| Test Name | Value | Unit | Biological Reference interval |
|--|-------------------|-------|---|
| LDL/HDL RATIO: SERUM by Calculated, spectrophotometry | 2.87 | RATIO | LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0 |
| TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 5.58 ^H | RATIO | 3.00 - 5.00 |

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL , VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|--|---|---------------------|--------------------------|---|
| AGE/ GENDER | : 52 YRS/MALE | P | PATIENT ID | : 1783139 |
| COLLECTED BY | : | R | EG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | R | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | C | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITU | JTE R | EPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBA | LA CITY - HAR | YANA | |
| Test Name | | Value | Unit | Biological Reference interva |
| | LIVER | FUNCTION | TEST (COMPLETE) | |
| BILIRUBIN TOTAL: by DIAZOTIZATION, SF | SERUM PECTROPHOTOMETRY | 2.26 ^H | mg/dL | INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20 |
| | C (CONJUGATED): SERUM | 1.53 ^H | mg/dL | 0.00 - 0.40 |
| BILIRUBIN INDIRE by CALCULATED, SPE | CT (UNCONJUGATED): SERUM | 0.73 | mg/dL | 0.10 - 1.00 |
| SGOT/AST: SERUM by IFCC, WITHOUT PY | RIDOXAL PHOSPHATE | 40.94 | U/L | 7.00 - 45.00 |
| SGPT/ALT: SERUM by IFCC, WITHOUT PY | RIDOXAL PHOSPHATE | 28.62 | U/L | 0.00 - 49.00 |
| AST/ALT RATIO: SI by CALCULATED, SPE | | 1.43 | RATIO | 0.00 - 46.00 |
| ALKALINE PHOSPH by Para NITROPHEN PROPANOL | HATASE: SERUM yl phosphatase by amino methyl | 131.33 ^H | U/L | 40.0 - 130.0 |
| GAMMA GLUTAMY by SZASZ, SPECTROF | L TRANSFERASE (GGT): SERUM | 30.99 | U/L | 0.00 - 55.0 |
| TOTAL PROTEINS: by BIURET, SPECTRO | | 4.95 ^L | gm/dL | 6.20 - 8.00 |
| ALBUMIN: SERUM by BROMOCRESOL G | REEN | 2.89 ^L | gm/dL | 3.50 - 5.50 |
| GLOBULIN: SERUM by CALCULATED, SPE | | 2.06 ^L | gm/dL | 2.30 - 3.50 |
| A : G RATIO: SERUN | | 1.4 | RATIO | 1.00 - 2.00 |

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

| DRUG HEPATOTOXICITY | > 2 |
|--|----------------------------|
| ALCOHOLIC HEPATITIS | > 2 (Highly Suggestive) |
| CIRRHOSIS | 1.4 - 2.0 |
| INTRAHEPATIC CHOLESTATIS | > 1.5 |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | > 1.3 (Slightly Increased) |





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|--------------------|--------------------------------------|--------------------------|------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY | - HARYANA | |
| | | | |

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

| NORMAL | < 0.65 |
|----------------------|-----------|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

💟 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|---|------------------------------|--------------------|--------------------------|-------------------------------|
| AGE/ GENDER | : 52 YRS/MALE | | PATIENT ID | : 1783139 |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INST | ITUTE | REPORTING DATE | : 11/Mar/2025 04:36PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMI | BALA CITY - HA | ARYANA | |
| Test Name | | Value | Unit | Biological Reference interval |
| | KIDNI | EY FUNCTIO | ON TEST (COMPLETE) |) |
| UREA: SERUM by UREASE - GLUTAM | IATE DEHYDROGENASE (GLDH) | 197.7 ^H | mg/dL | 10.00 - 50.00 |
| CREATININE: SERU | | 3.1 ^H | mg/dL | 0.40 - 1.40 |
| BLOOD UREA NITR by CALCULATED, SPE | COGEN (BUN): SERUM | 92.38 ^H | mg/dL | 7.0 - 25.0 |
| BLOOD UREA NITR RATIO: SERUM by Calculated, spe | COGEN (BUN)/CREATININE | 29.8 ^H | RATIO | 10.0 - 20.0 |
| UREA/CREATININ | E RATIO: SERUM | <mark>63.77</mark> | RATIO | |
| URIC ACID: SERUM by URICASE - OXIDAS | | 10.78 ^H | mg/dL | 3.60 - 7.70 |
| CALCIUM: SERUM by ARSENAZO III, SPE | | 8.44 ^L | mg/dL | 8.50 - 10.60 |
| PHOSPHOROUS: SE | | 6.87 ^H | mg/dL | 2.30 - 4.70 |
| SODIUM: SERUM by ISE (ION SELECTIV | 'E ELECTRODE) | 137.5 | mmol/L | 135.0 - 150.0 |
| POTASSIUM: SERUI | M | 4.5 | mmol/L | 3.50 - 5.00 |
| CHLORIDE: SERUM by ISE (ION SELECTIV | [| 103.13 | mmol/L | 90.0 - 110.0 |
| | ERULAR FILTERATION RATE | 23.3 | | |

by CALCULATED

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|---|--|----------------------------------|--|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 04:36PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - | - HARYANA | |
| Test Name | Value | Unit | Biological Reference interval |
| 4. High protein intake | | | |
| 5. Impaired renal fun | 1 | | |
| 5. Excess protein inta ourns, surgery, cache | ke or production or tissue breakdown (e.g. inf | rection, GI bleeding, thyrotoxic | osis, Cusning's syndrome, nigh protein diet, |
| | | | |
| | (e.g. ureter colostomy) | | |

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids)

INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

- 2. Low protein diet and starvation.
- 3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

| CKD STAGE | DESCRIPTION | GFR (mL/min/1.73m2) | ASSOCIATED FINDINGS |
|-----------|--------------------------|-----------------------|--------------------------|
| G1 | Normal kidney function | >90 | No proteinuria |
| G2 | Kidney damage with | >90 | Presence of Protein , |
| | normal or high GFR | | Albumin or cast in urine |
| G3a | Mild decrease in GFR | 60 -89 | |
| G3b | Moderate decrease in GFR | 30-59 | |
| G4 | Severe decrease in GFR | 15-29 | |
| G5 | Kidney failure | <15 | |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|-----------------------|--|--------------------------|------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 04:36PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA | | |
| | | | |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|--------------------------------------|
| | | | |

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





: Mr. PARVEEN KUMAR

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE 【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | | |
|---|-------------------------------|-----------------------|-------------|------------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT | ID | : 1783139 |
| COLLECTED BY | : | REG. NO./ | LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRA | TION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTI | ON DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INST | TITUTE REPORTI | NG DATE | :11/Mar/202501:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AM | IBALA CITY - HARYANA | | |
| Test Name | | Value | Unit | Biological Reference interva |
| | | CLINICAL PATHO | LOGY | |
| | URINE ROU | UTINE & MICROSCOP | PIC EXAMINA | ATION |
| PHYSICAL EXAMI | NATION | | | |
| QUANTITY RECIEV | ED TANCE SPECTROPHOTOMETRY | 25 | ml | |
| COLOUR | | DARK YELLOW | | PALE YELLOW |
| TRANSPARANCY | TANCE SPECTROPHOTOMETRY | TURBID | | CLEAR |
| - | TANCE SPECTROPHOTOMETRY | | | |
| SPECIFIC GRAVITY by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | 1.02 | | 1.002 - 1.030 |
| <u>CHEMICAL EXAMI</u> | NATION | | | |
| REACTION | TANCE SPECTROPHOTOMETRY | ACIDIC | | |
| PROTEIN | | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | | | |
| pH by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | 5.5 | | 5.0 - 7.5 |
| BILIRUBIN | | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY. | NOT DETECTED | EU/dL | 0.2 - 1.0 |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | | EU/UL | |
| KETONE BODIES by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BLOOD | | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| by DIP STICK/REFLEC | TANCE SPECTROPHOTOMETRY | | | |
| MICROSCOPIC EXA | | | | |
| RED BLOOD CELLS | (KBUS) | NEGATIVE (-ve) | /HPF | 0 - 3 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NAME

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME | : Mr. PARVEEN KUMAR | | |
|---------------------|--|--------------------------|------------------------|
| AGE/ GENDER | : 52 YRS/MALE | PATIENT ID | : 1783139 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 122503110004 |
| REFERRED BY | : | REGISTRATION DATE | : 11/Mar/2025 08:18 AM |
| BARCODE NO. | : 12507452 | COLLECTION DATE | : 11/Mar/2025 08:46AM |
| CLIENT CODE. | : P.K.R JAIN HEALTHCARE INSTITUTE | REPORTING DATE | : 11/Mar/2025 01:10PM |
| CLIENT ADDRESS | : NASIRPUR, HISSAR ROAD, AMBALA CITY - | HARYANA | |
| | | | |

| Test Name | Value | Unit | Biological Reference interval |
|---|----------------|------|-------------------------------|
| by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | | | |
| PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 15-18 | /HPF | 0 - 5 |
| EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 5-7 | /HPF | ABSENT |
| CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | ABSENT | | ABSENT |

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

