P K R JAIN HEALTHCARE INSTITUTE

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 pkrjainhealthcare@gmail.com

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC)

Test Name	Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) *by CALORIMETRIC*	12	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	4.6	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**34.8**^{L}	%	37.0 - 50.0
MEAN CORPUSCULAR VOLUME (MCV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**75.5**^{L}	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**26.1**^{L}	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	34.5	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	15.4	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	44	fL	35.0 - 56.0
MENTZERS INDEX *by CALCULATED*	16.41	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX *by CALCULATED*	25.29	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)			
TOTAL LEUCOCYTE COUNT (TLC) *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	6690	/cmm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	65	%	50 - 70
LYMPHOCYTES	29	%	20 - 40

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
EOSINOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	**0^{L}**	%	1 - 6
MONOCYTES *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	6	%	2 - 12
BASOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	0	%	0 - 1
ABSOLUTE LEUKOCYTES (WBC) COUNT			
ABSOLUTE NEUTROPHIL COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	4349	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	**1940^{L}**	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	**0^{L}**	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	401	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	0	/cmm	0 - 110
PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS.			
PLATELET COUNT (PLT) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	209000	/cmm	150000 - 450000
PLATELETCRIT (PCT) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	0.24	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	11	fL	6.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	80000	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	38.1	%	11.0 - 45.0
PLATELET DISTRIBUTION WIDTH (PDW) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	15.8	%	15.0 - 17.0

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

BLOOD GROUP (ABO) AND RH FACTOR TYPING

ABO GROUP *by SLIDE AGGLUTINATION*	B		
RH FACTOR TYPE *by SLIDE AGGLUTINATION*	POSITIVE		

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 02:12PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE TOLERANCE TEST MODIFIED (AFTER 75 GMS OF GLUCOSE)

GLUCOSE FASTING (F): PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	82.75	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
GLUCOSE AFTER 60 MINS: PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	141.99	mg/dL	60.0 - 180.0
GLUCOSE AFTER 120 MINS: PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	76.5	mg/dL	60.0 - 160.0
GLUCOSE AFTER 180 MINS: PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	89.27	mg/dL	60.0 - 140.0

Interpretation: (In accordance with the American diabetes association guidelines):

This test is recommended for patients who have tested positive in the screening OGT (50 gram OGT) or in patients who are deemed to be at high risk of developing gestational diabetes. An 8-14 hour fasting is mandatory for initiation of this test.

For this test, a fasting sample is followed by two more samples drawn at 1 hour and 2 hours after ingestion of 75 grams of glucose.

The American diabetes group recommendations suggest that gestational diabetes be diagnosed when one or more of the plasma glucose values are:

Time	Unit	Blood Sugar level
Fasting	mg/dl	>=95
1 hour	mg/dl	>=180
2 hour	mg/dl	>=155

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

ENDOCRINOLOGY

THYROID STIMULATING HORMONE (TSH)

THYROID STIMULATING HORMONE (TSH): SERUM *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)* **3rd GENERATION, ULTRASENSITIVE**	3.68	µIU/mL	0.35 - 5.50

INTERPRETATION:

AGE	REFFERENCE RANGE (µIU/mL)
0 – 5 DAYS	0.70 – 15.20
6 Days – 2 Months	0.70 – 11.00
3 – 11 Months	0.70 – 8.40
1 – 5 Years	0.70 – 7.00
6 – 10 Years	0.60 – 5.50
11 - 15	0.50 – 5.50
> 20 Years (Adults)	0.27 – 5.50
PREGNANCY	
1st Trimester	0.10 - 3.00
2nd Trimester	0.20 - 3.00
3rd Trimester	0.30 - 4.10

NOTE:-*TSH levels are subjected to circardian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50 %. Hence time of the day has influence on the measured serum TSH concentration.*

USE:- TSH controls biosynthesis and release of thyroid harmones T4 & T3. It is a sensitive measure of thyroid function, especially useful in early or subclinical hypothyroidism, before the patient develops any clinical findings or goitre or any other thyroid function abnormality.

INCREASED LEVELS:

1.Primary or untreated hypothyroidism, may vary from 3 times to more than 100 times normal depending on degree of hypofunction.
2.Hypothyroid patients receiving insufficient thyroid replacement therapy.
3.Hashimotos thyroiditis.
4.DRUGS: Amphetamines, Iodine containing agents and dopamine antagonist.
5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge.

DECREASED LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.
2.Over replacement of thyroid harmone in treatment of hypothyroidism.
3.Autonomously functioning Thyroid adenoma
4.Secondary pituatary or hypothalmic hypothyroidism
5.Acute psychiatric illness
6.Severe dehydration.
7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

8.Pregnancy: 1st and 2nd Trimester

LIMITATIONS:

1.TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

2.Autoimmune disorders may produce spurious results.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

IMMUNOPATHOLOGY/SEROLOGY

HEPATITIS C VIRUS (HCV) ANTIBODIES SCREENING

HEPATITIS C ANTIBODY (HCV) TOTAL RESULT *by IMMUNOCHROMATOGRAPHY*	NON - REACTIVE		

INTERPRETATION:

1.Anti HCV total antibody assay identifies presence IgG antibodies in the serum . It is a useful screening test with a specificity of nearly 99%.
2.It becomes positive approximately 24 weeks after exposure. The test can not isolate an active ongoing HCV infection from an old infection that has been cleared. All positive results must be confirmed for active disease by an HCV PCR test .

FALSE NEGATIVE RESULTS SEEN IN:

1.Window period
2.Immunocompromised states.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

HEPATITIS B SURFACE ANTIGEN (HBsAg) SCREENING

HEPATITIS B SURFACE ANTIGEN (HBsAg) RESULT *by IMMUNOCHROMATOGRAPHY*	NON - REACTIVE		

INTERPRETATION:-

1.HBsAG is the first serological marker of HBV infection to appear in the blood (approximately 30-60 days after infection and prior to the onset of clinical disease). It is also the last viral protein to disappear from blood and usually disappears by three months after infection in self limiting acute Hepatitis B viral infection.

2.Persistence of HBsAg in blood for more than six months implies chronic infection. It is the most common marker used for diagnosis of an acute Hepatitis B infection but has very limited role in assessing patients suffering from chronic hepatitis.

FALSE NEGATIVE RESULT SEEN IN:

1.Window period.

2.Infection with HBsAg mutant strains

3.Hepatitis B Surface antigen (HBsAg) is the earliest indicator of HBV infection. Usually it appears in 27 - 41 days (as early as 14 days).

4.Appears 7 - 26 days before biochemical abnormalities. Peaks as ALT rises. Persists during the acute illness. Usually disappears 12- 20 weeks after the onset of symptoms / laboratory abnormalities in 90% of cases.

5.Is the most reliable serologic marker of HBV infection. Persistence > 6 months defines carrier state. May also be found in chronic infection.Hepatitis B vaccination does not cause a positive HBsAg. Titers are not of clinical value.

NOTE:-

1.All reactive HBsAG Should be reconfirmed with neutralization test(HBsAg confirmatory test).

2.Anti - HAV IgM appears at the same time as symptoms in > 99% of cases, peaks within the first month, becomes nondetectable in 12 months (usually 6 months). Presence confirms diagnosis of recent acute infection.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 13/Mar/2025 01:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

VDRL

VDRL *by IMMUNOCHROMATOGRAPHY*	NON - REACTIVE		NON REACTIVE

INTERPRETATION:

1.Does not become positive until 7 - 10 days after appearance ofchancre.
2.***High titer (>1:16) - active disease.***
3.***Low titer (<1:8) - biological falsepositive test in 90% cases or due to late or late latent syphillis.***
4.Treatment of primary syphillis causes progressive decline tonegative VDRL within 2 years.
5.Rising titer (4X) indicates relapse,reinfection, or treatment failure and need for retreatment.
6.May benonreactive in early primary, late latent, and late syphillis (approx. 25% ofcases).
7.Reactive and weakly reactive tests should always be confirmedwith FTA-ABS (fluorescent treponemal antibody absorptiontest).

SHORTTERM FALSE POSITIVE TEST RESULTS (<6 MONTHS DURATION) MAY OCCURIN:

1.Acute viral illnesses (e.g., hepatitis, measles, infectious mononucleosis)
2.M. pneumoniae; Chlamydia; Malaria infection.
3.Some immunizations
4.Pregnancy (rare)

LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN:

1.Serious underlying disease e.g., collagen vascular diseases, leprosy ,malignancy.
2.Intravenous drug users.
3.Rheumatoid arthritis, thyroiditis, AIDS, Sjogren's syndrome.
4.<l0 % of patients older thanage 70 years.
5.Patients taking some anti-hypertensive drugs.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SONIKA**		
AGE/ GENDER	: 33 YRS/FEMALE	**PATIENT ID**	: 1790058
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 122503130004**
REFERRED BY	:	**REGISTRATION DATE**	: 13/Mar/2025 08:45 AM
BARCODE NO.	: 12507486	**COLLECTION DATE**	: 13/Mar/2025 09:18AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	**REPORTING DATE**	: 15/Mar/2025 09:29AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		

Test Name	Value	Unit	Biological Reference interval

MICROBIOLOGY

CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: URINE

CULTURE AND SUSCEPTIBILITY: URINE

DATE OF SAMPLE	13-03-2025
SPECIMEN SOURCE	URINE
INCUBATION PERIOD *by AUTOMATED BROTH CULTURE*	48 HOURS
CULTURE *by AUTOMATED BROTH CULTURE*	STERILE
ORGANISM *by AUTOMATED BROTH CULTURE*	NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT 37*C

AEROBIC SUSCEPTIBILITY: URINE

INTERPRETATION:

1. In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients , a smaller number of bacteria (100 to 10000/mL) may signify infection.
2. Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or “in-and-out” catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

1. A test interpreted as **SENSTITIVE** implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..
2. A test interpreted as **INTERMEDIATE** implies that the” Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used”.
3. A test interpreted as **RESISTANT** implies that the “isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.
2. Anaerobic bacterial infection.
3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)