【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1800312
COLLECTED BY	:		REG. NO./LAB NO.	: 122503210014
REFERRED BY	:		REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623		COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - H	IARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAST	HYA W	ELLNESS PANEL: 1.2	2
	СОМР	LETE B	LOOD COUNT (CBC)	
RED BLOOD CELLS	(RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HI	B)	13.6	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT OCUSING, ELECTRICAL IMPEDENCE	4.42	Millions/	cmm 3.50 - 5.00
PACKED CELL VOLU	JME (PCV) utomated hematology analyzer	39.2	%	37.0 - 50.0
MEAN CORPUSCUL		88.7	KR fl	80.0 - 100.0
	AR HAEMOGLOBIN (MCH) utomated hematology analyzer	30.7	pg	27.0 - 34.0
	AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	34.6	g/dL	32.0 - 36.0
RED CELL DISTRIB	UTION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	12.3	%	11.00 - 16.00
RED CELL DISTRIB	UTION WIDTH (RDW-SD) utomated hematology analyzer	42.1	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		20.07	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA:
				>13.0
GREEN & KING IND by CALCULATED	DEX	24.63	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: >
WHITE BLOOD CEI	LLS (WBCS)			65.0
TOTAL LEUCOCYTE by FLOW CYTOMETRY	COUNT (TLC) y by sf cube & microscopy	9420	/cmm	4000 - 11000
DIFFERENTIAL LE	<u>UCOCYTE COUNT (DLC)</u>			
NEUTROPHILS	Y BY SF CUBE & MICROSCOPY	48 ^L	%	50 - 70
LYMPHOCYTES		38	%	20 - 40
สมองราชาติส			0	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 1 of 15

: Mrs. SANGEETA

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1800312
COLLECTED BY	:		REG. NO./LAB NO.	: 122503210014
REFERRED BY	:		REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623		COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	ГUTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HAI	RYANA	
Test Name		Value	Unit	Biological Reference interval
by FLOW CYTOMET	RY BY SF CUBE & MICROSCOPY			
EOSINOPHILS		9 ^H	%	1 - 6
by FLOW CYTOMETF	RY BY SF CUBE & MICROSCOPY	F	%	2 - 12
	RY BY SF CUBE & MICROSCOPY	5	70	2 - 12
BASOPHILS		0	%	0 - 1
	RY BY SF CUBE & MICROSCOPY			
ABSOLUTE LEUK	<u>OCYTES (WBC) COUNT</u>			
ABSOLUTE NEUTI		4522	/cmm	2000 - 7500
ABSOLUTE LYMPI	RY BY SF CUBE & MICROSCOPY	araal	/cmm	800 - 4900
	RY BY SF CUBE & MICROSCOPY	3580 ^L		800 - 4900
ABSOLUTE EOSIN		848 ^H	/cmm	40 - 440
•	RY BY SF CUBE & MICROSCOPY			22. 222
ABSOLUTE MONO	CYTE COUNT RY BY SF CUBE & MICROSCOPY	471	/cmm	80 - 880
ABSOLUTE BASOI		0	/cmm	0 - 110
by FLOW CYTOMETH	RY BY SF CUBE & MICROSCOPY			
PLATELETS AND	OTHER PLATELET PREDICTIVE	<u>MARKERS.</u>		
PLATELET COUNT	(PLT) FOCUSING, ELECTRICAL IMPEDENCE	210000	/cmm	150000 - 450000
PLATELETCRIT (F		0.31	%	0.10 - 0.36
by HYDRO DYNAMIC	FOCUSING, ELECTRICAL IMPEDENCE			
MEAN PLATELET	VOLUME (MPV) FOCUSING, ELECTRICAL IMPEDENCE	15 ^H	fL	6.50 - 12.0
	E CELL COUNT (P-LCC)	124000 ^H	/cmm	30000 - 90000
	FOCUSING, ELECTRICAL IMPEDENCE	124000**	/ СППП	00000 00000
PLATELET LARGE by HYDRO DYNAMIC	E CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	59.2 ^H	%	11.0 - 45.0
PLATELET DISTRI	IBUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	16.4	%	15.0 - 17.0
	UCTED ON EDTA WHOLE BLOOD			
TOTE, TEST COND	UCIED ON EDIA WHOLE DLOOD			



NAME

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA C	CITY - HARYANA	
Test Name	Va	alue Unit	Biological Reference interva
	ERYTHROCYT	E SEDIMENTATION RATE ((ESR)
	DIMENTATION RATE (ESR) 2 GATION BY CAPILLARY PHOTOMETRY	3^H mm∕1st	: hr 0 - 20

1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infection, cancer and auto-immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causing it.

2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such as C-reactive protein

3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
4. Drugs such as devicent matching and units of two types of proteins and units of the temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: 1800312
AB NO.	: 122503210014
ION DATE	: 21/Mar/2025 11:18 AM
N DATE	: 21/Mar/2025 11:19AM
JATE	:21/Mar/2025 12:49PM
Unit	Biological Reference interval
CHEMIST (F)	RY
mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1800312
COLLECTED BY	:		REG. NO./LAB NO.	: 122503210014
REFERRED BY	:		REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623		COLLECTION DATE	:21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	MBALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	OFILE : BASIC	
CHOLESTEROL TO by CHOLESTEROL ON		255.81 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSF	ERUM HATE OXIDASE (ENZYMATIC)	120.2	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO	L (DIRECT): SERUM ion	55.33	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROI by CALCULATED, SPE		176.44 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLEST by CALCULATED, SPE		200.48 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159. BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER		24.04	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER by CALCULATED, SPE	RUM	631.82	mg/dL	350.00 - 700.00
CHOLESTEROL/HE by CALCULATED, SPE		4.62 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE 🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	HARYANA	

Test Name	Value	Unit	Biological Reference interval
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.19 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	2.17 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



NAME	: Mrs. SANGEETA			
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1800312
COLLECTED BY	:		REG. NO./LAB NO.	: 122503210014
REFERRED BY	:		REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623		COLLECTION DATE	:21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	UTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTIO	N TEST (COMPLETE)	
BILIRUBIN TOTAL by diazotization, si	: SERUM PECTROPHOTOMETRY	0.67	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	0.21	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE by CALCULATED, SPE	CT (UNCONJUGATED): SERUM	0.46	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	23.91	U/L	7.00 - 45.00
SGPT/ALT: SERUM		25.46	U/L	0.00 - 49.00
AST/ALT RATIO: S by CALCULATED, SPE	ERUM	0.94	RATIO	0.00 - 46.00
ALKALINE PHOSPH		123.18	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM	18.36	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO	SERUM	6.21	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.07	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE	1	2.14 ^L	gm/dL	2.30 - 3.50
A : G RATIO: SERUM		1.9	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE: To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 12:49PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	HARYANA	

|--|

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

|--|

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA				
AGE/ GENDER	: 51 YRS/FEMALE		PATIENT ID	: 1800312	
COLLECTED BY	:	REG. NO./LAB NO.		: 122503210014	
REFERRED BY : BARCODE NO. : 12507623		REGISTRATION DATE		: 21/Mar/2025 11:18 AM	
			COLLECTION DATE	: 21/Mar/2025 11:19AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE	REPORTING DATE	: 21/Mar/2025 03:51PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - H	IARYANA		
Test Name		Value	Unit	Biological Reference interval	
	KIDNE	Y FUNCTI	ON TEST (COMPLETE))	
UREA: SERUM by UREASE - GLUTAM	IATE DEHYDROGENASE (GLDH)	23.36	mg/dL	10.00 - 50.00	
CREATININE: SERU by ENZYMATIC, SPEC		0.95	mg/dL	0.40 - 1.20	
BLOOD UREA NITR by CALCULATED, SPE	COGEN (BUN): SERUM	10.92	mg/dL	7.0 - 25.0	
BLOOD UREA NITR RATIO: SERUM by CALCULATED, SPE	COGEN (BUN)/CREATININE	11.49	RATIO	10.0 - 20.0	
UREA/CREATININI by CALCULATED, SPE		<mark>24.59</mark>	RATIO		
URIC ACID: SERUM by URICASE - OXIDAS		3.9	mg/dL	2.50 - 6.80	
CALCIUM: SERUM by ARSENAZO III, SPE	CTROPHOTOMETRY	9.63	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SE by PHOSPHOMOLYBE		2.85	mg/dL	2.30 - 4.70	
ELECTROLYTES					
SODIUM: SERUM by ISE (ION SELECTIV	'E ELECTRODE)	139.5	mmol/L	135.0 - 150.0	
POTASSIUM: SERUI	M	4.15	mmol/L	3.50 - 5.00	
CHLORIDE: SERUM by ISE (ION SELECTIV		104.63	mmol/L	90.0 - 110.0	
	ERULAR FILTERATION RATE	72.5			

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 03:51PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	Y - HARYANA	
Test Name	Value	e Unit	Biological Reference interval
4. High protein intake 5. Impaired renal fur			
6. Excess protein inta	ike or production or tissue breakdown (e.g. i exia, high fever).	nfection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,
6. Excess protein inta burns, surgery, cache 7. Urine reabsorptior	exia, high fever). n (e.g. ureter colostomy)	nfection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,
6. Excess protein inta burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m	exia, high fever). n (e.g. ureter colostomy) nass (subnormal creatinine production)	nfection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,
6. Excess protein inta burns, surgery, cache 7. Urine reabsorptior 8. Reduced muscle m 9. Certain drugs (e.g.	exia, high fever). (e.g. ureter colostomy) nass (subnormal creatinine production) tetracycline, glucocorticoids)	nfection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,
6. Excess protein inta burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2	exia, high fever). (e.g. ureter colostomy) hass (subnormal creatinine production) tetracycline, glucocorticoids) 20:1) WITH ELEVATED CREATININE LEVELS:		
6. Excess protein inta burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia	exia, high fever). a (e.g. ureter colostomy) hass (subnormal creatinine production) tetracycline, glucocorticoids) 20:1) WITH ELEVATED CREATININE LEVELS: a (BUN rises disproportionately more than cr		
6. Excess protein inta burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia	exia, high fever). (e.g. ureter colostomy) hass (subnormal creatinine production) tetracycline, glucocorticoids) 20:1) WITH ELEVATED CREATININE LEVELS:		

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement). ESTIMATED GLOMERULAR FILTERATION RATE:

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein ,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 03:51PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

💟 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: Mrs. SANGEETA			
: 51 YRS/FEMALE	PAT	FIENT ID	: 1800312
:	REC	G. NO./LAB NO.	: 122503210014
:	REG	GISTRATION DATE	: 21/Mar/2025 11:18 AM
: 12507623	COI	LECTION DATE	: 21/Mar/2025 11:19AM
: P.K.R JAIN HEALTHCARE INSTITUT	TE Rei	PORTING DATE	: 21/Mar/2025 01:00PM
: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYA	NA	
	Value	Unit	Biological Reference interval
	ENDOCRIN	OLOGY	
F (T3): SFRUM	1.36	ng/mL	0.35 - 1.93
ESCENT MICROPARTICLE IMMUNOASSAY)		0	
	9.71	μgm/dL	4.87 - 12.60
ESCENT MICROPARTICLE IMMUNOASSAY) ERUM	9.71 5.87^H	°,	4.87 - 12.60 0.35 - 5.50
-	: 51 YRS/FEMALE : : : 12507623 : P.K.R JAIN HEALTHCARE INSTITUT : NASIRPUR, HISSAR ROAD, AMBAL	: 51 YRS/FEMALE PAT : 12507623 REC : 12507623 COU : P.K.R JAIN HEALTHCARE INSTITUTE REF : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYA Value ENDOCRIM THYROID FUNCTION	S S S S S S S S S S S S S S S S S S S

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin , salicylates).

3. Serum T4 levels in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism , recent rapid correction of hyperthyroidism or hypothyroidism , pregnancy , phenytoin therapy.

TRIIODOTH	YRONINE (T3)	THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH	
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (μIU/mL)
0-7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE © 0171-2532620, 8222896961 ⊠ pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA		
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 01:00PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - I	HARYANA	

Test Name			Value	Unit		Biological Reference interval
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50	
	RECOM	MENDATIONS OF TSH LE	EVELS DURING PREC	GNANCY (µIU/mL)		
	1st Trimester			0.10 - 2.50		
	2nd Trimester			0.20 - 3.00		
	3rd Trimester			0.30 - 4.10		

INCREASED TSH LEVELS:

1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goiter & Thyroiditis.

2. Over replacement of thyroid hormone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4.Secondary pituitary or hypothalamic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA			
AGE/ GENDER	: 51 YRS/FEMALE	РА	TIENT ID	: 1800312
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122503210014
REFERRED BY	:	RE	GISTRATION DATE	: 21/Mar/2025 11:18 AM
BARCODE NO.	: 12507623	CO	LLECTION DATE	: 21/Mar/2025 11:19AM
CLIENT CODE. : P.K.R JAIN HEALTHCARE INS		TITUTE RE	PORTING DATE	: 21/Mar/2025 01:00PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYA	ANA	
Test Name		Value	Unit	Biological Reference interva
		CLINICAL PA	THOLOGY	
	URINE ROU	UTINE & MICRO	DSCOPIC EXAMINA	ATION
PHYSICAL EXAMIN				
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	10	ml	
COLOUR	TANCE SPECIFICITOMETRY	PALE YELLO	W	PALE YELLOW
-	TANCE SPECTROPHOTOMETRY			
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
SPECIFIC GRAVITY		1.01 PK		1.002 - 1.030
•	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMI	NATION			
REACTION by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	ALKALINE		
PROTEIN		NEGATIVE (-	ve)	NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY	NECATIVE (NECATIVE (ma)
SUGAR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-	-ve)	NEGATIVE (-ve)
рН		8 ^H		5.0 - 7.5
by DIP STICK/REFLEC BILIRUBIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-	V()	NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-	ve)	NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-	-ve)	NEGATIVE (-ve)
UROBILINOGEN	TANCE SPECTROPHOTOMETRY.	NOT DETECT	TED EU/dL	0.2 - 1.0
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
KETONE BODIES by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-	-ve)	NEGATIVE (-ve)
BLOOD		NEGATIVE (-	ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NECATIVE (vo)	NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-	·v <i>ej</i>	NEGATIVE (-VE)
RED BLOOD CELLS		NEGATIVE (-	ve) /HPF	0 - 3



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANGEETA					
AGE/ GENDER	: 51 YRS/FEMALE	PATIENT ID	: 1800312			
COLLECTED BY	:	REG. NO./LAB NO.	: 122503210014			
REFERRED BY	:	REGISTRATION DATE	: 21/Mar/2025 11:18 AM			
BARCODE NO.	: 12507623	COLLECTION DATE	: 21/Mar/2025 11:19AM			
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 21/Mar/2025 01:00PM			
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name	Value	Unit	Biological Reference interval			

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS	8-10	/HPF	0 - 5
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	4-6	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

