PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SHAMSHER SINGH				
AGE/ GENDER	: 55 YRS/MALE	РАТ	TENT ID	: 12265	561
COLLECTED BY	:	REG	. NO./LAB NO.	: 1225	604020001
REFERRED BY	:	REG	ISTRATION DATE	:02/Aj	pr/2025 08:06 AM
BARCODE NO.	: 12507846	COL	LECTION DATE	:02/Aj	pr/2025 08:14AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	NSTITUTE REP	ORTING DATE	:02/Aj	pr/2025 11:31AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD,	AMBALA CITY - HARYAI	NA		
Test Name		Value	Unit		Biological Reference interval
	CLINI	CAL CHEMISTR	Y/BIOCHEMIS	STRY	
		GLUCOSE FA	STING (F)		
GLUCOSE FASTIN by GLUCOSE OXIDAS	G (F): PLASMA E - PEROXIDASE (GOD-POD)	156.7 ^H	mg/dL		NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
INTERPRETATION					

A fasting plasma glucose level below 100 mg/dl is considered normal.
A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE 🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SHAMSHER SING	GH		
AGE/ GENDER	: 55 YRS/MALE	PAT	IENT ID	: 1226561
COLLECTED BY	:	REG	. NO./LAB NO.	: 122504020001
REFERRED BY	:	REG	ISTRATION DATE	: 02/Apr/2025 08:06 AM
BARCODE NO.	: 12507846	COL	LECTION DATE	: 02/Apr/2025 08:14AM
CLIENT CODE.	: P.K.R JAIN HEALTHCA	ARE INSTITUTE REP	ORTING DATE	: 02/Apr/2025 11:31AM
CLIENT ADDRESS	: NASIRPUR, HISSAR R	OAD, AMBALA CITY - HARYAN	NA	
Test Name		Value	Unit	Biological Reference interval
		CHOLESTERO	DL: SERUM	
CHOLESTEROL TO by CHOLESTEROL O		215.13 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR =
INTERPRETATION:				240.0
	PID ASSOCIATION ATIONS (NLA-2014)	CHOLESTEROL IN ADUL	TS (mg/dL)	CHOLESTEROL IN ADULTS (mg/dL)
	SIRABLE	< 200.0		< 170.0
		200.0 220		474.0 400.0

RECOMMENDATIONS (NLA-2014)		
DESIRABLE	< 200.0	< 170.0
BORDERLINE HIGH	200.0 – 239.0	171.0 - 199.0
HIGH	>= 240.0	>= 200.0
NOTE:		

Mole.
Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
As per National Lipid association - 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with

high total cholesterol is recommended.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: Mr. SHAMSHER SINGH			
AGE/ GENDER	: 55 YRS/MALE	PA	TIENT ID	: 1226561
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122504020001
REFERRED BY	:	RE	SISTRATION DATE	: 02/Apr/2025 08:06 AM
BARCODE NO.	: 12507846		LECTION DATE	: 02/Apr/2025 08:14AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE I		PORTING DATE	: 02/Apr/2025 11:31AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD,			· · · · · · · · · · · · · · · · · · ·
Test Name		Value	Unit	Biological Reference interval
		URIC A	CID	
2. Uric Acid is the end	high levels of Uric Acid in the	blood cause crystals to	form & accumulate arc	ound a joint.
INCREASED:- (A).DUE TO INCREASE 1.Idiopathic primary 2.Excessive dietary pr 3.Cytolytic treatmen 4.Polycythemai vera 5.Psoriasis. 6.Sickle cell anaemia (B).DUE TO DECREASE 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (I 5.Diabetic ketoacido 6.Renal failure due to DECREASED:- (A).DUE TO DIETARY I 1.Dietary deficiency (2 2.Fanconi syndrome 3.Multiple sclerosis. 4.Syndrome of inappi (B).DUE TO INCREASE	crobial degradation. D PRODUCTION:- gout. urines (organ meats, legumes, a t of malignancies especially lef & myeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. o any cause etc. DEFICIENCY of Zinc, Iron and molybdenum. & Wilsons disease. Fopriate antidiuretic hormone D EXCREATION	(SIADH) secretion & low	purine diet etc.	kidneys and to a smaller degree in the



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

