PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SONIA JAIN				
AGE/ GENDER	: 45 YRS/FEMALE		PATIENT ID	: 1775707	
COLLECTED BY	:		REG. NO./LAB NO.	: 122504060005	
REFERRED BY	:		REGISTRATION DATE	: 06/Apr/2025 10:07 AM	
BARCODE NO.	: 12507922		COLLECTION DATE	: 06/Apr/2025 08:26PM : 06/Apr/2025 09:41PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	ROAD, AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
	CLINIC	AL CHEMIS	STRY/BIOCHEMIS	TRY	
		LIPID PRO	OFILE : BASIC		
CHOLESTEROL TO by CHOLESTEROL OX		172.25	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0	
TRIGLYCERIDES: SERUM by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC)		174.59 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0	
HDL CHOLESTERC	DL (DIRECT): SERUM	57.73	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0	
LDL CHOLESTERO by CALCULATED, SPE		79.6	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0	
NON HDL CHOLES by CALCULATED, SPE		114.52	mg/dL	VERY HIGH: > OR = 190.0 OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0	
VLDL CHOLESTER by CALCULATED, SPE		34.92	mg/dL	0.00 - 45.00	
TOTAL LIPIDS: SERUM by CALCULATED, SPECTROPHOTOMETRY		519.09	mg/dL	350.00 - 700.00	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SONIA JAIN				
AGE/ GENDER	: 45 YRS/FEMALE	PATIENT ID	: 1775707		
COLLECTED BY	:	REG. NO./LAB NO.	: 122504060005		
REFERRED BY	:	REGISTRATION DATE	: 06/Apr/2025 10:07 AM		
BARCODE NO.	: 12507922	COLLECTION DATE	:06/Apr/202508:26PM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:06/Apr/2025 09:41PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name	Value	Unit	Biological Reference interval		

Test Name	Value	Unit	Biological Reference interval
CHOLESTEROL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	2.98	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.38	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.02	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Cow HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





mg/dL

A PIONEER DIAGNOSTIC CENTRE

8.50 - 10.60

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

Test Name		Value	Unit	Biological Reference interva
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARY	ANA	
				. 00/ Api/ 2020 00. 111 M
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE		PORTING DATE	: 06/Apr/2025 09:41PM
BARCODE NO.	: 12507922	CC	LLECTION DATE	:06/Apr/202508:26PM
REFERRED BY	:	RI	GISTRATION DATE	: 06/Apr/2025 10:07 AM
COLLECTED BY	:	RI	G. NO./LAB NO.	: 122504060005
AGE/ GENDER	: 45 YRS/FEMALE	PA	TIENT ID	: 1775707
NAME	: Mrs. SONIA JAIN			

CALCIUM: SERUM

by ARSENAZO III, SPECTROPHOTOMETRY

INTERPRETATION:-

1.Serum calcium (total) estimation is used for the diagnosis and monitoring of a wide range of disorders including diseases of bone, kidney, parathyroid gland, or gastrointestinal tract.

9.57

2. Calcium levels may also reflect abnormal vitamin D or protein levels.

3. The calcium content of an adult is somewhat over 1 kg (about 2% of the body weight). Of this, 99% is present as calcium hydroxyapatite in bones and <1% is present in the extra-osseous intracellular space or extracellular space (ECS).

4. In serum, calcium is bound to a considerable extent to proteins (approximately 40%), 10% is in the form of inorganic complexes, and 50% is present as free or ionized calcium.

NOTE:-Calcium ions affect the contractility of the heart and the skeletal musculature, and are essential for the function of the nervous system. In addition, calcium ions play an important role in blood clotting and bone mineralization.

HYPOCALCEMIA (LOW CALCIUM LEVELS) CAUSES :-

1. Due to the absence or impaired function of the parathyroid glands or impaired vitamin-D synthesis.

2. Chronic renal failure is also frequently associated with hypocalcemia due to decreased vitamin-D synthesis as well as hyperphosphatemia and skeletal resistance to the action of parathyroid hormone (PTH).

3. NOTE:- A characteristic symptom of hypocalcemia is latent or manifest tetany and osteomalacia.

HYPERCALCEMIA (INCREASE CALCIUM LEVELS) CAUSES:-

1. Increased mobilization of calcium from the skeletal system or increased intestinal absorption.

2. Primary hyperparathyroidism (pHPT)

3.Bone metastasis of carcinoma of the breast, prostate, thyroid gland, or lung.

NOTE:-Severe hypercalcemia may result in cardiac arrhythmia.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

