

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH								
AGE/ GENDER	: 60 YRS/FEMALE		PATIENT ID	: 1820564					
COLLECTED BY	:		REG. NO./LAB NO.	: 122504070015					
REFERRED BY	:		REGISTRATION DATE	: 07/Apr/2025 11:31 AM					
BARCODE NO.	: 12507939		COLLECTION DATE	:07/Apr/202501:10PM					
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE		REPORTING DATE	:07/Apr/2025 02:04PM					
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA C	CITY - HA	ARYANA						
Test Name	V	Value		Biological Reference interval					
	SWASTHY	A WE	ELLNESS PANEL: 1	.0					
	COMPLE	TE BL	LOOD COUNT (CBC)						
RED BLOOD CELL	S (RBCS) COUNT AND INDICES								
HAEMOGLOBIN (HI	3)	9.7 ^L	gm/dL	12.0 - 16.0					
RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE			Millions	/cmm 3.50 - 5.00					
PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER			%	37.0 - 50.0					
MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		80.1	fL	80.0 - 100.0					
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		26.7 ^L	pg	27.0 - 34.0					
	AR HEMOGLOBIN CONC. (MCHC) JTOMATED HEMATOLOGY ANALYZER	33.4	g/dL	32.0 - 36.0					
	UTION WIDTH (RDW-CV) JTOMATED HEMATOLOGY ANALYZER	16.8 ^H	%	11.00 - 16.00					
	BUTION WIDTH (RDW-SD) JTOMATED HEMATOLOGY ANALYZER	51.1	fL	35.0 - 56.0					
MENTZERS INDEX by CALCULATED		22.01	RATIO	BETA THALASSEMIA TRAII 13.0					
				IRON DEFICIENCY ANEMIA >13.0					
GREEN & KING INI	DEX	111.12	2 RATIO	BETA THALASSEMIA TRAIT <= 65.0					
				IRON DEFICIENCY ANEMIA 65.0					
WHITE BLOOD CH	ELLS (WBCS)								
TOTAL LEUCOCYT by FLOW CYTOMETRY	E COUNT (TLC) by sf cube & microscopy	4610	/cmm	4000 - 11000					
DIFFERENTIAL LE	UCOCYTE COUNT (DLC)								
NEUTROPHILS		60	%	50 - 70					
n sasalan in									

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 1 of 13

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME : N	Ars. SANTOSH									
AGE/ GENDER : 6	0 YRS/FEMALE		PATIENT ID	: 18205	: 1820564					
COLLECTED BY :			REG. NO./LAB NO.	: 1225	04070015					
REFERRED BY :			REGISTRATION DAT	TE : 07/Ap	:07/Apr/2025 11:31 AM					
BARCODE NO. : 1	: 12507939		COLLECTION DATE	:07/Ap	r/2025 01:10PM					
CLIENT CODE. : P	P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	:07/Ap	r/2025 02:04PM					
CLIENT ADDRESS : N	ASIRPUR, HISSAR ROAD, AMBA	ALA CITY - HA	ARYANA							
Test Name		Value	Unit		Biological Reference interval					
by FLOW CYTOMETRY BY	SF CUBE & MICROSCOPY									
LYMPHOCYTES		35	%		20 - 40					
by FLOW CYTOMETRY BY EOSINOPHILS	SF CUBE & MICROSCOPY	۹Ī	%		1 - 6					
by FLOW CYTOMETRY BY	SF CUBE & MICROSCOPY	0 ^L	%0		1 - 0					
MONOCYTES by FLOW CYTOMETRY BY		5	%		2 - 12					
BASOPHILS	0	%		0 - 1						
by FLOW CYTOMETRY BY										
ABSOLUTE LEUKOCY	<u>(TES (WBC) COUNT</u>									
ABSOLUTE NEUTROP		2766	KR /cm	nm	2000 - 7500					
ABSOLUTE LYMPHOCYTE COUNT		1614 ^L	/cm	nm	800 - 4900					
by FLOW CYTOMETRY BY ABSOLUTE EOSINOPH		0 ^L	/cm	200	40 - 440					
by FLOW CYTOMETRY BY		01	/СП	1111	40 - 440					
ABSOLUTE MONOCYT	TE COUNT	230	230 /cmm		80 - 880					
by FLOW CYTOMETRY BY					0					
ABSOLUTE BASOPHIL by FLOW CYTOMETRY BY		0	0 /cmm		0 - 110					
•	IER PLATELET PREDICTIV	E MARKER	RS.							
PLATELET COUNT (PI	LT)	10100		ım	150000 - 450000					
	SING, ELECTRICAL IMPEDENCE	0.12	0/		0.10 0.20					
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCU	SING, ELECTRICAL IMPEDENCE	0.13	%		0.10 - 0.36					
MEAN PLATELET VOL		13 ^H	fL		6.50 - 12.0					
-	SING, ELECTRICAL IMPEDENCE									
	SING, ELECTRICAL IMPEDENCE	53000	/cm	nm	30000 - 90000					
PLATELET LARGE CE by HYDRO DYNAMIC FOCU	LL RATIO (P-LCR) sing, electrical impedence	52.7 ^H	%		11.0 - 45.0					
PLATELET DISTRIBU		15.2	%		15.0 - 17.0					
NOTE: TEST CONDUCTE	D ON EDTA WHOLE BLOOD									



NAME

: Mrs. SANTOSH

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH							
AGE/ GENDER	: 60 YRS/FEMALE		PATIENT ID	: 1820564				
COLLECTED BY	:		REG. NO./LAB NO.	: 122504070015				
REFERRED BY	:		REGISTRATION DATE	: 07/Apr/2025 11:31 AM				
BARCODE NO.	: 12507939		COLLECTION DATE	:07/Apr/202501:10PM				
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	ΓUTE	REPORTING DATE	:07/Apr/202502:43PM				
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HA	RYANA					
Test Name		Value	Unit	Biological Reference interv				
	ERYTHRO	CYTE SEDI	MENTATION RATE (ESR)				
ERYTHROCYTE S	EDIMENTATION RATE (ESR)	45 ^H	mm/1st hr	0 - 20				
	GATION BY CAPILLARY PHOTOMETRY							
INTERPRETATION:	fic test because an elevated result o	ften indicates	the presence of inflammatic	n associated with infection, cancer and a				
immune disease, but	does not tell the health practitione	r exactly where	e the inflammation is in the	body or what is causing it.				
2. An ESR can be affe	cted by other conditions besides inf	flammation. Fo	or this reason, the ESR is typi	cally used in conjunction with other test s				
as C-reactive protein	he used to meniter discose estivity		to the remula beth of the ob	ave discourse as well as some others, such				
systemic lupus eryth	ematosus	and response	to the apy in both of the ab	ove diseases as well as some others, such				
CONDITION WITH LO	WESR							
A low ESR can be see	en with conditions that inhibit the ne	ormal sedimen	tation of red blood cells, such	ch as a high red blood cell count nalities. Some changes in red cell shape (
as sickle cells in sick	le cell anaemia) also lower the ESR.		b), and some protein abrion	nainties, some changes in red cen snape (
NOTE:								
1. ESR and C - reactiv	e protein (C-RP) are both markers o es not change as rapidly as does CRF	f inflammation	start of inflammation or as	it resolves				
3. CRP is not affected	by as many other factors as is ESR, i	making it a bet	ter marker of inflammation.	it resolves.				
4. If the ESR is elevat	ed, it is typically a result of two type	es of proteins,	globulins or fibrinogen.					
5. Women tend to ha	ive a higher ESR, and menstruation a	and pregnancy	can cause temporary elevat	ne, and vitamin A can increase ESR, while				
aspirin, cortisone, ar	nd quinine may decrease it	cs, perileinarin	ne procamarnide, theophym	nic, and vitamin A can increase ESR, while				





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH			
AGE/ GENDER	: 60 YRS/FEMALE	P	ATIENT ID	: 1820564
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122504070015
REFERRED BY	:	R	EGISTRATION DATE	: 07/Apr/2025 11:31 AM
BARCODE NO.	: 12507939	C	OLLECTION DATE	:07/Apr/202501:10PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	ISTITUTE R	EPORTING DATE	: 07/Apr/2025 02:18PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	AMBALA CITY - HARY	YANA	
Test Name		Value	Unit	Biological Reference interval
	CLINIC	CAL CHEMIST	TRY/BIOCHEMIS	STRY
		GLUCOSE I	FASTING (F)	
GLUCOSE FASTIN by GLUCOSE OXIDAS	G (F): PLASMA e - peroxidase (god-pod)	128.6 ^H	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
INTERPRETATION				
	HAMERICAN DIABETES ASSOCIA			

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH							
AGE/ GENDER	: 60 YRS/FEMALE	P	ATIENT ID	: 1820564				
COLLECTED BY : REFERRED BY :		R	EG. NO./LAB NO.	: 122504070015				
		R	EGISTRATION DATE	: 07/Apr/2025 11:31 AM				
BARCODE NO.	: 12507939	C	OLLECTION DATE	:07/Apr/2025 01:10PM				
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE R	EPORTING DATE	: 07/Apr/2025 02:18PM				
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARY	ANA					
Test Name		Value	Unit	Biological Reference interval				
		LIPID PROF	ILE : BASIC					
CHOLESTEROL TO by CHOLESTEROL OX		110.44	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0				
TRIGLYCERIDES: 5 by GLYCEROL PHOSF	SERUM PHATE OXIDASE (ENZYMATIC)	75.69 PK	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0				
HDL CHOLESTEROL (DIRECT): SERUM by SELECTIVE INHIBITION		57.53	mg/dL	VERY HIGH: > OR = 500.0 LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0				
LDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY		37.77	mg/dL	HIGH HDL: > OR = 60.0 OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0				
NON HDL CHOLES by CALCULATED, SPE		52.91	mg/dL	VERY HIGH: > OR = 190.0 OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0				
VLDL CHOLESTER by CALCULATED, SPE		15.14	mg/dL	VERY HIGH: > OR = 220.0 0.00 - 45.00				
TOTAL LIPIDS: SE by CALCULATED, SPE	RUM	296.57 ^L	mg/dL	350.00 - 700.00				
CHOLESTEROL/HI		1.92	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0				

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

HIGH RISK: > 6.0

3.00 - 5.00

RATIO

NAME	: Mrs. SANTOSH							
AGE/ GENDER	: 60 YRS/FEMALE		PATIENT ID	: 1820564				
COLLECTED BY	:		REG. NO./LAB NO.	: 122504070015				
REFERRED BY	:		REGISTRATION DATE	: 07/Apr/2025 11:31 AM				
BARCODE NO.	: 12507939		COLLECTION DATE	:07/Apr/202501:10PM				
CLIENT CODE.	: P.K.R JAIN HEALTHCARE I	INSTITUTE	REPORTING DATE	:07/Apr/202502:18PM				
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD	, AMBALA CITY - H	ARYANA					
Test Name		Value	Unit	Biological Reference interval				
				MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0				
LDL/HDL RATIO: S		0.66	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0				

TRIGLYCERIDES/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

1 32L

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along

4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH								
AGE/ GENDER	: 60 YRS/FEMALE		PATIENT ID	: 1820564 : 122504070015					
COLLECTED BY	:		REG. NO./LAB NO.						
REFERRED BY	:		REGISTRATION DATE	: 07/Apr/2025 11:31 AM					
BARCODE NO.	: 12507939		COLLECTION DATE	:07/Apr/202501:10PM					
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	Έ	REPORTING DATE	: 07/Apr/2025 07:27PM					
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA								
Test Name		Value	Unit	Biological Reference interval					
	LIVER FU	JNCTIO	N TEST (COMPLETE	C)					
BILIRUBIN TOTAL by DIAZOTIZATION, SF	: SERUM PECTROPHOTOMETRY	0.4	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20					
	T (CONJUGATED): SERUM	0.18	mg/dL	0.00 - 0.40					
BILIRUBIN INDIRE by CALCULATED, SPE	ECT (UNCONJUGATED): SERUM	0.22	mg/dL	0.10 - 1.00					
SGOT/AST: SERUN by IFCC, WITHOUT PY	I RIDOXAL PHOSPHATE	53.04 ^H	U/L	7.00 - 45.00					
SGPT/ALT: SERUM by IFCC, WITHOUT PY	I RIDOXAL PHOSPHATE	47.3	KR U/L	0.00 - 49.00					
AST/ALT RATIO: S by CALCULATED, SPE	CTROPHOTOMETRY	1.12	RATIO	0.00 - 46.00					
ALKALINE PHOSPI by PARA NITROPHEN PROPANOL	HATASE: SERUM YL PHOSPHATASE BY AMINO METHYL	101.65	U/L	40.0 - 130.0					
GAMMA GLUTAM by SZASZ, SPECTROF	YL TRANSFERASE (GGT): SERUM PHTOMETRY	17.99	U/L	0.00 - 55.0					
TOTAL PROTEINS by BIURET, SPECTRO		6.6	gm/dL	6.20 - 8.00					
ALBUMIN: SERUM by BROMOCRESOL G		4.4	gm/dL	3.50 - 5.50					
GLOBULIN: SERUN by CALCULATED, SPE		2.2^{L}	gm/dL	2.30 - 3.50					
A : G RATIO: SERU by CALCULATED, SPE		2	RATIO	1.00 - 2.00					

INTERPRETATION

NOTE: • To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: • Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	>2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH					
AGE/ GENDER	: 60 YRS/FEMALE	PATIENT ID	: 1820564			
COLLECTED BY	:	REG. NO./LAB NO.	: 122504070015			
REFERRED BY	:	REGISTRATION DATE	: 07/Apr/2025 11:31 AM			
BARCODE NO.	: 12507939	COLLECTION DATE	: 07/Apr/2025 01:10PM			
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Apr/2025 07:27PM			
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	
DECREASED:			

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

				•											
PRO	G	NO	SI	ГΙ	С	S	10	ŝΝ	IFI	10)	4	Ν	С	E:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH				
AGE/ GENDER: 60 YRS/FEMALECOLLECTED BY:			PATIENT ID	: 1820564 : 122504070015	
			REG. NO./LAB NO.		
REFERRED BY	:		REGISTRATION DATE	: 07/Apr/2025 11:31 AM	
BARCODE NO.	: 12507939		COLLECTION DATE	: 07/Apr/2025 01:10PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	: 07/Apr/2025 07:27PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
Test Name		Value	Unit	Biological Reference interva	
	KIDNEY	FUNCTI	ON TEST (COMPLET	Έ)	
UREA: SERUM by UREASE - GLUTAM	IATE DEHYDROGENASE (GLDH)	25.04	mg/dL	10.00 - 50.00	
CREATININE: SER		1.01	mg/dL	0.40 - 1.20	
by CALCULATED, SPE		11.7	mg/dL	7.0 - 25.0	
BLOOD UREA NIT RATIO: SERUM by CALCULATED, SPE	ROGEN (BUN)/CREATININE	11.58	RATIO	10.0 - 20.0	
UREA/CREATININ	E RATIO: SERUM	24.79	RATIO		
URIC ACID: SERUN by URICASE - OXIDAS		3.48	mg/dL	2.50 - 6.80	
CALCIUM: SERUM by ARSENAZO III, SPE		9.46	mg/dL	8.50 - 10.60	
-	ERUM DATE, SPECTROPHOTOMETRY	3.41	mg/dL	2.30 - 4.70	
<u>ELECTROLYTES</u>					
SODIUM: SERUM by ISE (ION SELECTIV		145.6	mmol/L	135.0 - 150.0	
POTASSIUM: SERU	ELECTRODE)	4.43	mmol/L	3.50 - 5.00	
CHLORIDE: SERUN by ISE (ION SELECTIV	(E ELECTRODE)	109.2	mmol/L	90.0 - 110.0	
ESTIMATED GLO	MERULAR FILTERATION RAT	<u>E</u>			
(eGFR): SERUM by CALCULATED INTERPRETATION:	MERULAR FILTERATION RATE	63.7			
	een pre- and post renal azotemia.				

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: 60 YRS/FEMALE :				
:	PATIENT	ID	: 1820564	
	REG. NO./	'LAB NO.	: 122504070015	
:	REGISTR	ATION DATE	: 07/Apr/2025 11:31 AM	
: 12507939	COLLECT	ION DATE	: 07/Apr/2025 01:10PM	
: P.K.R JAIN HEALTHCARE INSTIT	TUTE REPORTI	NG DATE	: 07/Apr/2025 07:27PM	
: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA				
	Value	Unit	Biological Reference interval	
e.g. ureter colostomy) ss (subnormal creatinine producti etracycline, glucocorticoids) : 1) WITH ELEVATED CREATININE LE		ostructive uropa	thy).	
BUN rises	DECREASED BUN :			

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH			
AGE/ GENDER	: 60 YRS/FEMALE	PATIENT ID	: 1820564	
COLLECTED BY	:	REG. NO./LAB NO.	: 122504070015	
REFERRED BY	:	REGISTRATION DATE	: 07/Apr/2025 11:31 AM	
BARCODE NO.	: 12507939	COLLECTION DATE	:07/Apr/202501:10PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 07/Apr/2025 07:27PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH			
AGE/ GENDER	: 60 YRS/FEMALE	PATIE	INT ID	: 1820564
COLLECTED BY	:	REG. N	IO./LAB NO.	: 122504070015
REFERRED BY	:	REGIS	TRATION DATE	: 07/Apr/2025 11:31 AM
BARCODE NO.	: 12507939	COLLE	ECTION DATE	: 07/Apr/2025 01:10PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST		RTING DATE	: 07/Apr/2025 02:04PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM			· · · · · · · · · · · · · · · · · · ·
	,			
Test Name		Value	Unit	Biological Reference interva
		CLINICAL PAT	HOLOGY	
	URINE ROU'	TINE & MICROSO	COPIC EXAMI	NATION
PHYSICAL EXAM	INATION			
QUANTITY RECIE		15	ml	
COLOUR		PALE YELLOW		PALE YELLOW
	TANCE SPECTROPHOTOMETRY			CLEAD
TRANSPARANCY by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
SPECIFIC GRAVIT	Y	1.02		1.002 - 1.030
	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAN	<u> IINATION</u>			
REACTION		ACIDIC		
PROTEIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve	,	
SUGAR		NEGATIVE (-ve)	NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY	5 5		50 75
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
BILIRUBIN		NEGATIVE (-ve)	NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY			
NITRITE	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)	NEGATIVE (-ve)
UROBILINOGEN	TANGE OF LOTINOF HOTOWETRT.	NOT DETECTE	D EU/dL	0.2 - 1.0
	TANCE SPECTROPHOTOMETRY			
KETONE BODIES		NEGATIVE (-ve)	NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	INCOATIVE (-Ve)	$\mathbf{NEOATIVE}(-VC)$
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
MICROSCOPIC E	XAMINATION			

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

ABSENT

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. SANTOSH				
AGE/ GENDER	: 60 YRS/FEMALE	PATIENT	ID	: 1820564	
COLLECTED BY	:	REG. NO./	LAB NO.	: 122504070015	
REFERRED BY	:	REGISTRA	TION DATE	: 07/Apr/2025 11:31 AM	
BARCODE NO.	: 12507939	COLLECTI	ON DATE	:07/Apr/202501:10PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE REPORTIN	NG DATE	:07/Apr/202502:04PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
RED BLOOD CELL		NEGATIVE (-ve)	/HPF	0 - 3	
•	CENTRIFUGED URINARY SEDIMENT				
PUS CELLS	CENTRIFUGED URINARY SEDIMENT	10-12	/HPF	0 - 5	
EPITHELIAL CELLS		4-6	/HPF	ABSENT	
by MICROSCOPY ON (CENTRIFUGED URINARY SEDIMENT				
CRYSTALS		NEGATIVE (-ve)		NEGATIVE (-ve)	
•	CENTRIFUGED URINARY SEDIMENT				
CASTS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
BACTERIA	SENTAL OGED ON WART SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
	CENTRIFUGED URINARY SEDIMENT				
OTHERS		NEGATIVE (-ve)		NEGATIVE (-ve)	

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

