PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. PYARI			
AGE/ GENDER	: 60 YRS/FEMALE		PATIENT ID	: 1823963
COLLECTED BY	:		REG. NO./LAB NO.	: 122504090027
REFERRED BY	:		REGISTRATION DATE	: 09/Apr/2025 12:08 PM
BARCODE NO.	: 12507994		COLLECTION DATE	: 09/Apr/2025 12:22PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE	REPORTING DATE	: 09/Apr/2025 04:26PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	C	-REACTIVE	E PROTEIN (CRP)	
		45.66 ^H	mg/L	0.0 - 6.0
SERUM		45.00	C C	
by NEPHLOMETRY INTERPRETATION:				
1. C-reactive protein	(CRP) is one of the most sensitive a	acute-phase rea	actants for inflammation.	
2. CRP levels can incr proliferation.	ease dramatically (100-fold or mo	re) after severe	e trauma, bacterial infectior	n, inflammation, surgery, or neoplastic
3. CRP levels (Quanti	tative) has been used to assess act	ivity <mark>of inflamn</mark>	natory disease, to detect inf	ections after surgery, to detect transplant
4. As compared to ES	nitor these inflammatory processes R, CRP shows an earlier rise in infla	ammatory diso	rders which begins in 4-6 hr	s, the intensity of the rise being higher than
and the recovery beir	ng earlier than ESR. Unlike ESR, CRF	Plevels are not	influenced by hematologic	conditions like Anemia, Polycythemia etc.,

5. Elevated values are consistent with an acute inflammatory process. NOTE:

1. Elevated C-reactive protein (CRP) values are nonspecific and should not be interpreted without a complete clinical history. 2. Oral contraceptives may increase CRP levels.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

