Busic inferin	nation				
Name: JA	ASWINDER		ontact:		Gender: Female
Weight: 63.	•		thdate: 1988-10)-22	Age of EDC: 36.83 Year
	sian		Twins: No		GA calc method: CRL Robinson
LMP Day: Sample inform	mation	S	ender:		
Send time: 20		Sor	nple NO.: 115090	94	Scan Date: 2025-02-10
Lab:		Sample Date: 2025-02-14			GA: 13+1
BPD: mm			L length: 61.66		
Assay —		CN	L lengui. 01.00		NT length: 1.10 mm
	tem abbr	Result	Unit	MOM	Reference range
1 fre	e-ß-HCG	11.77	ng/ml	0.28	
2 P	PAPP-A	4771.79	mIU/L	0.88	
3	NT	1.10	mm	0.69	
isk calculate —					
Age risk: 1:284 Parameter: Trisomy21					21-3 syndrome risk
				50	
Risk: 1:36865				호 100	Risk above cut off You risk 1: >10000
Cut Off: (< 1:150)				>5000	
Screaning Resu	ult: Negative			7 3000	50 Age
					18-3 syndrome risk
Parameter: Trisomy18/13				100	
Risk	:: 1:16065			<u>청</u> 200	Risk above cut off
Cut Off: (< 1:300)				<u> </u>	You risk 1: >10000
Screening Result: Negative			>5000	50	

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high girls and bead white girls of trigony 21 at trigony 18 requires first having the provided at the time of your onsite. When you get this report is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

50

Screening Result:

Age

Cut Off:

Doctor: Checked by:

Print date: 2025-02-14 16:09:24

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **