



ISO 9001 : 2008 CERTIFIED LAB

KOS Diagnostic Lab
(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME:	Ms. JATINDER KAUR (220385)	Accession No.:	111571
Age/Gender:	29 Y/Female	Specimen ID:	BC2401023
Lab NO:	012410170046	Specimen:	Whole Blood HEPARIN
Referred BY:	Self	Collected:	17/Oct/2024 12:33PM
Remark:		Registered:	17/Oct/2024 12:29PM
		Reported:	06/Nov/2024 03:16PM

www.idoseinfo.com

CYTOGENETICS REPORT

Test Name:Karyotype - Blood

RESULT:

Method:	G-banding
Metaphases counted:	20
Metaphases analyzed:	20
Metaphases karyotyped:	14
Banding Resolution:	400
Karyotype (ISCN 2016):	46,XX

INTERPRETATION:

Normal female chromosome complement. There is no evidence of aneuploidy or structural rearrangement at the resolution of banding analysis.

Tara Nath
Quality Manager

Mr. Brijesh
Authorised Signatory
PhD(P)

DR. S. KUMAR
MBBS, MD
Consultant Pathologist



Page 1 of 2

NOTE:

This Sample was outsourced



ISO 9001 : 2008 CERTIFIED LAB

KOS Diagnostic Lab

(A Unit of KOS Healthcare)




Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME:	Ms. JATINDER KAUR (220385)	Accession No.:	111571
Age/Gender:	29 Y/Female	Specimen ID:	BC2401023
Lab NO:	012410170046	Specimen:	Whole Blood HEPARIN
Referred BY:	Self	Collected:	17/Oct/2024 12:33PM
Remark:		Registered:	17/Oct/2024 12:29PM
		Reported:	06/Nov/2024 03:16PM

CYTOGENETICS REPORT

KARYOTYPE:



Disclaimer: Although the methodology used in this analysis and interpretation is highly accurate, it does not detect small rearrangements and very low-level mosaicism, which are detectable only by molecular methods. Failure to detect an alteration at any locus does not exclude the diagnosis of any of the disorders. LABASSURE can assist the physician in determining the appropriate test in the context of clinical indications.

*** End Of Report ***

Tara Nath
Quality Manager

Mr. Brijesh
Authorised Signatory
PhD(P)

DR. S. KUMAR
MBBS, MD
Consultant Pathologist



Page 2 of 2

NOTE:

This Sample was outsourced