

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening

Name	MRS. JYOTI	Sample no	1707220195/AMB	IVF	no
Patient ID		Weight	49.7 kg	Smoking	no
Doctor		Fetuses	1	diabetes	no
		Birthdate	08/03/88	Ethnic origin	Asian
		Age at delivery	29.8	Day of serum taking	06/07/17
		Previous trisomy 21 pregnancies	no	Date of report:	08/07/17

Corrected MoM's and calculated risks


AFP	40.1 ng/ml	1.05	Corr. MoM
HCG	29322 mIU/ml	0.69	Corr. MoM
uE3	0.5 ng/ml	1.29	Corr. MoM
Inh-A	270.1 pg/mL	1.04	Corr. MoM

Ultra sound data

Day of ultra sound	13/06/17	Nuchal translucency	1.2 mm
CRL	50.4 mm	Nasal bone	0.88 MoM present
Gestational age by CRL	11 + 4	Measured by	.
Gestation age on the day of serum taking	14 + 6	Qualifications in measuring NT	MD

Risk

1:10



The calculated risk for trisomy 18 (with nuchal translucency) is $< 1:10000$, which represents a low risk.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

Biochem. risk + NT at term
 $< 1:10000$

Age risk at term
1:985

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (1.05) is located in the low risk area for neural tube defects.

below cut off Below Cut Off, but above Age Risk above cut off