

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening

Name	MRS. ANAMIKA	Sample no	1707220524/AMB	IVF	no
Patient ID	1707220524/AMB	Weight	81 kg	Smoking	no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	no
		Birthday	27-06-1987	Ethnic origin	Asian
		Age at delivery	30.5	Day of serum taking	19-07-2017
		Previous trisomy 21 pregnancies	no	Date of report:	21-07-2017

Corrected MoM's and calculated risks


AFP	18 ng/ml	0.62	Corr. MoM
HCG	49070 mIU/ml	1.67	Corr. MoM
uE3	0.35 ng/ml	0.75	Corr. MoM
Inh-A	150 pg/mL	0.81	Corr. MoM

Ultra sound data

Day of ultra sound	30-06-2017	Nuchal translucency	1.4 mm
			0.83 MoM
CRL	66.4 mm	Nasal bone	present
Gestational age by CRL	12 + 5	Measured by	DR. RUCHIKA JINDAL
Gestation age on the day of serum taking	15 + 3	Qualifications in measuring NT	MD

Risk

1:10



The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

Biochem. risk + NT  
at term

1:7307

Age risk  
at term

1:906

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.62) is located in the low risk area for neural tube defects.

below cut off      Below Cut Off, but above Age Risk      above cut off