KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA CANTT

Prisca 5.0.2.37

Date of report: 06-08-2017

Name MRS. MALTI DEVI Birthday 01-01-1993 Age at sample date 24.6 Gestational age 11 + 4 Correction factors Fetuses 1 IVF no Previous trisomy 21 no Pregancies Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/mI 1.03 ft. Scan date 03-08-2017 Risks at sampling date Corms in the factor of the incompanie of the factor of the incompanie of the factor of the incompanie of the incompani
Age at sample date 24.6 Sample Date 05-08-2017 Gestational age 11 + 4 Sample Date 05-08-2017 Correction factors Fetuses 1 IVF No Previous trisomy 21 No
Gestational age 11 + 4 Correction factors Fetuses 1 IVF no Previous trisomy 21 no Pregancies Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Risks at sampling date Crown rump length in mm 46.3 Age risk 1:944 Biochemical T21 risk 1:2353 Combined trisomy 21 risk 1:2269 Trisomy 13/18 + NT 1 < 1:1000 1:100 1:100 Cut off Gestational age 11 + 4 Ultrasound data Ultrasound data Cror. MoM Gestational age 11 + 2 Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Nasal bone present Sonographer Qualifications in measuring NT MD Trisomy 13/18 + NT
Fetuses 1 IVF no Previous trisomy 21 no Weight 57 diabetes no Origin Asian Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Method CRL Robinson fb-hCG 64.6 ng/ml 1.52 Scan date 03-08-2017 Risks at sampling date Age risk 1:944 Biochemical T21 risk 1:2253 Nongrapher Crown rump length in mm 46.3 Nasal bone present Combined trisomy 21 risk 1:2259 Sonographer Sonographer 1:10 Trisomy 13/18 + NT < 1:1000 1:100 1:100 Gt off Gt off Gt off Trisomy 21 The calculated risk for Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic valuel
Fetuses 1 IVF no Previous trisomy 21 no Weight 57 diabetes no Previous trisomy 21 no pregancies Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Method CRL Robinson fb-hCG 64.6 ng/ml 1.52 Risks at sampling date Age risk 1:944 Nasal bone 0.3-08-2017 Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Biochemical T21 risk 1:2353 Sonographer 0.1:1000 Risk 1:2269 Sonographer 0.1:10000 Risk Trisomy 13/18 + NT 0.10000 Risk Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Weight 57 diabetes no pregancies Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Method CRL Robinson fb-hCG 64.6 ng/ml 1.52 Scan date 03-08-2017 Risks at sampling date Crown rump length in mm 46.3 Age risk 1:944 Nuchal translucency MoM 1.42 Biochemical T21 risk 1:2353 Nasal bone present Combined trisomy 21 risk 1:2269 Sonographer Trisomy 13/18 + NT 2110000 Qualifications in measuring NT MD Risk 1:10 Cut off Cut off Cut off Cut off Please note that armong 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Method CRL Robinson (b-hCG 64.6 ng/ml 1.52 Scan date 03-08-2017 Risks at sampling date Age risk 1:944 Nuchal translucency MoM 1.42 Nosal bone present Combined trisomy 21 risk 1:2353 Nasal bone present Combined trisomy 21 risk 1:2269 Sonographer Qualifications in measuring NT MD Risk 1:10 Trisomy 13/18 + NT
Biochemical data Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/mI 1.03 Method CRL Robinson fb-hCG 64.6 ng/mI 1.52 Risks at sampling date Crown rump length in mm 46.3 Age risk 1:944 Nuchal translucency MoM 1.42 Biochemical T21 risk 1:2353 Nasal bone present Sonographer Qualifications in measuring NT MD Risk 1:10 Trisomy 13/18 + NT Qualifications in measuring NT MD Trisomy 21 The calculated risk for Trisomy 21 test (with NT) it is expected that among 2269 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Parameter Value Corr. MoM Gestational age 11 + 2 PAPP-A 2.54 mIU/ml 1.03 Method CRL Robinson fb-hCG 64.6 ng/ml 1.52 Risks at sampling date Crown rump length in mm 46.3 Age risk 1:944 Biochemical T21 risk 1:2353 Combined trisomy 21 risk 1:2269 Trisomy 13/18 + NT C1:10000 Risk 1:10 Cat off Cat off Gestational age 11 + 2 Method CRL Robinson CRL Robinson CRL Robinson Nuchal translucency MoM 1.42 Nacal date 03-08-2017 Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Nasal bone present Sonographer . Qualifications in measuring NT MD Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
PAPP-A 2.54 mIU/ml 1.03 fb-hCG 64.6 ng/ml 1.52 Risks at sampling date Age risk 1:944 Biochemical T21 risk 1:2353 Combined trisomy 21 risk 1:2269 Trisomy 13/18 + NT < 1:1000 Risk 1:10 Gt off Gt off Method CRL Robinson Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Nasal bone present Sonographer Cualifications in measuring NT MD Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
fb-hCG 64.6 ng/ml 1.52 Risks at sampling date Age risk 1:944 Biochemical T21 risk 1:2353 Combined trisomy 21 risk 1:2269 Trisomy 13/18 + NT < 1:1000 Risk 1:10 Cut off Cut off Scan date 03-08-2017 Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Nasal bone present Sonographer . Qualifications in measuring NT MD Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Age risk Age risk Biochemical T21 risk Combined trisomy 21 risk Trisomy 13/18 + NT Risk 1:100 Cut off Crown rump length in mm 46.3 Nuchal translucency MoM 1.42 Nasal bone Present Sonographer Qualifications in measuring NT Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Age risk Biochemical T21 risk Combined trisomy 21 risk Trisomy 13/18 + NT Risk 1:100 1:100 Age risk 1:2353 Nuchal translucency MoM 1.42 Nasal bone Sonographer Qualifications in measuring NT Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Biochemical T21 risk Combined trisomy 21 risk 1:2353 Trisomy 13/18 + NT <1:1000 Risk 1:210 Cualifications in measuring NT Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Combined trisomy 21 risk Trisomy 13/18 + NT <1:1000 Risk 1:2269 Cualifications in measuring NT MD Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Trisomy 13/18 + NT Risk 1:10 Qualifications in measuring NT Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
1:10 The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among 2269 women with the same data, there is one woman with a trisomy 21 pregnancy and 2268 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!
1:1000 1:

Sign of Physician

below cut off Below Cut Off, but above Age Risk above cut off