

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. POONAM	Sample no	1709220698/AMB IVF	unknown
Patient ID		Weight	65 kg Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1 diabetes	unknown
		Birthday	10-10-1989 Ethnic origin	Asian
		Age at delivery	28.4 Day of serum taking	30-09-2017
		Previous trisomy 21 pregnancies	unknown Date of report:	04-10-2017

Corrected MoM's and calculated risks

AFP	33.7 ng/ml	0.82	Corr. MoM
HCG	24942 mIU/ml	0.90	Corr. MoM
uE3	0.7 ng/ml	0.89	Corr. MoM
Inh-A	177 pg/mL	0.90	Corr. MoM

Ultra sound data

Day of ultra sound	26-08-2017	Nuchal translucency	1.5 mm
			1.07 MoM
CRL	52.6 mm	Nasal bone	unknown
Gestational age by CRL	11 + 5	Measured by	.
Gestation age on the day of serum taking	16 + 5	Qualifications in measuring NT	MD



Biochem. risk + NT  
at term  
<1:10000

Age risk  
at term  
1:1126

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.82) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

below cut off
  Below Cut Off, but above Age Risk
  above cut off