KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA CANTT

Prisca 5.0.2.37

Date of report: 17-10-2017

| Patient data | | | | | | | |
|--|---|----------|-----------|-----------------------------------|---|----------------|--|
| Name | MRS. DEEPIKA | | | Patient ID | | 1710220311/AMB | |
| Birthday | 11-09-1985 | | | Sample ID | | 1710220311/AMB | |
| Age at sample date | 32.1 | | | Sample Date | е | 16-10-2017 | |
| Gestational age | 13 + 1 | | | | | | |
| Correction factors | | | | | | | |
| Fetuses | 1 | IVF | | no | Previous trisomy 21 | no | |
| Weight | 60 | diabetes | | no | pregancies | | |
| Smoker | no | Origin | | Asian | | | |
| Biochemical data | | | | Ultrasound da | ata | | |
| Parameter | Value | | Corr. MoM | Gestational a | age | 12 + 6 | |
| PAPP-A | 4.16 mIU/m | nl | 0.96 | _ | | CRL Robinson | |
| fb-hCG | 27.9 ng/ml | | 0.88 | Scan date | 14-10-2017 | | |
| Risks at sampling date | | | | Crown rump length in mm 68 | | 68.1 | |
| Age risk | 1:487 | | | Nuchal translucency MoM | | 0.81 | |
| Biochemical T21 risk | 1:3664 | | | Nasal bone | | present | |
| Combined trisomy 21 r | risk <1:10000 | | | Sonographer | | | |
| Trisomy 13/18 + NT | <1:10000 | | | Qualifications in measuring NT ME | | | |
| Risk | | | | Trisomy 21 | | | |
| Trisomy 13/18 + NT | 1719 212325 2729 313335 3739 414345 4749 Age | | | | The calculated risk for Trisomy 21 (with nuchal translucency) is below the cut off, which indicates a low risk. After the result of the Trisomy 21 test (with NT) it is expected that among more than 10000 women with the same data, there is one woman with a trisomy 21 pregnancy. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no diagnostic value! | | |
| The calculated risk for translucency) is < 1:1 risk. | | | | | | | |