

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. PARVEEN HUSSAIN	Sample no	1710220488/AMB IVF	no	
Patient ID		Weight	84 kg	Smoking	no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	Asian
		Birthday	25-12-1978	Ethnic origin	26-10-2017
		Age at delivery	39.3	Day of serum taking	30-10-2017
		Previous trisomy 21 pregnancies	no	Date of report:	

Corrected MoM's and calculated risks

AFP	19.4 ng/ml	0.60	Corr. MoM
HCG	22488 mIU/ml	0.88	Corr. MoM
uE3	0.5 ng/ml	0.77	Corr. MoM
Inh-A	165.1 pg/mL	0.97	Corr. MoM

Ultra sound data

Day of ultra sound	26-09-2017	Nuchal translucency	2 mm
CRL	55.6 mm	Nasal bone	1.36 MoM present
Gestational age by CRL	12 + 0	Measured by	.
Gestation age on the day of serum taking	16 + 2	Qualifications in measuring NT	MD



Biochem. risk + NT  
at term  
1:427

Age risk  
at term  
1:154

**TRISOMY 18 SCREENING**  
The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

**NEURAL TUBE DEFECTS (NTD) SCREENING**  
The corrected MoM AFP (0.60) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).  
The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

