

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. JASPREET	Sample no	1712220046/AMB IVF	no
Patient ID	1712220046/AMB	Weight	56 kg Smoking	no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1 diabetes	Asian
		Birthday	17-08-1982 Ethnic origin	02-12-2017
		Age at delivery	35.7 Day of serum taking	03-12-2017
		Previous trisomy 21 pregnancies	no Date of report:	

Corrected MoM's and calculated risks

AFP	45.7 ng/ml	0.93	Corr. MoM
HCG	29852 mIU/ml	1.05	Corr. MoM
uE3	0.95 ng/ml	1.02	Corr. MoM
Inh-A	205 pg/mL	0.97	Corr. MoM

Ultra sound data

Day of ultra sound	06-11-2017	Nuchal translucency	2 mm
			1.08 MoM
CRL	75.6 mm	Nasal bone	present
Gestational age by CRL	13 + 3	Measured by	.
Gestation age on the day of serum taking	17 + 1	Qualifications in measuring NT	MD



Biochem. risk + NT
at term
1:8111

Age risk
at term
1:365

TRISOMY 18 SCREENING
The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING
The corrected MoM AFP (0.93) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).
The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

