

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. MANDEEP	Sample no	1712220070/AMB IVF	no
Patient ID	1712220070/AMB	Weight	49 kg Smoking	no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1 diabetes	Asian
		Birthday	19-04-1986 Ethnic origin	31-12-2017
		Age at delivery	31 Day of serum taking	02-12-2018
		Previous trisomy 21 pregnancies	no	Date of report:

Corrected MoM's and calculated risks

AFP	37.1 ng/ml	0.88	Corr. MoM
HCG	57858 mIU/ml	1.51	Corr. MoM
uE3	0.54 ng/ml	0.95	Corr. MoM
Inh-A	230 pg/mL	0.95	Corr. MoM

Ultra sound data

Day of ultra sound	29-12-2017	LMP	29/08/2017
BPD	38.54 mm	Nasal bone	present
Gestational age by BPD	17 + 6	Measured by	.
Gestation age on the day of serum taking	17 + 6	Qualifications in measuring NT	MD



Biochem. risk + NT  
at term  
1:3173

Age risk  
at term  
1:989

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.88) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

