

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. JAGRITI SHARMA	Sample no	1802220001/AMB IVF	no	
Patient ID	1802220001/AMB	Weight	52 kg	Smoking	no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	Asian
		Birthday	16-07-1992	Ethnic origin	01-02-2018
		Age at delivery	26.0	Day of serum taking	02-02-2018
		Previous trisomy 21 pregnancies	no	Date of report:	

Corrected MoM's and calculated risks

AFP	55.6 ng/ml	1.10	Corr. MoM
HCG	22558 mIU/ml	0.74	Corr. MoM
uE3	1 ng/ml	1.09	Corr. MoM
Inh-A	220 pg/mL	1.00	Corr. MoM

Ultra sound data

Day of ultra sound	27-12-2017	Nuchal translucency	1.6 mm
			1.11 MoM
CRL	54.3 mm	Nasal bone	present
Gestational age by CRL	11 + 6	Measured by	.
Gestation age on the day of serum taking	17 + 0	Qualifications in measuring NT	MD



Biochem. risk + NT
at term
<1:10000

Age risk
at term
1:1320

TRISOMY 18 SCREENING
The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING
The corrected MoM AFP (1.10) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).
The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

