

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1 , NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. SHIVANI	Sample no	1805220379/AMB IVF	no
Patient ID	1805220379/AMB	Weight	61.5 kg	Smoking no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes Asian
		Birthday	06-10-1989	Ethnic origin 14-05-2018
		Age at delivery	29.1	Day of serum taking 15-05-2018
		Previous trisomy 21 pregnancies	no	Date of report:

Corrected MoM's and calculated risks

AFP	33.1 ng/ml	0.82	Corr. MoM
HCG	15164 mIU/ml	0.50	Corr. MoM
uE3	0.6 ng/ml	0.86	Corr. MoM
Inh-A	194 pg/mL	0.93	Corr. MoM

Ultra sound data

Day of ultra sound	09-04-2018	Nuchal translucency	1.2 mm
CRL	47.2 mm	Nasal bone	0.93 MoM present
Gestational age by CRL	11 + 2	Measured by	.
Gestation age on the day of serum taking	16 + 2	Qualifications in measuring NT	MD



Biochem. risk + NT at term
<1:10000

Age risk at term
1:1064

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.82) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).
The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

