

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. RASHIDA	Sample no	1805220786/AMB IVF	no
Patient ID	1805220786/AMB	Weight	40 kg	Smoking no no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes Asian
		Birthday	08-06-1994	Ethnic origin 28-05-2018
		Age at delivery	24.4	Day of serum taking 29-05-2018
		Previous trisomy 21 pregnancies	no	Date of report:

Corrected MoM's and calculated risks

AFP	39.1 ng/ml	0.73	Corr. MoM
HCG	77037 mIU/ml	1.84	Corr. MoM
uE3	0.6 ng/ml	0.82	Corr. MoM
Inh-A	215 pg/mL	0.83	Corr. MoM

Ultra sound data

Day of ultra sound	02-05-2018	Nuchal translucency	1.2 mm
			0.78 MoM
CRL	59 mm	Nasal bone	present
Gestational age by CRL	12 + 2	Measured by	.
Gestation age on the day of serum taking	16 + 0	Qualifications in measuring NT	MD



Biochem. risk + NT  
at term  
<1:10000

Age risk  
at term  
1:1407

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.73) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

