

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. ANJANA	Sample no	1807220272/AMB	IVF	unknown
Patient ID		Weight	71 kg	Smoking	unknown
		Fetuses	1	diabetes	unknown
		Birthday	04-04-1980	Ethnic origin	Asian
Doctor	KOS DIAGNOSTIC LAB	Age at delivery	38.7	Day of serum taking	10-07-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	11-07-2018

Corrected MoM's and calculated risks

Sample Date	10-07-2018	Parameter	Value	Corr. MoM
		AFP	43.3 ng/ml	1.10
Gestation age on the day of serum taking	16 + 6	uE3	0.94 ng/ml	1.17
Method	Scan	HCG	16012 mIU/ml	0.62
		Inh-A	230 pg/mL	1.24

Comment

Risk



Tr.21 risk
at term
1:1383

Age risk
at term
1: 179

Neural tube defects risk

The corrected MoM AFP (1.10) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.

below cut off
 Below Cut Off, but above Age Risk
 above cut off