

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT


Result Down's syndrome screening

Name	MRS. PRIYANKA (B)	Sample no	1807220663/AMB (B)	IVF	unknown
Patient ID	1807220663/AMB (B)	Weight	50 kg	Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	2	diabetes	unknown
		Birthday	28-07-1992	Ethnic origin	Asian
		Age at delivery	26.4	Day of serum taking	24-07-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	28-07-2018

Corrected MoM's and calculated risks

Sample Date	24-07-2018	Parameter	Value	Corr. MoM
Gestation age on the day of serum taking	19 + 4	AFP	117.6 ng/ml	0.72
Method	BPD Hadlock	uE3	2.05 ng/ml	0.78
		HCG	21611 mIU/ml	0.55
		Inh-A	306.3 pg/mL	0.65

Comment



Tr.21 risk

at term
<1:10000

Age risk

at term
1: 1294

Neural tube defects risk

The corrected MoM AFP (0.72) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.

below cut off

Below Cut Off, but above Age Risk

above cut off