

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. RANJANA	Sample no	1807220853/AMB	IVF	unknown
Patient ID		Weight	61 kg	Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	unknown
		Birthday	21-08-1989	Ethnic origin	Asian
		Age at delivery	29.3	Day of serum taking	31-07-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	01-08-2018

Corrected MoM's and calculated risks

Sample Date	31-07-2018	Parameter	Value	Corr. MoM
LMP	28-02-2018	AFP	96 ng/ml	1.03
Gestation age on the day of serum taking	21 + 6	uE3	2.1 ng/ml	1.04
Method	LMP	HCG	14548 mIU/ml	1.07
		Inh-A	280 pg/mL	1.04

Comment

Risk



Tr.21 risk

at term

1:6527

Age risk

at term

1: 1040

Neural tube defects risk

The corrected MoM AFP (1.03) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.

below cut off

Below Cut Off, but above Age Risk

above cut off