

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. MEENAKSHI	Sample no	1808220375/AMB	IVF	unknown
Patient ID		Weight	50 kg	Smoking	unknown
		Fetuses	1	diabetes	unknown
		Birthday	18-07-1987	Ethnic origin	Asian
Doctor	KOS DIAGNOSTIC LAB	Age at delivery	31.5	Day of serum taking	14-08-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	17-08-2018

Corrected MoM's and calculated risks

Sample Date	14-08-2018	Parameter	Value	Corr. MoM
Gestation age on the day of serum taking	18 + 4	AFP	25.1 ng/ml	0.38
Method	Scan	uE3	0.9 ng/ml	0.68
		HCG	45123 mIU/ml	1.82
		Inh-A	353.1 pg/mL	1.56

Comment

Risk



**Tr.21 risk**  
at term  
>1:50

**Age risk**  
at term  
1: 798

Neural tube defects risk

The corrected MoM AFP (0.38) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.