

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. VARINDER KAUR	Sample no	1808220577/AMB	IVF	unknown
Patient ID	1808220577/AMB	Weight	63 kg	Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	unknown
		Birthday	06-09-1984	Ethnic origin	Asian
		Age at delivery	34.4	Day of serum taking	22-08-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	23-08-2018

Corrected MoM's and calculated risks

Sample Date	22-08-2018	Parameter	Value	Corr. MoM
LMP	14-04-2018	AFP	85.1 ng/ml	1.53
Gestation age on the day of serum taking	18 + 4	uE3	1.6 ng/ml	1.30
Method	LMP	HCG	31123 mIU/ml	1.45
		Inh-A	270.1 pg/mL	1.35

Comment

Risk



Tr.21 risk
at term
1:2631

Age risk
at term
1: 486

Neural tube defects risk

The corrected MoM AFP (1.53) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.