

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. CHANDER MUKHI	Sample no	1808220613/AMB	IVF	unknown
Patient ID		Weight	52 kg	Smoking	unknown
		Fetuses	1	diabetes	unknown
		Birthday	11-02-1983	Ethnic origin	Asian
Doctor	KOS DIAGNOSTIC LAB	Age at delivery	35.9	Day of serum taking	24-08-2018
		Previous trisomy 21 pregnancies	unknown	Date of report:	25-08-2018

Corrected MoM's and calculated risks

Sample Date	24-08-2018	Parameter	Value	Corr. MoM
Gestation age on the day of serum taking	18 + 6	AFP	47.2 ng/ml	0.71
		uE3	1.1 ng/ml	0.80
		HCG	9870 mIU/ml	0.43
		Inh-A	180 pg/mL	0.80
Method	Scan			

Comment

Risk



Tr.21 risk
at term
1:2819

Age risk
at term
1: 349

Neural tube defects risk

The corrected MoM AFP (0.71) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for Trisomy 18 is 1:4223, which indicates a low risk.