

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT


Result Down's syndrome screening

Name	MRS. LESLIE	Sample no	1806220563/AMB	IVF	unknown
Patient ID		Weight	63 kg	Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	unknown
		Birthday	10-11-1987	Ethnic origin	Asian
		Age at delivery	31	Day of serum taking	04-12-2018
		Previous trisomy pregnancies	21 unknown	Date of report:	06-12-2018

Corrected MoM's and calculated risks

Sample Date	04-06-2018	Parameter	Value	Corr. MoM
		AFP	38.7 ng/ml	0.51
Gestation age on the day of serum taking	18 + 0	uE3	1 ng/ml	0.77
Method	Scan	HCG	40187 mIU/ml	1.24
		Inh-A	180 pg/mL	0.72

Comment



Tr.21 risk
at term
1:1809

Age risk
at term
1: 1099

Neural tube defects risk
The corrected MoM AFP (0.51) is located in the low risk area for neural tube defects.

Risk for trisomy 18
The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.