
KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA CANTT										
Result Down's syndrome screening										
Name MANPREET		Sample ID	211901290001	diabetes	unknown					
				D.O.B.	03/09/1992	Fetuses	1			
Patient ID 211901290001				Age at delivery	26.0	Smoker	unknown			
Day of serum taking: 29-01-19				Weight [kg]	64 kg	VF	unknown			
Date of report: 30-01-2019						Ethnic origin	Asian			
Previous tr pregancies			ınknown							
Corrected MoM's and calculated risks										
AFP	47.2	ng/ml	0.84	Corr. MoM	Gestational age at	sample date	19 + 4			
uE3	1.3	ng/ml	0.94	Corr. MoM	determination method		LMP			
HCG	33221	mIU/ml	1.66	Corr. MoM	Physician		KOS DIAGNOSTIC LAB			
Inh-A	210	pg/mL	1.07	Corr. MoM						



## Down's Syndrome Risk

The calculated risk for Trisomy 21 is below the cut off which represents a low risk. After the result of the Trisomy 21 test it is expected that among 3151 women with the same data, there is one woman with a trisomy 21 pregnancy and 3150 women with not affected pregnancies. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value!									
Neural tube defects risk	Risk for trisomy 18								
The corrected MoM AFP (0.84) is located in the low risk area for neural tube defects.	The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.								

below cut off	Below Cut Off, but above Age Risk	above cut off	Prisca 5.0.2.37